

January - 2006

Products Approved

via

HSE Biocides & Pesticides
Unit

Contents

HSE No:	Product	Use
8205	Exorsect (Ready to Use)	Insect Repellent
8217	Digrain Bugs Control	Insecticide
8218	Compass Racing Glide Antifouling	Antifouling Product
8219	Awlstar Gold Label Antifouling	Antifouling Product
8220	Difenacoum Whole Wheat Bait	Rodenticide
8222	Rid-Eze DF (Difenacoum) Wax Block Bait	Rodenticide
8223	Sovereign Sovaq Power Pack FLX Fungicide Insecticide	Wood Preservative
8224	Sovereign Sovaq Power Pack FLX Insecticide	Wood Preservative
8226	Profume	Insecticide

Amendments:

HSE No:	Product	Amended Date
3762	Sumithrin 10 SEC	16/1/06
5784	Staykil Household Flea Spray	11/1/06
6323	X-Gnat M/C (Mosquito Control)	6/1/06
6728	Rodine	24/1/06
7276	Ronseal Multi-Purpose Wood Treatment	9/1/06
7953	Tretoplast WB Topcoat	19/1/06
8128	Raco Force Paste	4/1/06

INSECT REPELLENT

EXORSECT (READY TO USE)

HSE 8205

THE APPROVAL

Marketing Company

RITCHEY PLC

Active Ingredient

TEA TREE OIL - 1.1% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

SPONGE AND TRIGGER SPRAY

Container

100ml and 500ml

USE

Field of Use

FOR AMATEUR AND PROFESSIONAL USE. FOR USE ONLY AS AN INSECT REPELLENT

Application Rate

APPLY AROUND AFFECTED AREAS AND SENSITIVE AREAS OF THE ANIMAL (AVOIDING EYES) AS FOLLOWS
SPRAY: APPLY 5 GRAMS (APPROX. 5TRIGGER PULLS) PER SQUARE METRE OF SURFACE.

SPONGE: APPLY 20 GRAMS OF PRODUCT PER SQUARE METRE.

PRECAUTIONARY PHRASES

Amateur Label/Professional Label

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.

[Back to contents](#)

INSECTICIDE

DIGRAIN BUGS CONTROL

HSE 8217

THE APPROVAL

Marketing Company

LODI UK

Active Ingredient

d-PHENOTHRIN - 10.% w/w

Formulation

WATER BASED EMULSION CONCENTRATE

THE CONDITIONS

Application Method

AEROSOL GENERATOR (ULV) AND LOW PRESSURE SPRAY

Container

100 ML, 250 ML, 500 ML AND 1 LITRE

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

PROFESSIONAL

Application Rate

FOR THE CONTROL OF FLYING INSECTS: (FLIES, MOSQUITOES)
USE 1 PART OF PRODUCT DILUTED WITH 250-500 PARTS OF WATER AND APPLY BY KNAPSACK OR POWER SPRAYER AT A RATE OF 50 ML/SQUARE METRE).

FOR THE CONTROL OF CRAWLING INSECTS (COCKROACHES, FLEAS, BEDBUGS AND TICKS) USE 1 PART OF PRODUCT DILUTED WITH 150-250 PARTS OF WATER AND APPLIED BY KNAPSACK OR POWER SPRAYER AT THE RATE OF 50 ML/SQUARE METRE (TO GIVE A MAXIMUM OF 20 MG AI PER SQUARE METRE FOR FLYING INSECTS AND 33 MG AI PER SQUARE METRE FOR CRAWLING INSECTS)

ULV APPLICATION FOR THE ABOVE, THE PRODUCT SHOULD BE DILUTED WITH AN EQUAL QUANTITY OF WATER AND APPLIED AT THE RATE OF 20 ML PER 100 SQUARE METRES OR 0.08 ML/CUBIC METRE VIA MICROGEN E2, G2, 67 OR 69 ULV EQUIPMENT (TO GIVE A MAXIMUM OF 4 MG/CUBIC METRE OF ACTIVE

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and gloves and eye/face protection (when diluting).

OP WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SPRAY MASK when applying through power or knapsack sprayer.

OP WEAR APPROVED RESPIRATORY EQUIPMENT AND EYE PROTECTION (GOGGLES) when applying through the 'Microgen' to conform to BS 2091 (or equivalent ULV equipment).

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP DO NOT BREATHE SPRAY MIST. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "Respiratory Protective Equipment - a practical guide for users").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE When using do not eat drink or smoke.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY.

EN DO NOT APPLY DIRECTLY TO ANIMALS.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container (omit non-applicable locations).

RE SPRAY ONLY ONTO SURFACES.

[Back to contents](#)

ANTIFOULING PRODUCT

COMPASS RACING GLIDE ANTIFOULING

HSE 8218

THE APPROVAL

Marketing Company

COMPASS YACHTZUBEHOR HANDEL

Active Ingredient

COPPER

Also Contains

XYLENE
ALKYD RESIN

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH AND ROLLER

Container

750ML, 1 LITRE AND 2.5 LITRES

USE

Field of Use

FOR USE ONLY AS AN ANTIFOULING PRODUCT

User

AMATEUR

Application Rate

APPLY 1 LITRE OF PRODUCT PER 12 SQUARE METRES PER COAT. APPLY 2 COATS.

PRECAUTIONARY PHRASES

NONE

[Back to contents](#)

ANTIFOULING PRODUCT

AWLSTAR GOLD LABEL ANTIFOULING

HSE 8219

THE APPROVAL

Marketing Company

AWLGRIP

Active Ingredient

DICHOFLUANID
CUPROUS OXIDE

Also Contains

AROMATIC HYDROCARBON SOLVENT
GUM ROSIN

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, ROLLER AND SPRAY (AIRLESS)

Container

4.55 LITRES AND 15 LITRES

USE

Field of Use

FOR USE ONLY AS AN ANTIFOULING PRODUCT

User

PROFESSIONAL

Application Rate

BRUSH/ ROLLER: APPLY 1 LITRE OF PRODUCT PER 10.00 SQUARE METRES OF SURFACE.

SPRAY: APPLY 1 LITRE OF PRODUCT AT RECOMMENDED WET FILM THICKNESS PER 3.33 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

OP WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS OF A CONTRASTING COLOUR TO THE PRODUCT BEING APPLIED, UNDERNEATH A DISPOSABLE COVERALL WITH HOOD), SUITABLE GLOVES AND IMPERVIOUS FOOTWEAR THAT PROTECTS THE LOWER LEG.

OP DISPOSE OF PROTECTIVE GLOVES after use.

OP DO NOT BREATHE SPRAY MIST.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT (such as air-fed respiratory protective equipment with combined protective helmet and visor) when spraying.

RE UNPROTECTED PERSONS SHOULD BE KEPT AWAY FROM TREATED AREAS.

[Back to contents](#)

RODENTICIDE

DIFENACOUM WHOLE WHEAT BAIT

HSE 8220

THE APPROVAL

Marketing Company

SOREX LTD

Active Ingredient

DIFENACOUM - 0.005% w/w

Formulation

GRAIN BAIT

THE CONDITIONS

Application Method

BAIT

Container

AMATEUR 0.5 – 10 KG
PROFESSIONAL 0.5 – 25 KG

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR, PROFESSIONAL

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

EN (* Intervals will vary depending on product used; see manufacturer's guidelines).

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

PROFESSIONAL LABEL

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT/DUST where food, feed or water could become contaminated (except when used in sewers).

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

EN (* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

[Back to contents](#)

RODENTICIDE

RID-EZE DF (DIFENACOUM) WAX BLOCK BAIT

HSE 8222

THE APPROVAL

Marketing Company

PELGAR INTERNATIONAL LTD

Active Ingredient

DIFENACOUM - 0.005% w/w

Formulation

BLOCK BAIT

THE CONDITIONS

Application Method

BAIT

Container

AMATEUR 1 KG, 2.5 KG, AND 6 KG
PROFESSIONAL UP TO 25 KILOGRAMS

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR & PROFESSIONAL

Application Rate

BAIT AS NECESSARY

PRECAUTIONARY PHRASES

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

EN (* Intervals will vary depending on product used; see manufacturer's guidelines).

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

EN (* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

[Back to contents](#)

WOOD PRESERVATIVE

SOVEREIGN SOVAQ POWER PACK FLX FUNGICIDE INSECTICIDE

HSE 8223

THE APPROVAL

Marketing Company

SOVEREIGN CHEMICALS LTD

Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 12.38% w/w
FLUFENOXURON - 0.76% w/w
PROPICONAZOLE - 11.63% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

BRUSH AND SPRAY

Container

500 ML

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL

Application Rate

DILUTE 1 PART OF PRODUCT WITH 49 PARTS OF WATER, THEN:-
SPRAY: APPLY 1 LITRE OF DILUTED PRODUCT PER 4 - 5 SQUARE METRES OF SURFACE;
BRUSH: APPLY 1 LITRE OF DILUTED PRODUCT PER 5 SQUARE METRES OF SURFACE

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP Wear suitable eye / face protection (when diluting).

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP Take off immediately all contaminated clothing.

OP Avoid contact with skin.

RE EXCLUDE ALL UNPROTECTED PERSONS AND ANIMALS DURING TREATMENT AND FOR AT LEAST 1 HOUR AFTER TREATMENT IS COMPLETED.

RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE VISIBLY DRY.

RE FOR INDOOR USE ONLY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[Back to contents](#)

WOOD PRESERVATIVE

SOVEREIGN SOVAQ POWER PACK FLX INSECTICIDE

HSE 8224

THE APPROVAL

Marketing Company

SOVEREIGN CHEMICALS LTD

Active Ingredient

FLUFENOXURON - 0.76% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

BRUSH AND SPRAY

Container

500 ML

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL

Application Rate

DILUTE 1 PART OF PRODUCT WITH 49 PARTS WATER THEN :-
BRUSH: APPLY 1 LITRE OF DILUTED PRODUCT PER 5 SQUARE METRES OF SURFACE ;
SPRAY: APPLY 1 LITRE OF DILUTED PRODUCT PER 4 - 5 SQUARE METRES OF SURFACE

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP Wear suitable eye / face protection (when diluting).

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE EXCLUDE ALL UNPROTECTED PERSONS AND ANIMALS DURING TREATMENT AND FOR AT LEAST 1 HOUR AFTER TREATMENT IS COMPLETED.

RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE VISIBLY DRY.
RE FOR INDOOR USE ONLY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[Back to contents](#)

INSECTICIDE

PROFUME

HSE 8226

THE APPROVAL

Marketing Company

DOW AGROSCIENCES LTD

Active Ingredient

SULFURYL FLUORIDE – 99.8% w/w

Formulation

GAS

THE CONDITIONS

Application Method

FUMIGANT

Container

105 KG

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

PROFESSIONAL

Application Rate

FUMIGATE TO ACHIEVE A CTP OF 1500 G PER HOUR PER CUBIC METRE FOR NO MORE THAN 48 HOURS. A MAXIMUM CONCENTRATION OF 128 G PER CUBIC METRE MUST NOT BE EXCEEDED.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP Wear suitable protective clothing.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

RE VACATE TREATMENT AREAS before application.

EN COVER ALL WATER STORAGE TANKS before application.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY

STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN This material and its container must be disposed of in a safe way.

[Back to contents](#)

AMENDMENT

SUMITHRIN 10 SEC

HSE 3762

Marketing Company

SUMITOMO CHEMICAL (UK) PLC

AMENDMENT

The professional label has been amended.

The following phrases have been added.

The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

Wear suitable protective clothing and gloves and eye / face protection (when diluting).

AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

DO NOT BREATHE SPRAY MIST. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "Respiratory Protective Equipment – a practical guide for users") However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

COVER WATER STORAGE TANKS before application.

This material and its container must be disposed of in a safe way.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY.

DO NOT APPLY DIRECTLY TO ANIMALS.

SPRAY ONLY ONTO SURFACES.

The following phrases have been amended.

From: WEAR SUITABLE PROTECTIVE GLOVES, PROTECTIVE CLOTHING (COVERALLS) AND SPRAY MASK when applying through power or knapsack sprayer.

To: WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SPRAY MASK when applying through power of knapsack sprayer.

From: WEAR APPROVED RESPIRATORY EQUIPMENT AND EYE PROTECTION (GOGGLES) when applying through the 'Microgen' to conform to BS 2091.

To: WEAR APPROVED RESPIRATORY EQUIPMENT AND EYE PROTECTION (GOGGLES) when applying through the 'Microgen' to conform to BS 2091 (or equivalent ULV equipment)

From: WHEN USING DO NOT EAT, DRINK OR SMOKE.

To: When using do not eat, drink or smoke.

From: REMOVE FISH TANKS before spraying.

To: REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

From: DANGEROUS TO FISH. Do not contaminate ponds, waterways or ditches with chemical or used container.

To: Do not contaminate ground, waterbodies or watercourses with chemicals or used container. (omit non- applicable locations).

The following phrases have been removed.

WEAR SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACE SHEILD) when handling the concentrate.

WASH CONCENTRATE from skin or eyes immediately.

WASH HANDS AND EXPOSED SKIN before meals and after work.

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

REMOVE / COVER ALL FOODSTUFFS before application.

KEEP OUT OF REACH OF CHILDREN.

KEEP IN ORIGINAL CONTAINER, tightly closed in a safe place.

EMPTY CONTAINER COMPLETELY and dispose of safely.

All other conditions remain unchanged.

Date amended 16/1/06.

[Back to contents](#)

AMENDMENT

STAYKIL HOUSEHOLD FLEA SPRAY

HSE 5784

Marketing Company

CEVA ANIMAL HEALTH LIMITED

AMENDMENT

THE MARKETING COMPANY NAME HAS BEEN CHANGED.

FROM: NOVARTIS ANIMAL HEALTH UK LTD

TO: CEVA ANIMAL HEALTH LIMITED

Date amended 11/1/06

All other conditions remain unchanged.

[Back to contents](#)

AMENDMENT

X-GNAT M/C (MOSQUITO CONTROL)

HSE 6323

Marketing Company

SCOTMAS LIMITED

AMENDMENT

Changes to the professional label.

The following have changed:

From: The (COSHH) Control of Substances Hazardous to Health Regulations 1994 may apply to the use of this product at work.

To: The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

From: WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SYNTHETIC RUBBER/PVC GLOVES when diluting.

To: Wear suitable protective clothing and suitable gloves.

From: COVER WATER STORAGE TANKS before application.

To: COVER ALL WATER STORAGE TANKS before application.

From: THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way.

To: This material and its container must be disposed of in a safe way.

The following have been removed from the professional label:

WHEN USING DO NOT EAT, DRINK OR SMOKE.

AVOID naked flames and hot surfaces.

EXTREMELY DANGEROUS TO FISH AND OTHER AQUATIC LIFE. Remove or cover fish tanks and bowls before application.

DO NOT USE IN OCCUPIED HOSPITAL WARDS.

The following have been added to the professional label:

Avoid contact with skin.

REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

AVOID ALL CONTACT WITH PLANT LIFE.

Date amended 6/1/06.

All other conditions remain unchanged.

[Back to contents](#)

AMENDMENT

RODINE

HSE 6728

Marketing Company

RENTOKIL INITIAL UK LTD

AMENDMENT

The amateur label has been changed.

The following safety phrases have been changed:

From: SEARCH FOR RODENT BODIES AND DISPOSE OF SAFELY (e.g. burn or bury). Do not dispose of in refuse sacks or on open rubbish tips. REMOVE ALL REMAINS OF BAIT AND BAIT CONTAINERS AFTER TREATMENT AND DISPOSE OF SAFELY (e.g. burn or bury). Do not dispose of in refuse sacks or on open rubbish tips.

To: Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. (*Intervals will vary depending on the product used; see manufacturer's guidelines)

All other conditions remain unchanged.

Date amended 24/1/06.

[Back to contents](#)

AMENDMENT

RONSEAL MULTI-PURPOSE WOOD TREATMENT

HSE 7276

Marketing Company

RONSEAL LTD

AMENDMENT

The contents statement has changed:

From: Permethrin 0.093% w/w (0.725 g/l)
Propiconazole 0.50% w/w (3.910 g/l)

To: Permethrin 0.093% w/w (0.73 g/l)
Propiconazole 0.50% w/w (3.91 g/l)

Date amended 9/1/06.

All other conditions remain unchanged.

[Back to contents](#)

AMENDMENT

TRETOPLAST WB TOPCOAT

HSE 7953

Marketing Company

TREMCO LTD

AMENDMENT

THE AMOUNT OF ACTIVE INGREDIENT 2-OCTYL-2H-ISOTHIAZOL-3-ONE HAS CHANGED.

FROM: 0.04% W/W

TO: 0.048% W/W

THE FOLLOWING 2 ACTIVE INGREDIENTS HAVE BEEN DELETED FROM THE PRODUCT.

CARBENDAZIM AND DIURON.

THE FOLLOWING PHRASE HAS BEEN ADDED TO THE PROFESSIONAL LABEL.

Do not contaminate ground with chemicals or used container.

Date amended 19/1/06.

All other conditions remain unchanged.

[Back to contents](#)

AMENDMENT

RACO FORCE PASTE

HSE 8128

Marketing Company

LODI S.A.

AMENDMENT

THE FOLLOWING SAFETY PHRASES HAVE BEEN ADDED ON AN AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. Intervals will vary depending on product used; see manufacturer's guidelines).

RE FOR INDOOR USE ONLY.

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

THE APPLICATION METHOD HAS BEEN AMENDED

FROM: BAIT

TO: AMATEUR: BAIT

PROFFESIONAL: BAIT AND CAULKING GUN

ALL OTHER CONDITIONS REMAIN UNCHANGED.

Date amended: 4/1/06.

[Back to contents](#)