

January – 2007

Products Approved

Via

HSE Biocides & Pesticides Unit

Contents

New Approvals

HSE No	Product	Use
8382	POND PRIDE GREEN ALGAE CONTROL	AQUATIC ALGICIDE
8383	GREEN ALGAE CONTROL	AQUATIC ALGICIDE
8398	ASDA ANT KILLER POWDER	INSECTICIDE
8404	AQUA-PACK TIMBER PRESERVER	WOOD PRESERVATIVE
8405	AQUA-PACK DECKING PRESERVER	WOOD PRESERVATIVE
8406	LEOVET ANTI-FLY DEFENDER	INSECT REPELLENT
8407	D-ITCH OINTMENT	INSECT REPELLENT
8414	SEALOCRETE FUNGICIDAL WASH	SURFACE BIOCIDES
8415	SEALOCRETE DRY ROT KILLER	SURFACE BIOCIDES
8418	SEALOCRETE WOODWORM KILLER	WOOD PRESERVATIVE
8419	SEALOCRETE WOOD PRESERVATIVE	WOOD PRESERVATIVE
8420	SEALOCRETE TIMBERMASTER 6 IN 1	WOOD PRESERVATIVE
8421	NO FLIES NATURALLY	INSECT REPELLENT
8422	KING BRITISH WATER FEATURE TREATMENT	AQUATIC REPELLENT
8423	EFFOL HORSE-FLY-BLOCKER	INSECT REPELLENT
8424	EFFOL HORSE-FLY-BLOCKER	INSECT REPELLENT
8425	EFFOL ANTI-FLY-SPRAY	INSECT REPELLENT
8426	EFFOL ANTI-FLY-SPRAY	INSECT REPELLENT
8428	IMPERIAL COLOR	WOOD PRESERVATIVE

Amendments

HSE No	Product	Amended
5499	NIPPON ANT KILLER POWDER	05/01/2007
6262	SOVAC F/I	24/01/2007
7516	FUNGICIDE WATER SOLUBLE SACHET	11/01/2007
8119	STRIKE BACK INSECT KILLING FOGGER	10/01/2007
8315	PROTIM E430	26/01/2007
8367	PROTIM E406	30/01/2007

AQUATIC ALGICIDE

POND PRIDE GREEN ALGAE CONTROL

HSE 8382

THE APPROVAL

Marketing Company

SINCLAIR ANIMAL AND HOUSEHOLD CARE LTD

Active Ingredient

COPPER SULPHATE PENTAHYDRATE - 3.42% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

WATERING CAN

Container

250 ml - 500 ml

USE

Field of Use

FOR USE ONLY AS AN AQUATIC ALGICIDE

User

AMATEUR

Application Rate

APPLY 10 ml OF PRODUCT IN 450 LITRES POND WATER.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.

EN Do not empty into drains

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN NOT FOR USE IN ORNAMENTAL PONDS WHEN FROGS / TOADS ARE SPAWNING.

EN NOT FOR USE IN WILDLIFE PONDS.

[Return to Contents](#)

AQUATIC ALGICIDE

GREEN ALGAE CONTROL

HSE 8383

THE APPROVAL

Marketing Company

SINCLAIR ANIMAL AND HOUSEHOLD CARE LTD

Active Ingredient

COPPER SULPHATE PENTAHYDRATE - 3.42% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

DROPPER

Container

100 ml

USE

Field of Use

FOR USE ONLY AS AN AQUATIC ALGICIDE

User

AMATEUR

Application Rate

APPLY 1 ML OF PRODUCT IN 45 LITRES AQUARIUM WATER

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.

EN Do not empty into drains

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN NOT FOR USE IN ORNAMENTAL PONDS WHEN FROGS / TOADS ARE SPAWNING.

EN NOT FOR USE IN WILDLIFE PONDS.

[Return to Contents](#)

INSECTICIDE

ASDA ANT KILLER POWDER

HSE 8398

THE APPROVAL

Marketing Company

ASDA STORES LTD

Active Ingredient

PERMETHRIN - 0.488% w/w

Formulation

DUST

THE CONDITIONS

Application Method

DUSTING POWDER

Container

150g, 300g AND 500g

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

CRACK AND CREVICE TREATMENT: APPLY 20 GRAMMES OF PRODUCT PER SQUARE METRE OF SURFACE.
RE-TREAT AS NECESSARY.

PRECAUTIONARY PHRASES

OP Do not breathe dust.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.

EN Do not empty into drains

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN COVER ALL WATER STORAGE TANKS before application.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[Return to Contents](#)

WOOD PRESERVATIVE

AQUA-PACK TIMBER PRESERVER

HSE 8404

THE APPROVAL

Marketing Company

ENVIROQUEST UK LTD

Active Ingredient

PROPICONAZOLE – 23.49% w/w
3-iodo-2-propynyl-N-butyl carbamate - 8.34% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

BRUSH AND SPRAY

Container

2 x 33.5 ml SACHETS

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL

Application Rate

ADD ONE SACHET (33.5 ml) TO 2.5 LITRES OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 3 - 4 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing, suitable gloves and eye/face protection.

OP Avoid contact with eyes.

OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

EN Do not empty into drains

OP Avoid contact with skin.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EN COVER ALL WATER STORAGE TANKS before application.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

[Return to Contents](#)

WOOD PRESERVATIVE

AQUA-PACK DECKING PRESERVER

HSE 8405

THE APPROVAL

Marketing Company

ENVIROQUEST UK LTD

Active Ingredient

PROPICONAZOLE – 23.49% w/w
3-iodo-2-propynyl-N-butyl carbamate - 8.34% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

BRUSH AND SPRAY

Container

2 x 33.5 ml SACHETS

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL

Application Rate

ADD ONE SACHET (33.5 ml) TO 2.5 LITRES OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 3 - 4 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing, suitable gloves and eye/face protection.

OP Avoid contact with eyes.

OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

EN Do not empty into drains

OP Avoid contact with skin.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EN COVER ALL WATER STORAGE TANKS before application.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

[Return to Contents](#)

INSECT REPELLENT

LEOVET ANTI FLY DEFENDER

HSE 8406

THE APPROVAL

Marketing Company

EDDIE PALIN DISTRIBUTION LTD

Active Ingredient

N,N-DIETHYL-M-TOLUAMIDE - 8.0% w/w

Formulation

LIQUID READY-FOR-USE

THE CONDITIONS

Application Method

TRIGGER SPRAY

Container

500 ml

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 25 ml OF PRODUCT PER HORSE. APPLY ONCE OR TWICE PER DAY.

PRECAUTIONARY PHRASES

OP Wear eye/face protection.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

EN This material and its container must be disposed of in a safe way.

RE When using do not eat drink or smoke.

GE Use only in well-ventilated areas.

[Return to Contents](#)

INSECT REPELLENT

D-ITCH OINTMENT

HSE 8407

THE APPROVAL

Marketing Company

NATURAL ANIMAL FEEDS

Active Ingredient

ETHYL BUTYLACETYLAMINOPROPIONATE - 3.77% w/w
BENZYL BENZOATE - 2.48% w/w

Formulation

GEL

THE CONDITIONS

Application Method

HAND

Container

600g

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 10 GRAMMES PER 20 SQUARE CENTIMETRES DAILY TO AFFECTED AREAS. FOR EXTREME CASES APPLY TWICE DAILY. SHAMPOO REGULARLY.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.

[Return to Contents](#)

SURFACE BIOCIDES

SEALOCRETE FUNGICIDAL WASH

HSE 8414

THE APPROVAL

Marketing Company

BOSTIK LTD

Active Ingredient

DIALKYLDIMETHYL AMMONIUM CHLORIDE - 3.5% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

BRUSH AND SPRAY

Container

AMATEUR 1 LITRES
PROFESSIONAL 1, 2.5, 5 AND 25 LITRES

USE

Field of Use

FOR USE ONLY AS A SURFACE BIOCIDES

User

AMATEUR
PROFESSIONAL

Application Rate

DILUTE 1 PART PRODUCT WITH 1 PART WATER.
SPRAY: APPLY 1 LITRE OF DILUTED PRODUCT PER 4 - 6 SQUARE METRES OF SURFACE.
BRUSH: APPLY 1 LITRE OF DILUTED PRODUCT PER 5 - 9 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
RE FOR OUTDOOR USE ONLY.
EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.
EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.

RE FOR OUTDOOR USE ONLY.

EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

SURFACE BIOCIDES

SEALOCRETE DRY ROT KILLER

HSE 8415

THE APPROVAL

Marketing Company

BOSTIK LTD

Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 0.189% w/w
BENZALKONIUM CHLORIDE - 0.482% w/w

Formulation

MICROEMULSION READY-FOR-USE

THE CONDITIONS

Application Method

SPRAY

Container

AMATEUR 1, 2.5 AND 5 LITRES
PROFESSIONAL 1, 2.5, 5 AND 25 LITRES

USE

Field of Use

FOR USE ONLY AS A SURFACE BIOCIDES

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY 1 LITRE OF PRODUCT PER 3 - 4 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

COVER ALL WATER STORAGE TANKS before application.

EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.

REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

COVER ALL WATER STORAGE TANKS before application.

EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.

REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

WOOD PRESERVATIVE

SEALOCRETE WOODWORM KILLER

HSE 8418

THE APPROVAL

Marketing Company

BOSTIK LTD

Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 0.46% w/w
PERMETHRIN - 0.18% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

AMATEUR: BRUSH, DIP AND SPRAY
PROFESSIONAL: BRUSH AND SPRAY
INDUSTRIAL: BRUSH, DIP, IMMERSION, SPRAY, VACUUM/PRESSURE IMPREGNATION

Container

1, 2.5 AND 5 LITRES (AMATEUR)
1, 2.5, 5, 25 AND 200 LITRES (PROFESSIONAL)
200 LITRES (INDUSTRIAL)

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR
PROFESSIONAL
INDUSTRIAL

Application Rate

BRUSH: APPLY 1 LITRE OF PRODUCT PER 6 SQUARE METRES OF TIMBER SURFACE.
SPRAY: APPLY 1 LITRE OF PRODUCT PER 4-5 SQUARE METRES OF TIMBER SURFACE.
DIP: DIP FOR A MINIMUM OF 3 MINUTES.
IMMERSION: IMMERSE AS REQUIRED.
VACUUM/PRESSURE IMPREGNATION: AS REQUIRED.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
EN Do not empty into drains.
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
GE Use only in well-ventilated areas.
EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
EN Do not empty into drains
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
GE Use only in well-ventilated areas.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT
EN AVOID ALL CONTACT WITH PLANT LIFE

INDUSTRIAL LABEL

US FOR USE ONLY BY INDUSTRIAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing, suitable gauntlets and eye/face protection.
OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
RE When using do not eat drink or smoke.
EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Return to Contents](#)

WOOD PRESERVATIVE

SEALOCRETE WOOD PRESERVATIVE

HSE 8419

THE APPROVAL

Marketing Company

BOSTIK LTD

Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 0.46% w/w
PERMETHRIN - 0.18% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

AMATEUR: BRUSH, DIP AND SPRAY
PROFESSIONAL: BRUSH AND SPRAY
INDUSTRIAL: BRUSH, DIP, IMMERSION, SPRAY, VACUUM/PRESSURE IMPREGNATION

Container

1, 2.5 AND 5 LITRES (AMATEUR)
1, 2.5, 5, 25 AND 200 LITRES (PROFESSIONAL)
200 LITRES (INDUSTRIAL)

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR
PROFESSIONAL
INDUSTRIAL

Application Rate

BRUSH: APPLY 1 LITRE OF PRODUCT PER 6 SQUARE METRES OF TIMBER SURFACE.
SPRAY: APPLY 1 LITRE OF PRODUCT PER 4-5 SQUARE METRES OF TIMBER SURFACE.
DIP: DIP FOR A MINIMUM OF 3 MINUTES.
IMMERSION: IMMERSE AS REQUIRED.
VACUUM/PRESSURE IMPREGNATION: AS REQUIRED.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
EN Do not empty into drains.
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
GE Use only in well-ventilated areas.
EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
EN Do not empty into drains
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
GE Use only in well-ventilated areas.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT
EN AVOID ALL CONTACT WITH PLANT LIFE

INDUSTRIAL LABEL

US FOR USE ONLY BY INDUSTRIAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing, suitable gauntlets and eye/face protection.
OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
RE When using do not eat drink or smoke.
EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Return to Contents](#)

WOOD PRESERVATIVE

SEALOCRETE TIMBERMASTER 6 IN 1

HSE 8420

THE APPROVAL

Marketing Company

BOSTIK LTD

Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 0.46% w/w
PERMETHRIN - 0.18% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

AMATEUR: BRUSH, DIP AND SPRAY
PROFESSIONAL: BRUSH AND SPRAY
INDUSTRIAL: BRUSH, DIP, IMMERSION, SPRAY, VACUUM/PRESSURE IMPREGNATION

Container

1, 2.5 AND 5 LITRES (AMATEUR)
1, 2.5, 5, 25 AND 200 LITRES (PROFESSIONAL)
200 LITRES (INDUSTRIAL)

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR
PROFESSIONAL
INDUSTRIAL

Application Rate

BRUSH: APPLY 1 LITRE OF PRODUCT PER 6 SQUARE METRES OF TIMBER SURFACE.
SPRAY: APPLY 1 LITRE OF PRODUCT PER 4-5 SQUARE METRES OF TIMBER SURFACE.
DIP: DIP FOR A MINIMUM OF 3 MINUTES.
IMMERSION: IMMERSE AS REQUIRED.
VACUUM/PRESSURE IMPREGNATION: AS REQUIRED.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
EN Do not empty into drains.
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
GE Use only in well-ventilated areas.
EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
EN Do not empty into drains
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
GE Use only in well-ventilated areas.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT
EN AVOID ALL CONTACT WITH PLANT LIFE

INDUSTRIAL LABEL

US FOR USE ONLY BY INDUSTRIAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing, suitable gauntlets and eye/face protection.
OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE When using do not eat drink or smoke.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Return to Contents](#)

INSECT REPELLENT

NO FLIES NATURALLY

HSE 8421

THE APPROVAL

Marketing Company

LENRYS ASSOCIATES

Active Ingredient

LAVANDIN OIL - 0.5% w/w
JUNIPER EXTRACT - 0.5% w/w
AUSTRALIAN TEA TREE OIL - 0.5% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

TRIGGER SPRAY

Container

250 ml, 350 ml AND 1 LITRE

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

EACH TRIGGER PULL RELEASES 1 ml OF PRODUCT. APPLY APPROXIMATELY 10 ml OF PRODUCT PER SQUARE METRE OF ANIMAL COAT.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
GE Use only in well-ventilated areas.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

[Return to Contents](#)

AQUATIC ALGICIDE

KING BRITISH WATER FEATURE TREATMENT

HSE 8422

THE APPROVAL

Marketing Company

SINCLAIR ANIMAL AND HOUSEHOLD CARE LTD

Active Ingredient

DIMETHYLAMINE-EPICHLOROHYDRIN COPOLYMER - 2.5% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

WATERING CAN

Container

1 LITRE

USE

Field of Use

FOR USE ONLY AS AN AQUATIC ALGICIDE

User

AMATEUR

Application Rate

10ml PRODUCT PER 25 LITRES OF WATER. MAXIMUM OF 3 TREATMENTS PER MONTH.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.

EN Do not empty into drains

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN NOT FOR USE IN WILDLIFE PONDS.

EN NOT FOR USE IN ORNAMENTAL PONDS WHEN FROGS / TOADS ARE SPAWNING.

[Return to Contents](#)

INSECT REPELLENT

EFFOL HORSE-FLY-BLOCKER

HSE 8423

THE APPROVAL

Marketing Company

WEATHERBEETA LTD

Active Ingredient

ETHYL BUTYLACETYLAMINOPROPIONATE – 4.9% w/w
AUSTRALIAN TEA TREE OIL – 3.0% w/w

Formulation

LIQUID READY-FOR-USE

THE CONDITIONS

Application Method

SPRAY

Container

100 ml, 500 ml AND 2500 ml

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 15 GRAMS OF PRODUCT PER SQUARE METRE OF COAT SURFACE. THIS IS EQUIVALENT TO APPROXIMATELY 40 TRIGGER PULLS.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.

OP Do not breathe spray.

EN Do not empty into drains

OP Wear suitable gloves.

OP Avoid contact with skin.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

INSECT REPELLENT

EFFOL HORSE-FLY-BLOCKER

HSE 8424

THE APPROVAL

Marketing Company

BUXACTIC LIMITED

Active Ingredient

ETHYL BUTYLACETYLAMINOPROPIONATE – 4.9% w/w
AUSTRALIAN TEA TREE OIL – 3.0% w/w

Formulation

LIQUID READY-FOR-USE

THE CONDITIONS

Application Method

SPRAY

Container

100 ml, 500 ml AND 2500 ml

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 15 GRAMS OF PRODUCT PER SQUARE METRE OF COAT SURFACE. THIS IS EQUIVALENT TO APPROXIMATELY 40 TRIGGER PULLS.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.

OP Do not breathe spray.

EN Do not empty into drains

OP Wear suitable gloves.

OP Avoid contact with skin.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

INSECT REPELLENT

EFFOL ANTI-FLY-SPRAY

HSE 8425

THE APPROVAL

Marketing Company

WEATHERBEETA LTD

Active Ingredient

ETHYL BUTYLACETYLAMINOPROPIONATE – 4.9% w/w
AUSTRALIAN TEA TREE OIL - 3% w/w

Formulation

LIQUID READY-FOR-USE

THE CONDITIONS

Application Method

SPRAY

Container

5000 MILLILITRES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 15 GRAMS OF PRODUCT PER SQUARE METRE OF HORSE SURFACE. THIS IS EQUIVALENT TO APPROXIMATELY 40 TRIGGER PULLS.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.

OP Do not breathe spray.

EN Do not empty into drains

OP Wear suitable gloves.

OP Avoid contact with skin.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

INSECT REPELLENT

EFFOL ANTI-FLY-SPRAY

HSE 8426

THE APPROVAL

Marketing Company

WEATHERBEETA LTD

Active Ingredient

ETHYL BUTYLACETYLAMINOPROPIONATE – 4.9% w/w
AUSTRALIAN TEA TREE OIL - 3% w/w

Formulation

LIQUID READY-FOR-USE

THE CONDITIONS

Application Method

SPRAY

Container

5000 MILLILITRES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 15 GRAMS OF PRODUCT PER SQUARE METRE OF HORSE SURFACE. THIS IS EQUIVALENT TO APPROXIMATELY 40 TRIGGER PULLS.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.

OP Do not breathe spray.

EN Do not empty into drains

OP Wear suitable gloves.

OP Avoid contact with skin.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

WOOD PRESERVATIVE

IMPRANOL COLOR

HSE 8428

THE APPROVAL

Marketing Company

SONNEBORN & RIECK LTD

Active Ingredient

DICHOLOFLUANID – 0.39% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH

Container

0.7, 2.5 AND 5 LITRES (AMATEUR)
0.7, 2.5, 5 and 20 LITRES (PROFESSIONAL)

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY 200 - 250 ml OF PRODUCT PER SQUARE METRE. APPLY 2 TO 3 COATS.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
OP Avoid contact with skin.
EN Do not empty into drains
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
GE Use only in well-ventilated areas.
EN COVER ALL WATER STORAGE TANKS before application.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
OP Avoid contact with skin.
EN Do not empty into drains
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
GE Use only in well-ventilated areas.
EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

AMENDMENT

NIPPON ANT KILLER POWDER

HSE 5499

Marketing Company

VITAX LTD

AMENDMENT

Precautionary phrases

THE **AMATEUR LABEL** HAS CHANGED

FROM:

DO NOT BREATHE DUST.

Remove or cover fish tanks and bowls before application.

DO NOT APPLY TO SURFACES on which food is stored, prepared or eaten.

THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way.

TO:

Do not breathe dust.

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

This material and its container must be disposed of in a safe way.

REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN ADDED:

Avoid contact with skin.

Do not empty into drains.

Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

COVER ALL WATER STORAGE TANKS before application.

ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS. CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN DELETED:

The (COSHH) Control of Substances Hazardous to Health Regulations 1988 may apply to the use of this product at work.

COVER FOOD, FOOD PREPARING EQUIPMENT AND EATING UTENSILS before application.

EXTREMELY DANGEROUS TO FISH AND OTHER AQUATIC LIFE. Do not contaminate watercourses or ground.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

SOVAC F/I

HSE 6262

Marketing Company

SOVEREIGN CHEMICALS LTD

AMENDMENT

THE CONDITIONS

Application Method

BRUSH, DIP, SPRAY (AMATEUR) HAS BEEN ADDED

Container

1, 2.5 AND 5 LITRES (AMATEUR) HAS BEEN ADDED

USE

User

AMATEUR HAS BEEN ADDED

Precautionary Phrases

THE FOLLOWING PHRASES HAVE BEEN ADDED

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment – A Practical Guide").
EP DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
EN Do not empty into drains.
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
GE Use only in well-ventilated areas.
EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

FUNGICIDE WATER SOLUBLE SACHET

HSE 7516

Marketing Company

ENVIROQUEST UK LTD

AMENDMENT

Precautionary Phrases

PROFESSIONAL LABEL

THE FOLLOWING SAFETY PHRASES HAVE BEEN ADDED:

Wear suitable protective clothing, suitable gloves and eye/face protection.

Avoid contact with eyes.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (g) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment – A Practical Guide").

Do not empty into drains.

Avoid contact with skin.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

STRIKE BACK INSECT KILLING FOGGER

HSE 8119

Marketing Company

GROUP 55

AMENDMENT

Product Name

THE PRODUCT NAME HAS CHANGED FROM '1204JMLGH' TO 'STRIKE BACK INSECT KILLING FOGGER'

Precautionary Phrases

THE FOLLOWING SAFETY PHRASES HAVE BEEN ADDED.

AMATEUR LABEL

DISPOSE OF USED GENERATOR SAFELY.

PROFESSIONAL LABEL

When using do not eat drink or smike.
DISPOSE OF USED GENERATOR SAFELY.

All other conditions remain unchanged

[Return to Contents](#)

AMENDMENT

PROTIM E430

HSE 8315

Marketing Company

PROTIM SOLIGNUM LTD

AMENDMENT

THE PRODUCT NAME HAS CHANGED **FROM** 'PROTIM E830' **TO** 'PROTIM E430'.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

PROTIM E406

HSE 8367

Marketing Company

PROTIM SOLIGNUM LTD

AMENDMENT

Active Ingredient

THE ACTIVE INGREDIENTS HAVE CHANGED

FROM: PERMETHRIN 0.140% w/w, PROPICONAZOLE 0.17% w/w, TEBUCONAZOLE 0.17% w/w

TO: PERMETHRIN 0.046% w/w, PROPICONAZOLE 0.056% w/w, TEBUCONAZOLE 0.057% w/w

All other conditions remain unchanged.

[Return to Contents](#)