

March – 2007

Products Approved

Via

HSE Biocides & Pesticides Unit

Contents

New Approvals

HSE No	Product	Use
8285	BROMAG	RODENTICIDE
8348	SIGMA ECOFLEET 290 S	ANTIFOULING PRODUCT
8453	SHERLEY'S DEFEST	INSECTICIDE
8454	FLASH DOSE	INSECTICIIDE
8464	ABSORBINE ULTRASHIELD BRAND EQUESTRIAN PREMISES SPRAY	INSECTICIDE
8465	STRIKE BACK INSECT KILLING SPRAY	INSECTICIDE
8466	HOKOEX	INSECTICIDE
8467	PERMATREAT FI PASTE	WOOD PRESERVATIVE
8471	AUTAN MOTHPROOFER	INSECTICIDE
8473	N-VIROBOR 10	SURFACE BIOCID
8473	N-VIROBOR 10	WOOD PRESERVATIVE

Amendments

HSE No	Product	Amended
4224	HALLS BEELINE FUNGICIDAL WASH	30/03/2007
7586	RONSEAL SPRAYABLE SHED & FENCE PRESERVER	05/03/2007
7587	RACO	09/03/2007
7763	LPC ESPACE	01/03/2007
7764	LPC ESPACE GEL	01/03/2007
7775	LINCOLN FLY REPELLENT GEL	01/03/2007
7849	HYDROPHANE NATURAL FLY REPELLENT GEL	01/03/2007

RODENTICIDE

BROMAG

HSE 8285

THE APPROVAL

Marketing Company

KILLGERM CHEMICALS LTD

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

GRAIN BAIT

THE CONDITIONS

Application Method

BAIT

Container

3 kg TO 20 kg

USE

Field of Use

RODENTICIDE FOR PROFESSIONAL USE.

User

PROFESSIONAL

Application Rate

APPLY AS NECESSARY

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN HARMFUL TO WILDLIFE.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

(* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with manufacturer's guidelines).

[Return to Contents](#)

ANTIFOULING PRODUCT

SIGMA ECOFLEET 290 S

HSE 8348

THE APPROVAL

Marketing Company

SIGMAKALON MARINE & PROTECTIVE COATINGS BV

Active Ingredient

CUPROUS OXIDE
ZINEB

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, ROLLER AND SPRAY (AIRLESS)

Container

20 LITRES

USE

Field of Use

FOR USE ONLY AS AN ANTIFOULING PRODUCT

User

PROFESSIONAL

Application Rate

APPLY 1 LITRE OF PRODUCT PER 3.7 - 7.3 SQUARE METRES OF SURFACE

PRECAUTIONARY PHRASES

OP DO NOT BREATHE SPRAY MIST.

OP WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS OF A CONTRASTING COLOUR TO THE PRODUCT BEING APPLIED, UNDERNEATH A DISPOSABLE COVERALL WITH HOOD), SUITABLE GLOVES AND IMPERVIOUS FOOTWEAR THAT PROTECTS THE LOWER LEG.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT (such as air-fed respiratory protective equipment with combined protective helmet and visor) when spraying.

OP UNPROTECTED PERSONS SHOULD BE KEPT OUT OF TREATMENT AREAS.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT such as FFP3 (or an equivalent standard) when working in the vicinity of the spray plume.

OP DISPOSE OF PROTECTIVE GLOVES after use.

GE IN ACCORDANCE WITH THE CHEMICALS (HAZARD INFORMATION AND PACKAGING FOR SUPPLY) REGULATIONS 1994, AS FROM TIME TO TIME AMENDED.

[Return to Contents](#)

INSECTICIDE

SHERLEY'S DEFEST

HSE 8453

THE APPROVAL

Marketing Company

BEAPHAR UK LTD

Active Ingredient

DELTAMETHRIN - 0.02% w/w

PYRETHRINS - 0.08% w/w

Formulation

PRE-PRESSURISED HAND HELD AEROSOL

THE CONDITIONS

Application Method

SURFACE SPRAY (SPOT, BAND AND CRACK AND CREVICE TREATMENT)

Container

400 ml

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

SPRAY AT A DISTANCE OF 30 cm. SPRAY DIRECTLY AT INSECTS ON SURFACE. SPRAY ON TO SURFACES ON WHICH INSECTS WALK, INTO CRACKS AND CREVICES AND OTHER INSECT HARBOURAGES. RE-APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.

EN COVER ALL WATER STORAGE TANKS before application.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.

OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.

EN DO NOT APPLY DIRECTLY TO ANIMALS.

EN EXCLUDE ANIMALS DURING APPLICATION.
EN HAZARDOUS TO BEES.
EN DO NOT APPLY TO CLOTHING AND BEDDING.

[Return to Contents](#)

INSECTICIDE

FLASH DOSE

HSE 8454

THE APPROVAL

Marketing Company

LODI UK

Active Ingredient

PYRETHRINS - 2.175% w/w

Formulation

EMULSION CONCENTRATE

THE CONDITIONS

Application Method

SPRAY

Container

25 – 100 x 5 ml SACHETS
25 – 100 x 10 ml SACHETS
10 – 25 x 25 ml SACHETS
10 – 25 x 50 ml SACHETS

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

PROFESSIONAL

Application Rate

FOR FLYING INSECTS: DILUTE 5 - 10 ml OF PRODUCT WITHIN 500 ml OF WATER. APPLY 50 ml OF DILUTED PRODUCT PER SQUARE METER.

FOR CRAWLING INSECTS: DILUTE 10 - 20 ml OF PRODUCT WITHIN 500 ml OF WATER. APPLY 50 ml OF DILUTED PRODUCT PER SQUARE METER.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.

EN This material and its container must be disposed of in a safe way.

EN Do not empty into drains

OP Avoid contact with skin.

RE FOR INDOOR USE ONLY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN DO NOT APPLY DIRECTLY TO ANIMALS.

[Return to Contents](#)

INSECTICIDE

ABSORBINE ULTRASHIELD BRAND EQUESTRIAN PREMISES SPRAY

HSE 8464

THE APPROVAL

Marketing Company

W.F. YOUNG, INC

Active Ingredient

PERMETHRIN - 0.503% w/w
PYRETHRINS - 0.050% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

SURFACE TRIGGER SPRAY

Container

950 MILLILITRES AND 3.8 LITRES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

APPLY 60 MILLILITRES OF PRODUCT PER 6 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
EN Do not empty into drains
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate, waterbodies or watercourses with chemicals or used container.
EN DO NOT APPLY DIRECTLY TO ANIMALS.
EN EXCLUDE ANIMALS DURING APPLICATION.

[Return to Contents](#)

INSECTICIDE

STRIKE BACK INSECT KILLING SPRAY

HSE 8465

THE APPROVAL

Marketing Company

GROUP 55

Active Ingredient

CYPERMETHRIN - 0.09% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

SPACE TREATMENT AND SURFACE SPRAY

Container

100 ml -1 LITRE
1 - 5 LITRES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR
PROFESSIONAL

Application Rate

SPACE TREATMENT: APPLY 1 TO 4 ml OF PRODUCT PER CUBIC METRE.
SURFACE SPRAY: APPLY 20 ml OF PRODUCT PER SQUARE METRE OF SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE DRY.
EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN DO NOT APPLY DIRECTLY TO ANIMALS.
EN DO NOT APPLY TO CLOTHING AND BEDDING.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE DRY.
EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN This material and its container must be disposed of in a safe way.
EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN DO NOT APPLY DIRECTLY TO ANIMALS.
EN DO NOT APPLY TO CLOTHING AND BEDDING.

[Return to Contents](#)

INSECTICIDE

HOKOEX

HSE 8466

THE APPROVAL

Marketing Company

HOCKLEY INTERNATIONAL LTD

Active Ingredient

CYROMAZINE - 1.98% w/w

Formulation

WATER SOLUBLE GRANULES

THE CONDITIONS

Application Method

HAND SHAKER, SPRAY, WATERING CAN

Container

5, 10, 20 AND 25 KILOGRAMS

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

PROFESSIONAL

Application Rate

SPRAY: DILUTE 250 G OF PRODUCT IN 1 - 4 LITRES OF WATER AND APPLY OVER 10 SQUARE METRES OF SURFACE.

WATERING CAN: DILUTE 250 g OF PRODUCT IN 10 LITRES OF WATER AND APPLY OVER 10 SQUARE METRES OF SURFACE.

APPLY A MAXIMUM OF 25 g OF PRODUCT ONTO MANURE 21 DAYS PRIOR TO SPREADING ONTO GRASS OR ARABLE LAND.

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.

EN This material and its container must be disposed of in a safe way.

OP DO NOT BREATHE DUST or spray mist. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "Respiratory Protective Equipment - a practical guide for users").

EN DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.

[Return to Contents](#)

WOOD PRESERVATIVE

PERMATREAT FI PASTE

HSE 8467

THE APPROVAL

Marketing Company

PERMAGARD PRODUCTS LTD

Active Ingredient

DISODIUM OCTABORATE TETRAHYDRATE – 4.0% w/w
PERMETHRIN - 0.20% w/w

Formulation

SOLVENT BASED PASTE

THE CONDITIONS

Application Method

TROWEL

Container

10 kg

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL

Application Rate

APPLY 1-1.2 LITRES OF PRODUCT PER SQUARE METRE OF END GRAIN EXPOSED, CLEAN TIMBER. USE TWO COATS TO GIVE COMPLETE SATURATION

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

EN Do not empty into drains

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

OP Avoid contact with skin.

RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE DRY.

GE Use only in well-ventilated areas.

EN COVER ALL WATER STORAGE TANKS before application.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

[Return to Contents](#)

INSECTICIDE

AUTAN MOTHPROOFER

HSE 8471

THE APPROVAL

Marketing Company

SC JOHNSON LTD

Active Ingredient

TRANSFLUTHRIN – 0.27 % w/w

Formulation

IMPREGNATED PAPER

THE CONDITIONS

Application Method

IMPREGNATED PAPER

Container

8 UNITS PER CARTON

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

PLACE ONE UNIT PER DRAWER OR SMALL WARDROBE, AND 2 - 4 UNITS PER MEDIUM-LARGE WARDROBE.

PRECAUTIONARY PHRASES

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
RE USE ONLY in positions inaccessible to children and animals.
RE DO NOT USE in larders or food cupboards.
RE DO NOT exceed the use of one unit per 0.25 cubic metre(s).
EN This material and its container must be disposed of in a safe way.
RE FOR INDOOR USE ONLY.

[Return to Contents](#)

SURFACE BIOCIDES

N-VIROBOR 10

HSE 8473

THE APPROVAL

Marketing Company

N-VIROL LTD

Active Ingredient

DISODIUM OCTABORATE – 9.75% w/w
BENZALKONIUM CHLORIDE – 1.00% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

AMATEUR: BRUSH, DIP AND SPRAY
PROFESSIONAL: BRUSH, DIP, IRRIGATION AND SPRAY

Container

AMATEUR: 0.25, 1, AND 5 LITRES
PROFESSIONAL: 5, 20, 25 AND 1000 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE AND SURFACE BIOCIDES

User

AMATEUR
PROFESSIONAL

Application Rate

BRUSH AND SPRAY: APPLY 1 LITRE OF PRODUCT PER 4 SQUARE METRES OF WOOD OR OTHER SURFACE.
DIP: DIP AT A RATE OF 5 - 20 LITRES OF PRODUCT PER 1 CUBIC METRE OF TIMBER.
IRRIGATION: IRRIGATE AT A RATE OF 10 LITRES OF PRODUCT PER 1 CUBIC METRE OF MASONRY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN COVER ALL WATER STORAGE TANKS before application.
EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN COVER ALL WATER STORAGE TANKS before application.
EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[Return to Contents](#)

WOOD PRESERVATIVE

N-VIROBOR 10

HSE 8473

THE APPROVAL

Marketing Company

N-VIROL LTD

Active Ingredient

DISODIUM OCTABORATE – 9.75% w/w
BENZALKONIUM CHLORIDE – 1.00% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

AMATEUR: BRUSH, DIP AND SPRAY
PROFESSIONAL: BRUSH, DIP, IRRIGATION AND SPRAY

Container

AMATEUR: 0.25, 1, AND 5 LITRES
PROFESSIONAL: 5, 20, 25 AND 1000 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE AND SURFACE BIOCIDES

User

AMATEUR
PROFESSIONAL

Application Rate

BRUSH AND SPRAY: APPLY 1 LITRE OF PRODUCT PER 4 SQUARE METRES OF WOOD OR OTHER SURFACE.
DIP: DIP AT A RATE OF 5 - 20 LITRES OF PRODUCT PER 1 CUBIC METRE OF TIMBER.
IRRIGATION: IRRIGATE AT A RATE OF 10 LITRES OF PRODUCT PER 1 CUBIC METRE OF MASONRY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EN COVER ALL WATER STORAGE TANKS before application.
EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN COVER ALL WATER STORAGE TANKS before application.
EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[Return to Contents](#)

AMENDMENT

HALLS BEELINE FUNGICIDAL WASH

HSE 4224

Marketing Company

HALLS BEELINE LTD

AMENDMENT

Product Name

THE PRODUCT NAME HAS CHANGED **FROM** 'BEELINE FUNGICIDAL WASH' **TO** 'HALLS BEELINE FUNGICIDAL WASH'

Marketing Company

THE MARKETING COMPANY HAS CHANGED **FROM** 'WARD BEKKER LTD' **TO** 'HALLS BEELINE LTD'

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

RONSEAL SPRAYABLE SHED & FENCE PRESERVER

HSE 7586

Marketing Company

RONSEAL LTD

AMENDMENT

Product Name

THE PRODUCT NAME HAS CHANGED **FROM** 'RONSEAL COLOURED SHED AND FENCE PRESERVER'
TO 'RONSEAL SPRAYABLE SHED AND FENCE PRESERVER'

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

RACO

HSE 7587

Marketing Company

BIO6

AMENDMENT

THE CONDITIONS

Container

AN ADDITIONAL PACKAGING SIZE OF 'PLASTIC POT CONTAINING 20 SACHETS EACH OF 100 GRAMMES'
HAS BEEN INCLUDED

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

LPC ESPACE

HSE 7763

Marketing Company

LABORATOIRE SOGEVAL

AMENDMENT

Active Ingredient

THE ACTIVE INGREDIENTS HAVE CHANGED

FROM

CINNAMOMUM ZEYLANICUM EXTRACT 2% w/w

LITSEA CUBEBA EXTRACT 2% w/w

PALMAROSA OIL 2% w/w

TURPENTINE OIL 2% w/w

TO

CEDARWOOD OIL 0.25 % w/w

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

LPC ESPACE GEL

HSE 7764

Marketing Company

LABORATOIRE SOGEVAL

AMENDMENT

Active Ingredient

THE ACTIVE INGREDIENTS HAVE CHANGED

FROM

CAMPHER 1.5% w/w

CITRONELLA OIL 0.1% w/w

LAVENDAR OIL 1.5% w/w

TO

LAVANDIN OIL 0.15 % w/w

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

LINCOLN FLY REPELLENT GEL

HSE 7775

Marketing Company

BATTLE, HAYWARD AND BOWER LTD

AMENDMENT

Active Ingredient

THE ACTIVE INGREDIENTS HAVE CHANGED

FROM

CAMPHER 1.5% w/w

LAVENDER OIL 1.5% w/w

CITRONELLA OIL 0.1% w/w

TO

LAVANDIN OIL 0.15% w/w

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

HYDROPHANE NATURAL FLY REPELLENT GEL

HSE 7849

Marketing Company

LABORATOIRE SOGEVAL

AMENDMENT

Active Ingredient

THE ACTIVE INGREDIENTS HAVE CHANGED

FROM

CAMPHER 1.5% w/w

LAVENDER OIL 1.5% w/w

CITRONELLA OIL 0.1% w/w

TO

LAVANDIN OIL 0.15% w/w

All other conditions remain unchanged.

[Return to Contents](#)