

March 2009

Products Approved

Via

**HSE Chemicals Assessment
Schemes Unit**

Contents

New Approvals

HSE No	Product	Use
8874	BROS MOUSE AND RAT KILLER CEREAL MIX	RODENTICIDE
8875	BROS MOUSE AND RAT KILLER PELLETS	RODENTICIDE
8876	RIDIMITE	INSECTICIDE
8877	FLYZOFF +	INSECT REPELLENT
8878	TERMINAL FLYING INSECT KILLER	INSECTICIDE
8879	ANT & INSECT KILLER PLUS	INSECTICIDE
8880	DIAMOND CLASSICS ANT KILLER	INSECTICIDE
8881	PAYLESS ANT KILLER POWDER	INSECTICIDE
8883	MOULD KILLER & STERILISER	SURFACE BIOCIDES
8884	FLYPEL	INSECT REPELLENT
8885	GORI 22	WOOD PRESERVATIVE
8886	FUNGICIDE T&M	SURFACE BIOCIDES
8886	FUNGICIDE T&M	WOOD PRESERVATIVE
8887	LPC ESPACE	INSECT REPELLENT
8888	MAXFORCE QUANTUM	INSECTICIDE
8889	DK1 TYPES 100-1025	WOOD PRESERVATIVE

Amendments

HSE No	Product	Amended
5319	SEAJET 037	18 th MARCH 2009
5320	SEATENDER 7	18 th MARCH 2009
5321	SEATENDER 10	18 th MARCH 2009
5746	MOSQUITO REPELLENT	19 th MARCH 2009
7239	PESGUARD LG OBA	26 th MARCH 2009
8549	SIGMA SYLADVANCE 800	10 th MARCH 2009
8682	D-BUG	18 th MARCH 2009

RODENTICIDE

BROS MOUSE AND RAT KILLER CEREAL MIX

HSE 8874

THE APPROVAL

Marketing Company

BROS SP. J.

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

GRAIN BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 10 kg

USE

Field of Use

FOR USE ONLY AS AN AMATEUR RAT AND MOUSE KILLER

User

AMATEUR

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife

or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

(* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT/DUST/GEL/THIS PRODUCT where food, feed or water could become contaminated (except when used in sewers).

[Return to Contents](#)

RODENTICIDE

BROS MOUSE AND RAT KILLER PELLETS

HSE 8875

THE APPROVAL

Marketing Company

BROS SP. J.

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

PELLET BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 10 kg

USE

Field of Use

FOR USE ONLY AS AN AMATEUR RAT AND MOUSE KILLER

User

AMATEUR

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT/GEL/DUST/THIS PRODUCT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar

before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.
(* Intervals will vary depending on product used; see manufacturer's guidelines).
EN HARMFUL TO WILDLIFE.
EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

[Return to Contents](#)

INSECTICIDE

RIDIMITE

HSE 8876

THE APPROVAL

Marketing Company

RENTOKIL INITIAL UK LTD

Active Ingredient

SILICON DIOXIDE AMORPHOUS PRECIPITATED – 0.95% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

SURFACE SPRAY

Container

UP TO 25 LITRES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

PROFESSIONAL

Application Rate

FOR SURFACES APPLY 1 LITRE OF PRODUCT PER 20 METRES SQUARE. FOR CRACKS AND CREVICES AND MITE HARBOURAGES, APPLY 1 LITRE OF PRODUCT PER 10 METRES SQUARE.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe spray

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.

EN This material and its container must be disposed of in a safe way.

EN EXCLUDE ANIMALS DURING APPLICATION.

EN DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.

RE EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.

[Return to Contents](#)

INSECT REPELLENT

FLYZOFF +

HSE 8877

THE APPROVAL

Marketing Company

OSMONDS LTD

Active Ingredient

ETHYL BUTYLACETYLAMINOPROPIONATE – 4.9% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

TRIGGER SPRAY

Container

0.5, 1 AND 5 LITRES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR
PROFESSIONAL

Application Rate

TRIGGER SPRAY DISPENSES 0.5 MILLILITRES OF PRODUCT PER PULL. APPLY 2 MILLILITRES OF PRODUCT PER SQUARE METRE OF ANIMAL SKIN SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

EN This material and its container must be disposed of in a safe way.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN This material and its container must be disposed of in a safe way.

OP Do not breathe spray.

EN Protect milk machinery and milk containers from contamination.

[Return to Contents](#)

INSECTICIDE

TERMINAL FLYING INSECT KILLER

HSE 8878

THE APPROVAL

Marketing Company

NET-TEX INDUSTRIES LTD

Active Ingredient

PERMETHRIN - 0.1% w/w
TETRAMETHRIN - 0.2% w/w
d-PHENOTHRIN - 0.05% w/w
PYRETHRINS - 0.02% w/w

Formulation

PRE-PRESSURISED HAND HELD AEROSOL

THE CONDITIONS

Application Method

SURFACE AND SPACE SPRAY

Container

400 MILLILITRES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR
PROFESSIONAL

Application Rate

DISCHARGE RATE FROM AEROSOL IS 2 GRAMMES PER SECOND, EQUIVALENT TO 2 MILLIGRAMMES OF PERMETHRIN, 4.2 MILLIGRAMMES OF TETRAMETHRIN, 1 MILLIGRAMME OF d-PHENOTHRIN AND 0.08 MILLIGRAMMES OF PYRETHRINS.
SPACE TREATMENT: SPRAY FOR 3 - 5 SECONDS IN AN AVERAGE SIZED ROOM (30 CUBIC METRES).
SURFACE TREATMENT: SPRAY 2 GRAMMES OF PRODUCT PER SQUARE METRE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Do not breathe spray.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
OP Wear suitable protective gloves.
EN Do not empty into drains
EN COVER ALL WATER STORAGE TANKS before application.
RE FOR INDOOR USE ONLY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN DO NOT APPLY TO SOFT FURNISHINGS.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRER REGULARLY.
OP Do not breathe spray.
EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
EN COVER ALL WATER STORAGE TANKS before application.
RE FOR INDOOR USE ONLY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN Protect milk machinery and milk containers from contamination.

[Return to Contents](#)

INSECTICIDE

ANT & INSECT KILLER PLUS

HSE 8879

THE APPROVAL

Marketing Company

GROUP 55 LTD

Active Ingredient

d-PHENOTHRIN - 0.1% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

TRIGGER SPRAY

Container

500 ml, 750 ml, 1 LITRE AND 5 LITRES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

APPLY 10 - 20 MILLILITRES OF PRODUCT PER SQUARE METRE OF SURFACE.

PRECAUTIONARY PHRASES

OP Wear suitable protective clothing and suitable gloves.

OP Do not breathe spray.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.

EN Do not empty into drains

EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN DO NOT APPLY DIRECTLY TO ANIMALS.

[Return to Contents](#)

INSECTICIDE

DIAMOND CLASSICS ANT KILLER

HSE 8880

THE APPROVAL

Marketing Company

BLUE DIAMOND LIMITED

Active Ingredient

PERMETHRIN - 0.50% w/w

Formulation

DUSTING POWDER

THE CONDITIONS

Application Method

DUSTING POWDER

Container

UP TO 500 GRAMS

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

APPLY 40 g OF PRODUCT PER SQUARE METRE OF SURFACE

PRECAUTIONARY PHRASES

OP Do not breathe dust.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.
EN Do not empty into drains

[Return to Contents](#)

INSECTICIDE

PAYLESS ANT KILLER POWDER

HSE 8881

THE APPROVAL

Marketing Company

FOCUS (DIY) LTD

Active Ingredient

PERMETHRIN - 0.50% w/w

Formulation

DUSTING POWDER

THE CONDITIONS

Application Method

DUSTING POWDER

Container

UP TO 500 GRAMS

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

APPLY 40 g OF PRODUCT PER SQUARE METRE OF SURFACE

PRECAUTIONARY PHRASES

OP Do not breathe dust.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.
EN Do not empty into drains

[Return to Contents](#)

SURFACE BIOCIDES

MOULD KILLER & STERILISER

HSE 8883

THE APPROVAL

Marketing Company

CONDENSATION PRODUCTS

Active Ingredient

DIDECYL DIMETHYL AMMONIUM CHLORIDE - 1.98% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, TRIGGER SPRAY (AMATEUR)
BRUSH, SURFACE SPRAY, TRIGGER SPRAY (PROFESSIONAL)

Container

UP TO 1 LITRE (AMATEUR), UP TO 25 LITRES (PROFESSIONAL)

USE

Field of Use

FOR USE ONLY AS A SURFACE BIOCIDES

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY 1 LITRE OF PRODUCT PER 8 - 10 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Do not breathe spray.
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN COVER ALL WATER STORAGE TANKS before application.
RE FOR INDOOR USE ONLY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe spray.
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN COVER ALL WATER STORAGE TANKS before application.
RE FOR INDOOR USE ONLY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

[Return to Contents](#)

INSECT REPELLENT

FLYPEL

HSE 8884

THE APPROVAL

Marketing Company

OSMONDS LTD

Active Ingredient

ETHYL BUTYLACETYLAMINOPROPIONATE – 4.9% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

TRIGGER SPRAY

Container

0.5, 1 AND 5 LITRES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR AND PROFESSIONAL

Application Rate

TRIGGER SPRAY DISPENSES 0.5 MILLILITRES OF PRODUCT PER PULL. APPLY 2 MILLILITRES OF PRODUCT PER SQUARE METRE OF ANIMAL SKIN SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

EN This material and its container must be disposed of in a safe way.
OP Do not breathe spray.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN This material and its container must be disposed of in a safe way.

OP Do not breathe spray.

EN Protect milk machinery and milk containers from contamination.

[Return to Contents](#)

WOOD PRESERVATIVE

GORI 22

HSE 8885

THE APPROVAL

Marketing Company

DYRUP A/S

Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 0.0485% w/w
PROPICONAZOLE - 0.15% w/w
TEBUCONAZOLE - 0.0465% w/w
CYPERMETHRIN - 0.0644% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH

Container

UP TO 5 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL

Application Rate

APPLY 2 TO 3 COATS AT 240 g PER SQ METRE (1 LITRE PER 13 TO 15 SQ METRES OF SURFACE)

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing, suitable gloves and eye/face protection.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

EN Do not empty into drains

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

OP Avoid contact with skin.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

EN COVER ALL WATER STORAGE TANKS before application.

[Return to Contents](#)

SURFACE BIOCIDES

FUNGICIDE T&M

HSE 8886

THE APPROVAL

Marketing Company

PETER COX PROPERTY SERVICES

Active Ingredient

PROPICONAZOLE – 15.0% w/w
3-iodo-2-propynyl-N-butyl carbamate - 15.0% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

AMATEUR: BRUSH, DIP, SPRAY (LOW PRESSURE 1-3 BAR COMPRESSION SPRAY ONLY)
PROFESSIONAL: BRUSH, DIP, INJECTION, SPRAY (LOW PRESSURE 1-3 BAR COMPRESSION SPRAY ONLY)

Container

UP TO 2 x 38 g (AMATEUR)
UP TO 12 x 374 g (PROFESSIONAL)

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE AND SURFACE BIOCIDES

User

AMATEUR AND PROFESSIONAL

Application Rate

AMATEUR

BRUSH AND COARSE SPRAY: ADD ONE SACHET (37.5 g) AND MAKE UP TO 2.5 LITRES OF WATER THEN APPLY 1 LITRE OF SOLUTION PER 3 TO 4 SQUARE METRES FOR TIMBER AND 1 LITRE OF SOLUTION PER 2 TO 4 METRES FOR MASONRY.
DIP: ADD ONE SACHET (37g) AND MAKE UP TO 2.5 LITRES OF WATER THEN DIP WOOD IN SOLUTION FOR A MINIMUM OF 3 MINUTES.

PROFESSIONAL

BRUSH AND COARSE SPRAY: ADD 2 SACHETS (187g) AND MAKE UP TO 25 LITRES OF WATER THEN APPLY 1 LITRE OF SOLUTION PER 3 TO 4 SQUARE METRES FOR TIMBER AND 1 LITRE OF SOLUTION PER 2 TO 4 METRES FOR MASONRY.

DIP: ADD 2 SACHETS (187g) AND MAKE UP TO 25 LITRES OF WATER THEN DIP WOOD IN SOLUTION FOR A MINIMUM OF 3 MINUTES.

INJECTION: INJECT AS NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing, suitable gloves and eye/face protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

OP DO NOT BREATHE DUST or spray mist. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "Respiratory Protective Equipment - a practical guide for users").

EN Do not empty into drains

OP Avoid contact with skin.

OP Avoid contact with eyes.

OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EN COVER ALL WATER STORAGE TANKS before application.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing, suitable gloves and eye/face protection.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP DO NOT BREATHE DUST or spray mist. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "Respiratory Protective Equipment - a practical guide for users").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

EN Do not empty into drains

OP Avoid contact with skin.

OP Avoid contact with eyes.

OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

[Return to Contents](#)

WOOD PRESERVATIVE

FUNGICIDE T&M

HSE 8886

THE APPROVAL

Marketing Company

PETER COX PROPERTY SERVICES

Active Ingredient

PROPICONAZOLE – 15.0% w/w
3-iodo-2-propynyl-N-butyl carbamate - 15.0% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

AMATEUR: BRUSH, DIP, SPRAY (LOW PRESSURE 1-3 BAR COMPRESSION SPRAY ONLY)
PROFESSIONAL: BRUSH, DIP, INJECTION, SPRAY (LOW PRESSURE 1-3 BAR COMPRESSION SPRAY ONLY)

Container

UP TO 2 x 38 g (AMATEUR)
UP TO 12 x 374 g (PROFESSIONAL)

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE AND SURFACE BIOCIDES

User

AMATEUR AND PROFESSIONAL

Application Rate

AMATEUR

BRUSH AND COARSE SPRAY: ADD ONE SACHET (37.5 g) AND MAKE UP TO 2.5 LITRES OF WATER THEN APPLY 1 LITRE OF SOLUTION PER 3 TO 4 SQUARE METRES FOR TIMBER AND 1 LITRE OF SOLUTION PER 2 TO 4 METRES FOR MASONRY.
DIP: ADD ONE SACHET (37g) AND MAKE UP TO 2.5 LITRES OF WATER THEN DIP WOOD IN SOLUTION FOR A MINIMUM OF 3 MINUTES.

PROFESSIONAL

BRUSH AND COARSE SPRAY: ADD 2 SACHETS (187g) AND MAKE UP TO 25 LITRES OF WATER THEN APPLY 1 LITRE OF SOLUTION PER 3 TO 4 SQUARE METRES FOR TIMBER AND 1 LITRE OF SOLUTION PER 2 TO 4 METRES FOR MASONRY.

DIP: ADD 2 SACHETS (187g) AND MAKE UP TO 25 LITRES OF WATER THEN DIP WOOD IN SOLUTION FOR A MINIMUM OF 3 MINUTES.

INJECTION: INJECT AS NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing, suitable gloves and eye/face protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

OP DO NOT BREATHE DUST or spray mist. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "Respiratory Protective Equipment - a practical guide for users").

EN Do not empty into drains

OP Avoid contact with skin.

OP Avoid contact with eyes.

OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EN COVER ALL WATER STORAGE TANKS before application.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing, suitable gloves and eye/face protection.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP DO NOT BREATHE DUST or spray mist. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "Respiratory Protective Equipment - a practical guide for users").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

EN Do not empty into drains

OP Avoid contact with skin.

OP Avoid contact with eyes.

OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

[Return to Contents](#)

INSECT REPELLENT

LPC ESPACE

HSE 8887

THE APPROVAL

Marketing Company

SANDERS DISTRIBUTION

Active Ingredient

LAVANDIN OIL - 0.25% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

CLOTH, ROLL-ON AND SPRAY

Container

UP TO 750 ml

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

SPRAY: SPRAY DIRECTLY ONTO THE SKIN FROM A DISTANCE OF 30cm FROM THE ANIMAL. APPLY APPROXIMATELY 3g (3 TRIGGER PULLS) PER 30 SQUARE CM OF SKIN. ROLL-ON: APPLY 2g OF PRODUCT PER 30 SQUARE CM OF SKIN.

WIPE: APPLY 8g OF PRODUCT PER 30 SQUARE CM OF SKIN.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.

OP Do not breathe fumes and spray.

OP Wear suitable protective gloves.
OP Avoid contact with skin.

[Return to Contents](#)

INSECTICIDE

MAXFORCE QUANTUM

HSE 8888

THE APPROVAL

Marketing Company

BAYER ENVIRONMENTAL SCIENCE

Active Ingredient

IMIDACLOPRID - 0.3% w/w

Formulation

GEL BAIT

THE CONDITIONS

Application Method

CAULKING GUN

Container

UP TO 30 GRAMMES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

PROFESSIONAL

Application Rate

1. PHARAOH'S ANTS AND GHOST ANTS :APPLY SPOTS OF PRODUCT ON OR ALONGSIDE INDOOR ANT TRAILS AT 0.2 GRAMMES PRODUCT PER SQUARE METRE.
2. BLACK GARDEN ANTS (INDOORS AND OUTDOORS): APPLY IN CRACKS & CREVICES ON OR ALONGSIDE ANT TRAILS AT 0.2 GRAMMES PRODUCT PER LINEAR METRE UP TO A MAXIMUM OF 2 GRAMMES IN TOTAL.(OUTDOORS) APPLY INTO NEST OPENINGS UP TO A MAXIMUM OF 2 GRAMMES IN TOTAL PER NEST.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

RE USE ONLY in positions inaccessible to children and animals.

EN DO NOT USE where food, feed or water could become contaminated.

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.

EN HAZARDOUS TO BEES.

EN HAZARDOUS TO BIRDS.

[Return to Contents](#)

WOOD PRESERVATIVE

DK1 TYPES 100-1015

HSE 8889

THE APPROVAL

Marketing Company

LARCO A/S

Active Ingredient

TEBUCONAZOLE - 1.3% w/w
3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 0.92% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH (PROFESSIONAL), DIP AND ENCLOSED SPRAY (INDUSTRIAL)

Container

2.5, 5, 10, 20 AND 120 LITRES (PROFESSIONAL)
120 AND 1000 LITRES (INDUSTRIAL)

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL
INDUSTRIAL

Application Rate

APPLY 80 TO 160 GRAMMES OF PRODUCT PER ONE SQUARE METRE OF TIMBER SURFACE OR DIP
TIMBER IN PRODUCT FOR 30 SECONDS.

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Avoid contact with skin.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EN COVER ALL WATER STORAGE TANKS before application.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

INDUSTRIAL LABEL

US FOR USE ONLY BY INDUSTRIAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable protective gauntlets.

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

OP Avoid contact with skin.

[Return to Contents](#)

AMENDMENT

SEAJET 037

HSE 5319

Marketing Company

CHUGOKU PAINTS B.V.

AMENDMENT

Marketing Company

THE MARKETING COMPANY HAS CHANGED **FROM** 'CAMREX CHUGOKU LTD' **TO** 'CHUGOKU PAINTS B.V.'

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

SEATENDER 7

HSE 5320

Marketing Company

CHUGOKU PAINTS B.V.

AMENDMENT

Marketing Company

THE MARKETING COMPANY HAS CHANGED **FROM** 'CAMREX CHUGOKU LTD' **TO** 'CHUGOKU PAINTS B.V.'

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

SEATENDER 10

HSE 5321

Marketing Company

CHUGOKU PAINTS B.V.

AMENDMENT

Marketing Company

THE MARKETING COMPANY HAS CHANGED **FROM** 'CAMREX CHUGOKU LTD' **TO** 'CHUGOKU PAINTS B.V.'

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

MOSQUITO REPELLENT

HSE 5746

Marketing Company

COMETFORM LTD

AMENDMENT

Active Ingredient

THE ACTIVE INGREDIENT HAS CHANGED **FROM** 'BIOALLETHRIN 3.9% w/w' **TO** 'PRALLETHRIN 1.09% w/w'.

All other conditions remain unchanged

[Return to Contents](#)

AMENDMENT

PESGUARD LG OBA

HSE 7239

Marketing Company

SUMITOMO CHEMICAL (UK) PLC

AMENDMENT

Active Ingredient

THE ACTIVE INGREDIENTS HAVE CHANGED **FROM** IMIPROTHRIN 0.09% w/w, CYPHENOTHRIN 0.28% w/w
TO IMIPROTHRIN 0.100% w/w, CYPHENOTHRIN 0.283 % w/w

PRECAUTIONARY PHRASES

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN **REMOVED**

WEAR SUITABLE PROTECTIVE SYNTHETIC RUBBER/PVC GLOVES when using.
WHEN USING DO NOT EAT, DRINK OR SMOKE.
DO NOT APPLY IN OR AROUND DRAINS.
EXTREMELY DANGEROUS TO FISH AND OTHER AQUATIC LIFE.

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN **ADDED**

AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY
COVER ALL WATER STORAGE TANKS before application.
KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
Wear suitable protective clothing.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

SIGMA SYLADVANCE 800

HSE 8549

Marketing Company

PPG COATINGS EUROPE BV

AMENDMENT

Product Name

THE PRODUCT NAME HAS CHANGED **FROM** 'SIGMA SA 800' **TO** 'SIGMA SYLADVANCE 800'.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

D-BUG

HSE 8682

Marketing Company

QED LTD

AMENDMENT

Product Name

THE PRODUCT NAME HAS CHANGED **FROM** 'MIDAS SPIDER EX' **TO** 'D-BUG'

All other conditions remain unchanged.

[Return to Contents](#)