

May - 2004

Products Approved

via

HSE Biocides &
Pesticides Unit

Contents

HSE No:	Product	Use
7824	MMC-PRO	Surface Biocide
7824	MMC-PRO	Wood Preservative
7825	MMC Concentrate	Wood Preservative
7825	MMC Concentrate	Surface Biocide
7829	Bob Martin Neem Dog Spot On	Insecticide
7831	Motox Flying & Crawling Insecticide	Insecticide
7832	Pelgar Super Strength Fly Spray	Insecticide
7833	Stop Itch Complete	Insecticide
7836	Biomax F/I (IGR)	Wood Preservative
7837	Biomax Masonry	Surface Biocide
7838	Kleeneze New Ant Killer	Insecticide
7839	T-P Creosote Substitute	Wood Preservative
7840	Summer Fly Cream	Insecticide
7842	B&Q Torch Fuel	Insecticide
7843	Wolmanit CX-S	Wood Preservative
7844	Lincoln Ditch the Itch	Insecticide
7847	Killgerm Phantrol	Insecticide
7848	Eco Delta	Insecticide
7849	Hydrophane Natural Fly Repellent Gel	Insecticide
7850	151 New Formula Ant & Crawling Insect Killer	Insecticide
7851	Wilko Flying & Crawling Insect Killer	Insecticide
7852	Equine Summer Fly Cream	Insecticide

SURFACE BIOCIDES

MMC-PRO

HSE 7824

THE APPROVAL

Marketing Company

BRINTON PRODUCTS LTD

Active Ingredient

DIDECYL DIMETHYL AMMONIUM CHLORIDE - 8.9% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

LOW PRESSURE SPRAY

Container

5, 10 AND 20 LITRES

USE

Field of Use

FOR USE ONLY AS A SURFACE BIOCIDES

User

PROFESSIONAL

Application Rate

AVERAGE GROWTH: DILUTE 1 PART OF PRODUCT WITH 4 PARTS OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 3 - 7 SQUARE METRES OF SURFACE.

LIGHT GROWTH: DILUTE ONE PART OF PRODUCT WITH 9 PARTS OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 3 - 7 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES other than outdoor tables.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of as hazardous waste.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EN Do not empty into drains

EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN AVOID ALL CONTACT WITH PLANT LIFE.

[Back to contents](#)

WOOD PRESERVATIVE

MMC-PRO

HSE 7824

THE APPROVAL

Marketing Company

BRINTON PRODUCTS LTD

Active Ingredient

DIDECYL DIMETHYL AMMONIUM CHLORIDE - 8.9% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

LOW PRESSURE SPRAY

Container

5, 10 AND 20 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL

Application Rate

AVERAGE GROWTH: DILUTE 1 PART OF PRODUCT WITH 4 PARTS OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 3 - 7 SQUARE METRES OF SURFACE.

LIGHT GROWTH: DILUTE ONE PART OF PRODUCT WITH 9 PARTS OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 3 - 7 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

Professional Label

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES other than outdoor tables.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of as hazardous waste.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EN Do not empty into drains

EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN AVOID ALL CONTACT WITH PLANT LIFE.

[Back to contents](#)

WOOD PRESERVATIVE

MMC CONCENTRATE

HSE 7825

THE APPROVAL

Marketing Company

BRINTON PRODUCTS LTD

Active Ingredient

DIDECYL DIMETHYL AMMONIUM CHLORIDE – 8.9% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

LOW PRESSURE SPRAY OR WATERING CAN

Container

1 LITRE

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR

Application Rate

AVERAGE GROWTH: DILUTE ONE PART OF PRODUCT WITH 9 PARTS OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 3 - 7 SQUARE METRES OF SURFACE.

LIGHT GROWTH: DILUTE ONE PART OF PRODUCT WITH 9 PARTS OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 3 - 7 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

OP Wear suitable gloves.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES other than outdoor tables.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE When using do not eat drink or smoke.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EN Do not empty into drains

EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[Back to contents](#)

SURFACE BIOCIDES

MMC CONCENTRATE

HSE 7825

THE APPROVAL

Marketing Company

BRINTON PRODUCTS LTD

Active Ingredient

DIDECYL DIMETHYL AMMONIUM CHLORIDE – 8.9% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

LOW PRESSURE SPRAY OR WATERING CAN

Container

1 LITRE

USE

Field of Use

FOR USE ONLY AS A SURFACE BIOCIDES

User

AMATEUR

Application Rate

AVERAGE GROWTH: DILUTE ONE PART OF PRODUCT WITH 9 PARTS OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 3 - 7 SQUARE METRES OF SURFACE.

LIGHT GROWTH: DILUTE ONE PART OF PRODUCT WITH 9 PARTS OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 3 - 7 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable gloves.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES other than outdoor tables.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE When using do not eat drink or smoke.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EN Do not empty into drains

EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[Back to contents](#)

INSECTICIDE

BOB MARTIN NEEM DOG SPOT ON

HSE 7829

THE APPROVAL

Marketing Company

BOB MARTIN (UK) LTD

Active Ingredient

NEEM - 3% w/w
ETHYL BUTYLACETYLAMINOPROPIONATE – 9.8% w/w

Also Contains

DIETHYLENE GLYCOL METHYL ETHER

Formulation

LIQUID READY-FOR-USE

THE CONDITIONS

Application Method

Container

1.5 ML AND 3 ML (1.5ML TUBES SOLD SINGLY OR IN DOUBLE PACKS)

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

DOGS UP TO 15 KG: APPLY 1.5 ML OF PRODUCT TO THE SKIN OF DOG / PUPPY BETWEEN SHOULDER BLADES AND NAPE OF NECK
DOGS OVER 15 KG: APPLY 3.0 ML OF PRODUCT TO THE SKIN OF DOG (1.5 ML BETWEEN SHOULDER BLADES AND NAPE OF NECK AND 1.5 ML TO SKIN AT BASE OF TAIL)

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.
RE When using do not eat or drink.
OP Avoid contact with skin.
OP Wear suitable protective clothing.
OP Wear suitable gloves.

[Back to contents](#)

INSECTICIDE

MOTOX FLYING & CRAWLING INSECTICIDE

HSE 7831

THE APPROVAL

Marketing Company

UK AEROSOLS LTD

Active Ingredient

PERMETHRIN - 0.28% w/w
TETRAMETHRIN - 0.14% w/w

Formulation

PRE-PRESSURISED HAND HELD AEROSOL

THE CONDITIONS

Application Method

SURFACE AND SPACE SPRAY

Container

300 ML

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

SURFACE SPRAY: APPLY A 5 SECOND BURST TO 0.35 SQUARE METRES OF SURFACE.
SPACE SPRAY: APPLY A 5 SECOND BURST DIRECTLY INTO THE AIR IN AN AVERAGE SIZE ROOM (30 CUBIC METRES)

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
RE FOR INDOOR USE ONLY.

[Back to contents](#)

INSECTICIDE

PELGAR SUPER STRENGTH FLY SPRAY

HSE 7832

THE APPROVAL

Marketing Company

PELGAR INTERNATIONAL LTD

Active Ingredient

PERMETHRIN - 0.250% w/w
TETRAMETHRIN - 0.125% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

SPACE TREATMENT AND SURFACE SPRAY

Container

PROFESSIONAL 25 LITRES, PROFESSIONAL (Animal Husbandry) 25 LITRES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

PROFESSIONAL, PROFESSIONAL (Animal Husbandry)

Application Rate

SPACE TREATMENT: APPLY 1 ML OF PRODUCT PER CUBIC METRE OF TREATABLE VOLUME
SURFACE SPRAY: APPLY 1 LITRE OF PRODUCT PER 25 SQUARE METRES OF SURFACE

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP Wear suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.

EN DO NOT APPLY DIRECTLY TO ANIMALS.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DO NOT APPLY TO CLOTHING AND BEDDING.

EN DO NOT USE ON FILTER BEDS AT SEWAGE TREATMENT WORKS.

EN DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.

EN Protect milk machinery and milk containers from contamination.

[Back to contents](#)

INSECTICIDE

STOP ITCH COMPLETE

HSE 7833

THE APPROVAL

Marketing Company

NET-TEX INDUSTRIES LTD

Active Ingredient

BENZYL BENZOATE - 19.85% w/w
N,N-DIETHYL-M-TOLUAMIDE - 4.9% w/w
AUSTRALIAN TEA TREE OIL - 0.2% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

CLOTH AND HAND

Container

600 ML

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 5 GRAMMES OF PRODUCT TO AN AREA APPROXIMATELY 1 SQUARE METRE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

EN This material and its container must be disposed of in a safe way.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Back to contents](#)

WOOD PRESERVATIVE

BIOMAX FI (IGR)

HSE 7836
THE APPROVAL

Marketing Company

BIOKIL CROWN LTD

Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 7.65% w/w
FLUFENOXURON - 1.07% w/w
PROPICONAZOLE – 22.60% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

BRUSH, DIP AND SPRAY

Container

374 ML (2 X 187 ML SATCHETS)

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL

Application Rate

BRUSH AND SPRAY: ADD TWO SACHETS TO 24.626 LITRES OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT TO 3 SQUARE METRES OF SURFACE.
DIP: ADD TWO SACHETS TO 24.626 LITRES OF WATER THEN DIP WOOD IN DILUTED PRODUCT FOR A MINIMUM OF 3 MINUTES.

PRECAUTIONARY PHRASES

Professional Label

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP Wear suitable gloves.

OP Wear eye/face protection.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP Take off immediately all contaminated clothing.

RE EXCLUDE ALL UNPROTECTED PERSONS AND ANIMALS DURING TREATMENT AND FOR AT LEAST 1 HOUR AFTER TREATMENT IS COMPLETED.

RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE VISIBLY DRY.

EN Do not empty into drains

EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[Back to contents](#)

SURFACE BIOCIDES

BIOMAX MASONRY

HSE 7837

THE APPROVAL

Marketing Company

BIOKIL CROWN LTD

Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE – 14.85% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

BRUSH, INJECTION AND SPRAY

Container

167 ML

USE

Field of Use

FOR USE ONLY AS A SURFACE BIOCIDES

User

PROFESSIONAL

Application Rate

BRUSH AND COARSE SPRAY: ADD ONE SACHET TO 24.833 LITRES OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 2 TO 5 SQUARE METRES.

INJECTION: ADD ONE SACHET TO 24.833 LITRES OF WATER THEN APPLY DILUTED PRODUCT AS NECESSARY.

PRECAUTIONARY PHRASES

Professional Label

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP Wear suitable gloves.

OP Wear eye/face protection.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRY REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP Take off immediately all contaminated clothing.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE DRY.

EN Do not empty into drains

EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Back to contents](#)

INSECTICIDE

KLEENEZE NEW ANT KILLER

HSE 7838

THE APPROVAL

Marketing Company

KLEENEZE LTD

Active Ingredient

DISODIUM TETRABORATE – 6.96% w/w

Formulation

BAIT

THE CONDITIONS

Application Method

BAIT

Container

3500 MG

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

PLACE BAIT STATION ON PATHS USED BY ANTS OR NEAR NESTS. REPLACE EVERY 7-10 DAYS UNTIL ANT ACTIVITY CEASES.

PRECAUTIONARY PHRASES

AMATEUR LABEL

- EN DO NOT USE where food, feed or water could become contaminated.
- RE PREVENT ACCESS TO BAITS by children and animals.
- EN REMOVE ALL REMAINS OF BAIT and bait containers.
- EN DISPOSE OF USED BAITS AND PACKAGING SAFELY.

[Back to contents](#)

WOOD PRESERVATIVE

T-P CREOSOTE SUBSTITUTE

HSE 7839

THE APPROVAL

Marketing Company

TRAVIS PERKINS TRADING COMPANY LTD

Active Ingredient

DICHLORFLUANID - 0.396% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH & DIP

Container

AMATEUR 4 LITRES & PROFESSIONAL 20 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR & PROFESSIONAL

Application Rate

BRUSH: APPLY ONE LITRE OF PRODUCT PER 6 TO 8 SQUARE METERS OF SURFACE.

DIP: DIP FOR 20 MINUTES.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing.

OP Wear suitable gloves.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE When using do not eat drink or smoke.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP Wear suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN AVOID ALL CONTACT WITH PLANT LIFE.

[Back to contents](#)

INSECTICIDE

SUMMER FLY CREAM

HSE 7840

THE APPROVAL

Marketing Company

BATTLE, HAYWARD AND BOWER LTD

Active Ingredient

N,N-DIETHYL-M-TOLUAMIDE - 4.90% w/w

Formulation

PASTE

THE CONDITIONS

Application Method

BRUSH

Container

500 MILLILITRES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY APPROXIMATELY 2 GRAMMES TO COVER 15 X 10 CM AREA AROUND CUTS AND GRAZES.

PRECAUTIONARY PHRASES

AMATEUR LABEL

EN This material and its container must be disposed of in a safe way.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

EN This material and its container must be disposed of in a safe way.

[Back to contents](#)

INSECTICIDE

B&Q TORCH FUEL

HSE 7842

THE APPROVAL

Marketing Company

B&Q PLC

Active Ingredient

CITRONELLA OIL - 0.096% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

LIQUID VAPOURISATION

Container

1.89 L & 3.8L

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

RE FOR OUTDOOR USE ONLY.
EN This material and its container must be disposed of in a safe way.
RE When using do not eat drink or smoke.

[Back to contents](#)

WOOD PRESERVATIVE

Wolmanit CX-S

HSE 7843
THE APPROVAL

Marketing Company

DR WOLMAN GmbH

Active Ingredient

BORIC ACID – 3.96% w/w
COPPER CARBONATE HYDROXIDE – 7.614% w/w
BIS-N-(CYCLOHEXYLDIAZENIUMDIOXY)-COPPER – 5.96% w/w

Also Contains

1,3 DIAMINOPROPANE
2 ETHYL HEXANOIC ACID

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

VACUUM /PRESSURE IMPREGNATION

Container

60 AND 1000 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

INDUSTRIAL

Application Rate

DILUTE PRODUCT WITH WATER TO GIVE A WORKING SOLUTION OF 0.7- 2.0%. APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

INDUSTRIAL LABEL

US FOR USE ONLY BY INDUSTRIAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP Wear suitable protective gauntlets

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP DISPOSE OF PROTECTIVE GLOVES after use.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

EN This material and its container must be disposed of in a safe way.

EN Avoid release to the environment. Refer to special instructions/safety data sheet.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

RE When using do not eat drink or smoke.

EN Do not empty into drains

EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Back to contents](#)

INSECTICIDE

LINCOLN DITCH THE ITCH

HSE 7844

THE APPROVAL

Marketing Company

BATTLE, HAYWARD AND BOWER LTD

Active Ingredient

CITRONELLA OIL - 4% w/w

Formulation

LIQUID READY-FOR-USE

THE CONDITIONS

Application Method

TRIGGER SPRAY

Container

1 LITRE

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 10 MILLILITRES OF PRODUCT (EQUIVALENT TO APPROXIMATELY 10 TRIGGER PULLS) PER 150 CENTIMETRES SQUARES AREA OF HORSE SKIN (BUT AVOID EYES AND NOSE).

PRECAUTIONARY PHRASES

AMATEUR LABEL

- OP Wear suitable gloves.
- OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
- EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
- EN This material and its container must be disposed of in a safe way.
- OP Avoid contact with skin.
- RE When using do not eat drink or smoke.

[Back to contents](#)

INSECTICIDE

KILLGERM PHANTROL

HSE 7847

THE APPROVAL

Marketing Company

KILLGERM CHEMICALS LTD

Active Ingredient

METHOPRENE - 0.405% w/w

Formulation

BAIT

THE CONDITIONS

Application Method

BAIT

Container

80 GRAMMES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

PROFESSIONAL

Application Rate

ONE BAIT STATION CONTAINING 2.0-4.0 GRAMMES OF BAIT PER 5 SQUARE METRES.

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
EN DO NOT USE where food, feed or water could become contaminated.
RE PREVENT ACCESS TO BAITS by children and animals.
EN REMOVE ALL REMAINS OF BAIT and bait containers.
EN This material and its container must be disposed of in a safe way.

[Back to contents](#)

INSECTICIDE

ECO DELTA

HSE 7848

THE APPROVAL

Marketing Company

ECO DELTA

Active Ingredient

DELTAMETHRIN 2.40% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

SURFACE SPRAY

Container

30 GRAMMES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

PROFESSIONAL

Application Rate

DILUTE 30 - 60 GRAMMES OF PRODUCT WITH 5 LITRES OF WATER. THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 20 SQUARE METRES OF SURFACE.

DILUTE 12 GRAMMES OF PRODUCT WITH 1 TO 2 LITRES OF WATER. THEN APPLY 1 LITRE OF DILUTED PRODUCT WHERE THERE ARE SMALLER AREAS TO BE TREATED AND LOWER VOLUMES OF THE PRODUCT IS REQUIRED.

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP Wear suitable gloves.

OP Wear eye/face protection.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP DO NOT BREATHE DUST or spray mist. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "Respiratory Protective Equipment - a practical guide for users").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE When using do not eat drink or smoke.

OP Take off immediately all contaminated clothing.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY.

EN DO NOT APPLY DIRECTLY TO ANIMALS.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN Avoid release to the environment. Refer to special instructions/safety data sheet.

[Back to contents](#)

INSECTICIDE

HYDROPHANE NATURAL FLY REPELLENT GEL

HSE 7849

THE APPROVAL

Marketing Company

BATTLE, HAYWARD AND BOWER LTD

Active Ingredient

CAMPHER 1.5% W/W LAVENDER OIL 1.5% W/W CITRONELLA OIL 0.1% W/W

Formulation

GEL

THE CONDITIONS

Application Method

HAND

Container

400 GRAMMES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 5G OF PRODUCT TO AN AREA WITH APPROX. DIAMETER OF 30CM.

PRECAUTIONARY PHRASES

AMATEUR LABEL

EN This material and its container must be disposed of in a safe way.

[Back to contents](#)

INSECTICIDE

151 NEW FORMULA ANT & CRAWLING INSECT KILLER

HSE 7850

THE APPROVAL

Marketing Company

151 LTD

Active Ingredient

PERMETHRIN - 0.1% w/w
TETRAMETHRIN - 0.1% w/w

Formulation

PRE-PRESSURISED HAND HELD AEROSOL

THE CONDITIONS

Application Method

SURFACE AND SPACE SPRAY

Container

400 ML

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

SURFACE SPRAY: A 5 SECOND BURST WILL COVER AN AREA OF 5 SQUARE METRES, WHEN SPRAYED AT A DISTANCE OF 12 -15 CM AWAY FROM SURFACE TO BE TREATED.
SPACE SPRAY: A 3 SECOND BURST WILL TREAT A ROOM OF 30 CUBIC METRES.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
EN COVER ALL WATER STORAGE TANKS before application.
RE FOR INDOOR USE ONLY.
EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN HAZARDOUS TO BEES.

[Back to contents](#)

INSECTICIDE

WILKO FLYING & CRAWLING INSECT KILLER

HSE 7851

THE APPROVAL

Marketing Company

WILKINSON HARDWARE STORES LTD

Active Ingredient

TETRAMETHRIN 0.20% W/W
D-PHENOTHRIN 0.07 % W/W

Formulation

PRE-PRESSURISED HAND HELD AEROSOL

THE CONDITIONS

Application Method

SPACE SPRAY AND SURFACE SPRAY

Container

600 ML

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

SPACE SPRAY: SPRAY FOR 10 SECONDS INTO AIR IN A TYPICAL ROOM.
SURFACE SPRAY: FROM A DISTANCE OF 30CM, SPRAY FOR 5 SECONDS PER SQUARE METRE OF SURFACE.

PRECAUTIONARY PHRASES

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN COVER ALL WATER STORAGE TANKS before application.

[Back to contents](#)

INSECTICIDE

EQUINE SUMMER FLY CREAM

HSE 7852

THE APPROVAL

Marketing Company

NET-TEX INDUSTRIES LTD

Active Ingredient

N, N-DIETHYL-M-TOLUAMIDE 4.9% W/W

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH

Container

600 MILLITRES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY A SMALL AMOUNT OF CREAM (3 - 5 GRAMS OF CREAM PER 100 SQUARE CENTIMETRES OF SKIN)
FOR ANIMAL USE ONLY

PRECAUTIONARY PHRASES

AMATEUR LABEL

EN This material and its container must be disposed of in a safe way.

[Back to contents](#)