

May 2008

Products Approved

Via

**HSE Chemicals Assessment
Schemes Unit**

Contents

New Approvals

| HSE No | Product | Use |
|----------------------|--|----------------------|
| 8601 | SIKKENS CETOL WP 562 | WOOD PRESERVATIVE |
| 8645 | GROWING SUCCESS CAT REPELLENT 2 | VERTEBRATE REPELLENT |
| 8661 | NIPPON ANT BAIT STATION (BA) | INSECTICIDE |
| 8662 | NIPPON ANT KILLER LIQUID (BA) | INSECTICIDE |
| 8663 | COUNTRYFARM DIFENACOU M BLOCK BAIT | RODENTICIDE |
| 8665 | RACO DIFE BLOCK | RODENTICIDE |
| 8666 | VAPE SUPER KO2 FLY AND MOSQUITO KILLER | INSECTICIDE |
| 8667 | VAPE SUPER KO2 WASP KILLER | INSECTICIDE |
| 8668 | NO FLIES NATURALLY | INSECT REPELLENT |
| 8669 | N-VIROL ALGAE & MOSS KILLER | SURFACE BIOCIDES |
| 8669 | N-VIROL ALGAE & MOSS KILLER | WOOD PRESERVATIVE |
| 8670 | ARROW FLYING AND CRAWLING INSECT KILLER | INSECTICIDE |
| 8671 | FLY OFF SPRAY | INSECT REPELLENT |
| 8672 | DEOSAN INSECTAWAY READY TO USE INSECT KILLER | INSECTICIDE |
| 8673 | STRIKEBACK NATURAL FLEA KILLING MIST | INSECTICIDE |
| 8674 | EFFOL HORSE FLY BLOCKER PLUS | INSECT REPELLENT |
| 8675 | EFFOL HORSE FLY BLOCKER PLUS | INSECT REPELLENT |
| 8676 | EFFOL ANTI FLY SPRAY PLUS | INSECT REPELLENT |
| 8677 | EFFOL ANTI FLY SPRAY PLUS | INSECT REPELLENT |
| 8678 | SKITOSTOP INSECT CONTROL CONCENTRATE | INSECTICIDE |
| 8680 | POWER PHASER DURATIV | INSECTICIDE |
| 8681 | NEOKIL GOLD | RODENTICIDE |
| 8682 | MIDAS SPIDER EX | INSECTICIDE |
| 8683 | ANT ATTACK | INSECTICIDE |

Amendments

| HSE No | Product | Amended |
|----------------------|--|---------------------------|
| 3180 | BARACAF COCKROACH CONTROL STICKER | 29 th MAY 2008 |
| 4964 | BARACAF COCKROACH CONTROL STICKER (DOMESTIC) | 29 th MAY 2008 |
| 6151 | FARCO FLYING INSECT KILLER | 29 th MAY 2008 |
| 7243 | FARCO RAPID KILL RAT & MOUSE KILLER | 29 th MAY 2008 |
| 8290 | NEW MOSGO | 14 th MAY 2008 |
| 8565 | STRIKEBACK FLEA KILLING SPRAY | 12 th MAY 2008 |
| 8595 | MOSGO FENCE ALGAE CLEANER | 14 th MAY 2008 |
| 8602 | MOSGO ALGAE KILLER RED AND GREEN ULTRA | 6 th MAY 2008 |

WOOD PRESERVATIVE

SIKKENS CETOL WP 562

HSE 8601

THE APPROVAL

Marketing Company

AKZO NOBEL SPECIALIST COATINGS

Active Ingredient

PROPICONAZOLE - 0.57% w/w
3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 0.31% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, DIP AND ENCLOSED SPRAY

Container

20 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL

Application Rate

APPLY 1 LITRE OF PRODUCT PER 5 SQUARE METRES

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
EN Do not empty into drains
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[Return to Contents](#)

VERTEBRATE REPELLENT

GROWING SUCCESS CAT REPELLENT 2

HSE 8645

THE APPROVAL

Marketing Company

GROWING SUCCESS ORGANICS LTD

Active Ingredient

GARLIC OIL - 0.5% w/w

Formulation

GRANULES

THE CONDITIONS

Application Method

HAND

Container

200, 350 AND 750 GRAM AND 2 KILOGRAM

USE

Field of Use

FOR USE ONLY AS A VERTEBRATE REPELLENT

User

AMATEUR

Application Rate

APPLY 3 GRAMMES OF PRODUCT PER SQUARE METRE OF SURFACE.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

OP Wear suitable protective gloves.

OP Avoid contact with skin.

EN DO NOT APPLY DIRECTLY TO ANIMALS.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

INSECTICIDE

NIPPON ANT BAIT STATION (BA)

HSE 8661

THE APPROVAL

Marketing Company

VITAX LTD

Active Ingredient

BORIC ACID - 3.20% w/w

Formulation

BAIT

THE CONDITIONS

Application Method

BAIT

Container

5 GRAMMES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

APPLY ONE OR TWO BAIT STATIONS BESIDE EACH NEST OR ANT RUN.

PRECAUTIONARY PHRASES

EN DO NOT USE where food, feed or water could become contaminated.

RE PREVENT ACCESS TO BAITS by children and animals.

EN REMOVE ALL REMAINS OF BAIT and bait containers.

EN This material and its container must be disposed of in a safe way.

[Return to Contents](#)

INSECTICIDE

NIPPON ANT KILLER LIQUID (BA)

HSE 8662

THE APPROVAL

Marketing Company

VITAX LTD

Active Ingredient

BORIC ACID - 3.20% w/w

Formulation

LIQUID BAIT

THE CONDITIONS

Application Method

BAIT

Container

15, 25, 30 AND 50 MILLILITRES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

APPLY PRODUCT DROPWISE TO NON ABSORBENT SURFACES ON ANT RUNS. CHANGE DAILY UNTIL ANT ACTIVITY CEASES.

PRECAUTIONARY PHRASES

EN DO NOT USE where food, feed or water could become contaminated.
RE PREVENT ACCESS TO BAITs by children and animals.
EN REMOVE ALL REMAINS OF BAIT and bait containers.
EN This material and its container must be disposed of in a safe way.

[Return to Contents](#)

RODENTICIDE

COUNTRYFARM DIFENACOUM BLOCK BAIT

HSE 8663

THE APPROVAL

Marketing Company

UNITED FARMERS

Active Ingredient

DIFENACOUM 0.005% w/w

Formulation

BLOCK BAIT

THE CONDITIONS

Application Method

BAIT

Container

AMATEUR 1 kg AND 2.5 kg
PROFESSIONAL 1, 2.5 AND 8 kg

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR AND PROFESSIONAL

Application Rate

BAIT AS NECESSARY

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals, particularly dogs, cats, pigs, poultry.

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. (* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry.

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

EN (* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

RODENTICIDE

RACO DIFE BLOCK

HSE 8665

THE APPROVAL

Marketing Company

LODI S.A.

Active Ingredient

DIFENACOUM - 0.005% w/w

Formulation

BLOCK BAIT

THE CONDITIONS

Application Method

BAIT

Container

AMATEUR 3 kg AND 5 kg
PROFESSIONAL 3 kg, 5 kg AND 10 kg

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR
PROFESSIONAL

Application Rate

BAIT AS NECESSARY

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry
EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

(* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.
EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers). You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

(* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

[Return to Contents](#)

INSECTICIDE

VAPE SUPER KO2 FLY AND MOSQUITO KILLER

HSE 8666

THE APPROVAL

Marketing Company

SPOTLESS UK LTD

Active Ingredient

d-PHENOTHRIN - 0.14% w/w
d-TETRAMETHRIN - 0.14% w/w

Formulation

PRE-PRESSURISED HAND HELD AEROSOL

THE CONDITIONS

Application Method

SPACE SPRAY AND SURFACE SPRAY

Container

400-600 ml

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

SPACE SPRAY: SPRAY A 5 - 10 SECOND BURST INTO THE AIR TO TREAT AN AVERAGE SIZED ROOM.
DIRECT SPRAY: SPRAY DIRECTLY ON TO INSECTS FROM A DISTANCE OF 15 cm (APPLY A 2 SECOND BURST FOR COCKROACHES AND BEDBUGS OR A 1 SECOND BURST FOR FLEAS).
SURFACE SPRAY: SPRAY DIRECTLY ON TO SURFACES WHERE INSECTS MAY WALK FROM A DISTANCE OF 20 cm (APPLY A 2 SECOND BURST FOR COCKROACHES OR A 1-SECOND BURST FOR BEDBUGS AND FLEAS)

PRECAUTIONARY PHRASES

OP Do not breathe spray.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
RE FOR INDOOR USE ONLY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN DO NOT APPLY DIRECTLY TO ANIMALS.
EN DO NOT APPLY TO CLOTHING OR HUMAN BEDDING

[Return to Contents](#)

INSECTICIDE

VAPE SUPER KO2 WASP KILLER

HSE 8667

THE APPROVAL

Marketing Company

SPOTLESS UK LTD

Active Ingredient

TETRAMETHRIN - 0.28% w/w
d-PHENOTHRIN - 0.07% w/w

Formulation

PRE-PRESSURISED HAND HELD AEROSOL

THE CONDITIONS

Application Method

SPACE SPRAY

Container

400-600 ml

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

SPACE SPRAY: SPRAY A 5 - 10 SECOND BURST INTO THE AIR TO TREAT AN AVERAGE SIZED ROOM.
DIRECT SPRAY: SPRAY DIRECTLY AT INSECTS FROM A DISTANCE OF 15 cm USING 1 - 2 SECOND BURSTS
(BUT APPLY AT
LEAST 1 METRE AWAY FROM FURNITURE, WALLS AND FABRICS)

PRECAUTIONARY PHRASES

OP Do not breathe spray.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
RE FOR INDOOR USE ONLY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN HAZARDOUS TO BEES.

[Return to Contents](#)

INSECT REPELLENT

NO FLIES NATURALLY

HSE 8668

THE APPROVAL

Marketing Company

EQUINE NATURAL CHOICE LTD

Active Ingredient

P-MENTHANE-3,8-DIOL - 2.5% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

TRIGGER SPRAY

Container

350 MILLILITRE AND 1 LITRE

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY APPROXIMATELY 10 ml OF PRODUCT PER SQUARE METRE OF ANIMAL COAT. EACH TRIGGER SPRAY RELEASES 1 ml OF PRODUCT.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Wear suitable protective gloves.
OP Avoid contact with skin.

[Return to Contents](#)

SURFACE BIOCIDES

N-VIROL ALGAE & MOSS KILLER

HSE 8669

THE APPROVAL

Marketing Company

N-VIROL LTD

Active Ingredient

DIDECYL DIMETHYL AMMONIUM CHLORIDE - 9.9% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

BRUSH, MOP AND SURFACE SPRAY

Container

AMATEUR 1 LITRE
PROFESSIONAL 5, 10, 20 AND 25 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE AND SURFACE BIOCIDES

User

AMATEUR
PROFESSIONAL

Application Rate

FOR NORMAL GROWTH: DILUTE 50 ml OF PRODUCT WITH 1 LITRE OF WATER. APPLY 1 LITRE OF DILUTED PRODUCT PER 5 SQUARE METRES OF SURFACE.
FOR HEAVY GROWTH: DILUTE 100 ml OF PRODUCT WITH 1 LITRE OF WATER. APPLY 1 LITRE OF DILUTED PRODUCT PER 5 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.
OP Wear suitable eye / face protection (when diluting).
OP Avoid contact with eyes.
OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN COVER ALL WATER STORAGE TANKS before application.
EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP Wear suitable eye / face protection (when diluting).
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
OP Avoid contact with eyes.
OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN COVER ALL WATER STORAGE TANKS before application.
EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[Return to Contents](#)

WOOD PRESERVATIVE

N-VIROL ALGAE & MOSS KILLER

HSE 8669

THE APPROVAL

Marketing Company

N-VIROL LTD

Active Ingredient

DIDECYL DIMETHYL AMMONIUM CHLORIDE - 9.9% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

BRUSH, MOP AND SURFACE SPRAY

Container

AMATEUR 1 LITRE
PROFESSIONAL 5, 10, 20 AND 25 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE AND SURFACE BIOCIDES

User

AMATEUR
PROFESSIONAL

Application Rate

FOR NORMAL GROWTH: DILUTE 50 ml OF PRODUCT WITH 1 LITRE OF WATER. APPLY 1 LITRE OF DILUTED PRODUCT PER 5 SQUARE METRES OF SURFACE.
FOR HEAVY GROWTH: DILUTE 100 ml OF PRODUCT WITH 1 LITRE OF WATER. APPLY 1 LITRE OF DILUTED PRODUCT PER 5 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP Wear suitable eye / face protection (when diluting).
OP Avoid contact with eyes.
OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN COVER ALL WATER STORAGE TANKS before application.
EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP Wear suitable eye / face protection (when diluting).
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
OP Avoid contact with eyes.
OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN COVER ALL WATER STORAGE TANKS before application.
EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[Return to Contents](#)

INSECTICIDE

ARROW FLYING AND CRAWLING INSECT KILLER

HSE 8670

THE APPROVAL

Marketing Company

REABROOK LIMITED

Active Ingredient

TETRAMETHRIN - 0.20% w/w
d-PHENOTHRIN - 0.07% w/w

Formulation

PRE-PRESSURISED HAND HELD AEROSOL

THE CONDITIONS

Application Method

SURFACE AND SPACE SPRAY

Container

50 ml

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

SPACE SPRAY: SPRAY FOR 10 SECONDS INTO AIR IN A TYPICAL ROOM.
SURFACE SPRAY: SPRAY FROM A DISTANCE OF 30 CM AND SPRAY FOR 5 SECONDS PER SQUARE METRE OF SURFACE.

PRECAUTIONARY PHRASES

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
EN Do not empty into drains
EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN HAZARDOUS TO BEES.

[Return to Contents](#)

INSECT REPELLENT

FLY OFF SPRAY

HSE 8671

THE APPROVAL

Marketing Company

NATURAL EQUINE

Active Ingredient

CITRIDIOL - 1.5% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

TRIGGER SPRAY

Container

1 LITRE

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 3 MILLILITRES OF PRODUCT (3 PULLS OF THE TRIGGER SPRAY) PER SQUARE METRE OF SURFACE.

PRECAUTIONARY PHRASES

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
EN This material and its container must be disposed of in a safe way.

[Return to Contents](#)

INSECTICIDE

DEOSAN INSECTAWAY READY TO USE INSECT KILLER

HSE 8672

THE APPROVAL

Marketing Company

JOHNSON DIVERSEY UK LTD

Active Ingredient

PERMETHRIN - 0.64% w/w
TETRAMETHRIN - 0.64% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

SPACE TREATMENT AND SURFACE SPRAY

Container

1 AND 5 LITRES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

PROFESSIONAL

Application Rate

SURFACE SPRAY: APPLY 50 ml OF PRODUCT PER 6.25 SQUARE METRES OF SURFACE OR SPRAY SHORT BURSTS DIRECTLY AT INSECTS.
SPACE TREATMENT (FOG / ULV): APPLY 0.4 ml OF PRODUCT PER CUBIC METRE OF TREATABLE VOLUME

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP DO NOT BREATHE FOG OR SPRAY MIST. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "Respiratory Protective Equipment - a practical guide for users").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN This material and its container must be disposed of in a safe way.
EN Do not empty into drains
GE Use only in well-ventilated areas.
EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN DO NOT APPLY DIRECTLY TO ANIMALS.
EN EXCLUDE ANIMALS DURING APPLICATION.
EN HAZARDOUS TO BEES.
EN DO NOT APPLY TO CLOTHING AND BEDDING.
EN DO NOT USE ON FILTER BEDS AT SEWAGE TREATMENT WORKS.
EN DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.
RE EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.
EN Protect milk machinery and milk containers from contamination.

[Return to Contents](#)

INSECTICIDE

STRIKEBACK NATURAL FLEA KILLING MIST

HSE 8673

THE APPROVAL

Marketing Company

GROUP 55

Active Ingredient

PYRETHRINS - 0.25% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

SPACE SPRAY AND SURFACE SPRAY

Container

0.3, 0.35, 0.5, 0.75 AND 1–5 LITRES.

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR
PROFESSIONAL

Application Rate

SPACE SPRAY: SPRAY INTO AIR FOR 2-3 SECONDS TO TREAT AN AVERAGE SIZED ROOM (30 CUBIC METRES)
SURFACE SPRAY: SPRAY FROM A DISTANCE OF 30 cm FOR 4-6 SECONDS PER 12 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN Do not empty into drains

EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN DO NOT APPLY DIRECTLY TO ANIMALS.
EN HAZARDOUS TO BEES.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing, suitable gloves and eye/face protection.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
EN Do not empty into drains
EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.
RE EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.
EN Protect milk machinery and milk containers from contamination.
EN HAZARDOUS TO BEES.

[Return to Contents](#)

INSECT REPELLENT

EFFOL HORSE FLY BLOCKER PLUS

HSE 8674

THE APPROVAL

Marketing Company

WEATHERBEETA LTD

Active Ingredient

ETHYL BUTYLACETYLAMINOPROPIONATE – 10.0% w/w

Formulation

LIQUID READY-FOR-USE

THE CONDITIONS

Application Method

SPRAY

Container

100, 500 AND 2500 MILLILITRES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 15 GRAMS OF PRODUCT PER SQUARE METRE OF HORSE SURFACE. THIS IS EQUIVALENT TO APPROXIMATELY 40 TRIGGER PULLS.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.
OP Do not breathe spray

[Return to Contents](#)

INSECT REPELLENT

EFFOL HORSE FLY BLOCKER PLUS

HSE 8675

THE APPROVAL

Marketing Company

BUXACTIC LIMITED

Active Ingredient

ETHYL BUTYLACETYLAMINOPROPIONATE 10.0% w/w

Formulation

LIQUID READY-FOR-USE

THE CONDITIONS

Application Method

SPRAY

Container

100, 500 AND 2500 MILLILITRES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 15 GRAMS OF PRODUCT PER SQUARE METRE OF HORSE SURFACE. THIS IS EQUIVALENT TO APPROXIMATELY 40 TRIGGER PULLS.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.
OP Do not breathe spray

[Return to Contents](#)

INSECT REPELLENT

EFFOL ANTI FLY SPRAY PLUS

HSE 8676

THE APPROVAL

Marketing Company

WEATHERBEETA LTD

Active Ingredient

ETHYL BUTYLACETYLAMINOPROPIONATE – 8.0% w/w

Formulation

LIQUID READY-FOR-USE

THE CONDITIONS

Application Method

SPRAY

Container

100, 500 AND 5000 MILLILITRES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 15 GRAMS OF PRODUCT PER SQUARE METRE OF HORSE SURFACE. THIS IS EQUIVALENT TO APPROXIMATELY 40 TRIGGER PULLS.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.
OP Do not breathe spray

[Return to Contents](#)

INSECT REPELLENT

EFFOL ANTI FLY SPRAY PLUS

HSE 8677

THE APPROVAL

Marketing Company

BUXACTIC LIMITED

Active Ingredient

ETHYL BUTYLACETYLAMINOPROPIONATE 8.0% w/w

Formulation

LIQUID READY-FOR-USE

THE CONDITIONS

Application Method

SPRAY

Container

100, 500 AND 5000 MILLILITRES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 15 GRAMS OF PRODUCT PER SQUARE METRE OF HORSE SURFACE. THIS IS EQUIVALENT TO APPROXIMATELY 40 TRIGGER PULLS.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.
OP Do not breathe gas spray

[Return to Contents](#)

INSECTICIDE

SKITOSTOP INSECT CONTROL CONCENTRATE

HSE 8678

THE APPROVAL

Marketing Company

NIKWAX LIMITED

Active Ingredient

PERMETHRIN - 9.89% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

SPRAY AND DIP

Container

AMATEUR: 25 MILLILITRES
PROFESSIONAL: 25 MILLILITRES, 500 MILLILITRES AND 1 LITRE

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR
PROFESSIONAL

Application Rate

AMATEUR USE: ADD 1 x 25 ml SACHET (CONTAINING A TOTAL OF 25 ml OF PRODUCT) TO 1 LITRE OF WATER THEN APPLY BY SPRAY OR DIP.

SPRAY: APPLY 200 ml OF DILUTED PRODUCT PER SQUARE METRE OF FABRIC.

DIP: PLACE 100 ml OF DILUTED PRODUCT PER SQUARE METRE OF FABRIC TO BE TREATED, IN A SUITABLE CONTAINER SUCH AS A BUCKET AND THEN DIP FOR A MINIMUM OF 3 MINUTES.

PROFESSIONAL USE; ADD 1 x 25 ml SACHET OR 25 ml PRODUCT FROM AN AUTODOSE BOTTLE (CONTAINING A TOTAL OF 25 ml OF PRODUCT) TO 1 LITRE OF WATER THEN APPLY BY SPRAY OR DIP.

SPRAY: APPLY 200 ML OF DILUTED PRODUCT PER SQUARE METRE OF FABRIC.

DIP: PLACE 100 ML OF DILUTED PRODUCT PER SQUARE METRE OF FABRIC TO BE TREATED, IN A SUITABLE CONTAINER SUCH AS A BUCKET AND THEN DIP FOR A MINIMUM OF 3 MINUTES.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN Do not empty into drains
OP Avoid contact with skin.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
This material and its container must be disposed of in a safe way.
EN Do not empty into drains
OP Avoid contact with skin.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

INSECTICIDE

POWER PHASER DURATIV

HSE 8680

THE APPROVAL

Marketing Company

EDDIE PALIN DISTRIBUTION LTD

Active Ingredient

ETHYL BUTYLACETYLAMINOPROPIONATE – 9.8% w/w

Formulation

GEL

THE CONDITIONS

Application Method

SPONGE

Container

500 MILLILITRES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY A THIN FILM ON THE SKIN OR COAT OF THE HORSE.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with eyes.

OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

[Return to Contents](#)

RODENTICIDE

NEOKIL GOLD

HSE 8681

THE APPROVAL

Marketing Company

SOREX LTD

Active Ingredient

DIFENACOUM - 0.005% w/w

Formulation

GRAIN BAIT

THE CONDITIONS

Application Method

BAIT

Container

AMATEUR 0.5 - 10 KILOGRAMMES
PROFESSIONAL 0.5 - 25 KILOGRAMMES

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry
EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. (* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE

EN DO NOT PLACE BAIT where food, feed or water could become contaminated .
EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry
EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers). You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

(* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

INSECTICIDE

MIDAS SPIDER EX

HSE 8682

THE APPROVAL

Marketing Company

QED LTD

Active Ingredient

PERMETHRIN - 0.25% w/w
TETRAMETHRIN - 0.10% w/w

Formulation

PRE-PRESSURISED HAND HELD AEROSOL

THE CONDITIONS

Application Method

SURFACE SPRAY (SPOT, BAND AND CRACK AND CREVICE TREATMENT)

Container

300 MILLIMETRES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

PROFESSIONAL

Application Rate

SPRAY ON TO SURFACES FROM A DISTANCE OF 30 CENTIMETRES.
A 1 SECOND BURST RELEASES 1g OF PRODUCT. APPLY AS NECESSARY.
RE-APPLY AFTER TWO MONTHS OR AFTER RAIN.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
EN Do not empty into drains
EN COVER ALL WATER STORAGE TANKS before application.
RE FOR INDOOR USE ONLY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN DO NOT APPLY DIRECTLY TO ANIMALS.
EN DO NOT APPLY TO CLOTHING AND BEDDING.
EN HAZARDOUS TO BEES.

[Return to Contents](#)

INSECTICIDE

ANT ATTACK

HSE 8683

THE APPROVAL

Marketing Company

WESTLAND HORTICULTURE LIMITED

Active Ingredient

DELTAMETHRIN - 0.015% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

SURFACE TRIGGER SPRAY

Container

1 LITRE

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

APPLY 50 ml OF PRODUCT PER **SQUARE METRE TO SURFACES OR DIRECTLY TO INSECTS FROM A DISTANCE OF 300mm**

PRECAUTIONARY PHRASES

OP Do not breathe spray.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.

EN COVER ALL WATER STORAGE TANKS before application.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN HAZARDOUS TO BEES.

[Return to Contents](#)

AMENDMENT

BARACAF COCKROACH CONTROL STICKER

HSE 3180

Marketing Company

NOT TO BE MARKETED

AMENDMENT

Marketing Company

'LABORATOIRE BARACAF SARL' IS NO LONGER THE MARKETING COMPANY FOR THIS PRODUCT.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

BARACAF COCKROACH CONTROL STICKER (DOMESTIC)

HSE 4964

Marketing Company

NOT TO BE MARKETED

AMENDMENT

Marketing Company

'LABORATOIRE BARACAF SARL' IS NO LONGER THE MARKETING COMPANY FOR THIS PRODUCT.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

FARCO FLYING INSECT KILLER

HSE 6151

Marketing Company

NOT TO BE MARKETED

AMENDMENT

Marketing Company

'F A RICHARD & COMPANY LTD' IS NO LONGER THE MARKETING COMPANY FOR THIS PRODUCT.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

FARCO RAPID KILL RAT & MOUSE KILLER

HSE 7243

Marketing Company

NOT TO BE MARKETED

AMENDMENT

Marketing Company

'F A RICHARD & COMPANY LTD' IS NO LONGER THE MARKETING COMPANY FOR THIS PRODUCT.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

NEW MOSGO

HSE 8290

Marketing Company

HYGEIA GARDEN CARE

AMENDMENT

USE

Application Rate

THE APPLICATION RATE HAS CHANGED
FROM 'DILUTE 1 PART OF PRODUCT WITH 5 PARTS OF WATER, THEN APPLY 1 LITRE OF DILUTED
PRODUCT PER 12.5 SQUARE METRES OF SURFACE'
TO 'DILUTE 1 PART OF PRODUCT WITH 5 PARTS OF WATER, THEN APPLY 6 LITRES OF DILUTED PRODUCT
PER 12.5 SQUARE METRES OF SURFACE'.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

STRIKEBACK FLEA KILLING SPRAY

HSE 8565

Marketing Company

GROUP 55

AMENDMENT

THE APPROVAL

Active Ingredient

THE FORMULATION HAS CHANGED FROM 'CYPERMETHRIN - 0.09%' TO 'PERMETHRIN – 0.18%'

PRECAUTIONARY PHRASES

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN **REMOVED**

AMATEUR LABEL

THIS PRODUCT CONTAINS SUBSTANCES WHICH ARE KNOWN TO BE HAZARDOUS TO THE ENVIRONMENT. DO NOT CONTAMINATE GROUND, WATERBODIES OR WATERCOURSES WITH CHEMICALS OR USED CONTAINER.

PROFESSIONAL LABEL

THIS PRODUCT CONTAINS SUBSTANCES WHICH ARE KNOWN TO BE HAZARDOUS TO THE ENVIRONMENT. DO NOT CONTAMINATE GROUND, WATERBODIES OR WATERCOURSES WITH CHEMICALS OR USED CONTAINER.

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN **ADDED**

AMATEUR LABEL

HAZARDOUS TO BEES

PROFESSIONAL LABEL

HAZARDOUS TO BEES

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

MOSGO FENCE ALGAE CLEANER

HSE 8595

Marketing Company

HYGEIA GARDEN CARE

AMENDMENT

Active Ingredient

THE ACTIVE INGREDIENT 'DIALKYLDIMETHYL AMMONIUM CHLORIDE' HAS BEEN AMENDED TO 'DIDECYL DIMETHYL AMMONIUM CHLORIDE'.

USE

Application Rate

THE APPLICATION RATE HAS CHANGED FROM 'DILUTE 1 PART OF PRODUCT WITH 5 PARTS OF WATER. THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 13.9 SQUARE METRES OF TIMBER SURFACE' TO 'DILUTE 1 PART OF PRODUCT WITH 6 PARTS OF WATER, THEN APPLY 6 LITRES OF DILUTED PRODUCT PER 13.9 SQUARE METRES OF TIMBER SURFACE'.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

MOSGO ALGAE KILLER RED AND GREEN ULTRA

HSE 8602

Marketing Company

HYGEIA GARDEN CARE

AMENDMENT

USE

Application Rate

THE APPLICATION RATE HAS CHANGED

FROM 'DILUTE 1 LITRE OF PRODUCT WITH 5 LITRES OF WATER. APPLY 1 LITRE OF DILUTED PRODUCT PER 13.9 SQUARE METRES OF SURFACE'

TO 'DILUTE 1 PART OF PRODUCT WITH 5 PARTS OF WATER, THEN APPLY 6 LITRES OF DILUTED PRODUCT PER 13.9 SQUARE METRES OF SURFACE'.

All other conditions remain unchanged.

[Return to Contents](#)