

June - 2005

Products Approved

via

HSE Biocides & Pesticides  
Unit

# Contents

HSE No:	Product	Use
<a href="#">8134</a>	Mosquito Repellent Refills	Insecticide
<a href="#">8135</a>	Dermoline Stable Louse Powder	Insect Repellent
<a href="#">8136</a>	Protector	Insect Repellent
<a href="#">8137</a>	Alpha Pro+	Insecticide
<a href="#">8138</a>	TWP 077	Wood Preservative
<a href="#">8140</a>	Vacsol Azure 2723	Wood Preservative
<a href="#">8143</a>	Micro F/I WSS	Wood Preservative
<a href="#">8144</a>	RLT Bactdet 05	Surface Biocide
<a href="#">8145</a>	Bactdet D 05	Surface Biocide
<a href="#">8146</a>	Raid Protector Fly, Wasp & Mosquito Killer With Natural Ingredient	Insecticide
<a href="#">8147</a>	Wolmanit Ergänzungs Mischung 134	Wood Preservative

## Amendments:

HSE No:	Product	Amended Date
<a href="#">3171</a>	Pynosect 10	29/6/05
<a href="#">7196</a>	Flying and Crawling Insect Killer	3/6/05
<a href="#">7235</a>	Pynosect 10 (CIS:TRANS / 25:75)	29/6/05
<a href="#">7397</a>	Insect Barrier	1/6/05
<a href="#">7558</a>	Dettol Anti-Bacterial Mould & Mildew Remover	24/6/05
<a href="#">7699</a>	6 X Cat Repellent	22/6/05
<a href="#">7700</a>	Growing Success Cat Repellent	7/6/05
<a href="#">7721</a>	Bio-Bug WSS	29/6/05
<a href="#">7926</a>	Luxan Vermigon Blocks	16/6/05
<a href="#">7927</a>	Luxan Vermigon Sewer Blocks	16/6/05
<a href="#">7935</a>	Nippon Ant Bait Station	1/6/05
<a href="#">7943</a>	Wolmanit CX-10	1/6/05
<a href="#">7944</a>	Wolmanit CX-8	1/6/05

## **INSECTICIDE**

---

### **MOSQUITO REPELLENT REFILLS**

---

HSE 8134

#### **THE APPROVAL**

##### **Marketing Company**

MORRISONS SUPERMARKETS PLC

##### **Active Ingredient**

BIOALLETHRIN - 4.32% w/w

##### **Formulation**

VAPOURISING MATS

#### **THE CONDITIONS**

##### **Application Method**

VAPOURISATION OF ACTIVE INGREDIENT IN ELECTRICAL HEATING UNIT

##### **Container**

15 TABLETS (880MG EACH) WITH PLUG OR ALONE.

#### **USE**

##### **Field of Use**

FOR USE ONLY AS AN INSECTICIDE

##### **User**

AMATEUR

##### **Application Rate**

ONE TABLET USED IN A ROOM OF 35 CUBIC METRES AND WILL LAST APPROXIMATELY 8 HOURS

#### **PRECAUTIONARY PHRASES**

RE FOR USE ONLY IN THE HEATING APPLIANCE SPECIFIED.

RE FOR INDOOR USE ONLY.

EN DO NOT STORE part-used mats.

EN This material and its container must be disposed of in a safe way.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

[back to contents](#)

INSECT REPELLENT

---

## DERMOLINE STABLE LOUSE POWDER

---

HSE 8135

### THE APPROVAL

#### Marketing Company

BATTLE, HAYWARD AND BOWER LTD

#### Active Ingredient

PIPERONAL – 1.98% w/w

#### Formulation

DUSTING POWDER

### THE CONDITIONS

#### Application Method

DUSTING POWDER

#### Container

500 GRAMMES

### USE

#### Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

#### User

AMATEUR

#### Application Rate

APPLY AS NECESSARY. DUST ON AND RUB WELL INTO HAIR TO REACH THE SKIN. (5 - 10 GRAMMES COVERS AN AREA OF 10 CENTIMETRES x 15 CENTIMETRES).

### PRECAUTIONARY PHRASES

OP Do not breathe dust.  
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.  
EN COVER ALL WATER STORAGE TANKS before application.  
EN This material and its container must be disposed of in a safe way.  
OP Avoid contact with skin.

[back to contents](#)

## PROTECTOR

---

HSE 8136

### THE APPROVAL

#### Marketing Company

EQUINOX BVBA

#### Active Ingredient

CITRONELLA OIL - 0.1% w/w

#### Formulation

EMULSION READY-FOR-USE

### THE CONDITIONS

#### Application Method

CLOTH

#### Container

1 LITRE

### USE

#### Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

#### User

AMATEUR

#### Application Rate

APPLY A MAXIMUM OF 150ML OF PRODUCT PER HORSE ONCE PER WEEK.

### PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.

[back to contents](#)

---

## ALPHA PRO+

---

HSE 8137

### THE APPROVAL

#### Marketing Company

ESSEX RODENT CONTROL

#### Active Ingredient

TETRAMETHRIN – 4.78% w/w  
ALPHACYPERMETHRIN – 4.85% w/w

#### Formulation

MICROEMULSION CONCENTRATE

### THE CONDITIONS

#### Application Method

SURFACE SPRAY

#### Container

PROFESSIONAL 500 MILLILITRES

### USE

#### Field of Use

FOR USE ONLY AS AN INSECTICIDE

#### User

PROFESSIONAL

#### Application Rate

DILUTE ONE OR TWO OF THE 25 GRAMME WATER-SOLUBLE SACHETS OF PRODUCT IN 5 LITRES OF WATER.  
APPLY 1 LITRE OF DILUTED PRODUCT PER 20 SQUARE METRES OF SURFACE.

DILUTE ONE OR TWO 25 MILLILITRE DOSES OF PRODUCT FROM AUTODOSE BOTTLE IN 5 LITRES OF WATER.  
APPLY 1 LITRE OF DILUTED PRODUCT PER 20 SQUARE METRES OF SURFACE.

### PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing, suitable gloves and eye/face protection.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

RE When using do not eat drink or smoke.

EN DO NOT APPLY DIRECTLY TO ANIMALS.

OP Take off immediately all contaminated clothing.

RE EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.  
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.  
EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.  
EN DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.  
EN Protect milk machinery and milk containers from contamination.

[back to contents](#)

HSE 8138

## **THE APPROVAL**

### **Marketing Company**

TROY UK

### **Active Ingredient**

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 0.743% w/w  
PROPICONAZOLE - 0.233% w/w

### **Formulation**

SOLVENT BASED READY-FOR-USE

## **THE CONDITIONS**

### **Application Method**

AMATEUR: BRUSH  
PROFESSIONAL: BRUSH AND SPRAY  
INDUSTRIAL: BRUSH, DIP AND VACUUM/PRESSURE IMPREGNATION

### **Container**

AMATEUR: 750 ML, 1 LITRE, 2.5 LITRES AND 5 LITRES  
PROFESSIONAL AND INDUSTRIAL: 750 ML, 1 LITRE, 2.5 LITRES, 5 LITRES, 20 LITRES, 120 LITRES AND 200 LITRES

## **USE**

### **Field of Use**

FOR USE ONLY AS A WOOD PRESERVATIVE

### **User**

AMATEUR  
PROFESSIONAL  
INDUSTRIAL

### **Application Rate**

BRUSH AND SPRAY: APPLY 1 LITRE OF PRODUCT PER 4 SQUARE METRES OF SURFACE  
DIP: DIP TIMBER IN PRODUCT FOR A MINIMUM OF 3 MINUTES VACUUM / PRESSURE IMPREGNATION: APPLY AS NECESSARY TO ACHIEVE TOTAL FUNGICIDE RETENTION IN TIMBER OF 340 GRAMMES PER CUBIC METRE IN TIMBER

## **PRECAUTIONARY PHRASES**

### **AMATEUR LABEL**

OP Wear suitable protective clothing and suitable gloves.  
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.  
EN COVER ALL WATER STORAGE TANKS before application.  
EN This material and its container must be disposed of in a safe way.  
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.  
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.  
GE Use only in well-ventilated areas.  
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.  
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.  
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

#### **PROFESSIONAL LABEL**

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN AVOID ALL CONTACT WITH PLANT LIFE.

medical advice not to work with anticholinesterase compounds.

#### **INDUSTRIAL LABEL**

US FOR USE ONLY BY INDUSTRIAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable protective gauntlets.

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[back to contents](#)

## HSE 8140

### THE APPROVAL

#### Marketing Company

ARCH TIMBER PROTECTION LTD

#### Active Ingredient

TEBUCONAZOLE - 0.25% w/w  
PERMETHRIN - 0.1% w/w  
PROPICONAZOLE - 0.25% w/w

#### Formulation

SOLVENT BASED READY-FOR-USE

### THE CONDITIONS

#### Application Method

CLOSED IMMERSION AND VACUUM/PRESSURE IMPREGNATION

#### Container

200 LITRES

### USE

#### Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

#### User

INDUSTRIAL

#### Application Rate

APPLY AS NECESSARY.

### PRECAUTIONARY PHRASES

US FOR USE ONLY BY INDUSTRIAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.  
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP Wear suitable protective gauntlets

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[back to contents](#)

### WOOD PRESERVATIVE

---

---

## MICRO F/I WSS

---

HSE 8143

### THE APPROVAL

#### Marketing Company

CONSTRUCTION CHEMICALS

#### Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 7.43% w/w (81.68 G/L)  
PERMETHRIN - 6.16% w/w (67.80 G/L)  
PROPICONAZOLE – 20.34% w/w (223.74 G/L)

#### Formulation

MICROEMULSION CONCENTRATE

### THE CONDITIONS

#### Application Method

BRUSH, DIP AND SPRAY

#### Container

170 MILLILITRES

### USE

#### Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

#### User

PROFESSIONAL

#### Application Rate

BRUSH AND SPRAY: ADD TWO SACHETS OF PRODUCT (EACH SACHET IS 170 MILLILITRES) TO 24.660 LITRES OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 3 - 4 SQUARE METRES OF SURFACE.

DIP: ADD TWO SACHETS OF PRODUCT (EACH SACHET IS 170 MILLILITRES) TO 24.660 LITRES OF WATER THEN DIP WOOD IN DILUTED PRODUCT FOR A MINIMUM OF 3 MINUTES

### PRECAUTIONARY PHRASES

#### PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.  
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.  
RE EXCLUDE ALL UNPROTECTED PERSONS AND ANIMALS DURING TREATMENT AND FOR AT LEAST 1 HOUR AFTER TREATMENT IS COMPLETED.  
RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE VISIBLY DRY.  
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.  
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.  
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.  
EN AVOID ALL CONTACT WITH PLANT LIFE.  
OP Take off immediately all contaminated clothing.  
OP Avoid contact with skin.  
OP Wear suitable eye / face protection (when diluting).

[back to contents](#)

---

## RLT BACTDET 05

---

HSE 8144

### THE APPROVAL

#### Marketing Company

MOULD GROWTH CONSULTANTS LTD

#### Active Ingredient

2-PHENYLPHENOL - 0.2% w/w  
BENZALKONIUM CHLORIDE - 0.8% w/w

#### Formulation

WATER BASED CONCENTRATE

### THE CONDITIONS

#### Application Method

BRUSH, CLOTH AND SPONGE

#### Container

AMATEUR: 200 MILLILITRES AND 1 LITRE  
PROFESSIONAL: 5 LITRES

### USE

#### Field of Use

FOR USE ONLY AS A SURFACE BIOCIDES

#### User

AMATEUR  
PROFESSIONAL

#### Application Rate

DILUTE 1 PART OF PRODUCT WITH 4 PARTS OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 10 SQUARE METRES OF SURFACE.

PRODUCT MUST ALWAYS BE APPLIED AS PART OF A 3-STEP TREATMENT WITH:  
RLT HALOPHEN (HSE 4081) PLUS FINAL PAINT COAT USING BIOCHECK SILK (HSE 6597) OR BIOCHECK MATT (HSE 6599).

### PRECAUTIONARY PHRASES

OP Wear suitable protective clothing and gloves.  
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.  
EN COVER ALL WATER STORAGE TANKS before application.  
EN This material and its container must be disposed of in a safe way.  
RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE DRY.  
RE FOR INDOOR USE ONLY.  
EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[back to contents](#)

**SURFACE BIOCIDES**

---

---

## BACTDET D 05

---

HSE 8145

### THE APPROVAL

#### Marketing Company

MOULD GROWTH CONSULTANTS LTD

#### Active Ingredient

2-PHENYLPHENOL – 0.2% w/w  
BENZALKONIUM CHLORIDE – 0.8% w/w

#### Formulation

WATER BASED CONCENTRATE

### THE CONDITIONS

#### Application Method

BRUSH, CLOTH AND SPONGE

#### Container

5 LITRES

### USE

#### Field of Use

FOR USE ONLY AS A SURFACE BIOCIDES

#### User

PROFESSIONAL

#### Application Rate

DILUTE 1 PART OF PRODUCT WITH 4 PARTS OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 10 SQUARE METRES OF SURFACE.

PRODUCT MUST ALWAYS BE APPLIED AS PART OF A 3-STEP TREATMENT WITH:  
HALOPHEN BONDING SOLUTION (HSE 3929) PLUS FINAL PAINT COAT USING BIOCHECK SILK (HSE 6597) OR  
BIOCHECK MATT (HSE 6599).

### PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.  
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE DRY.

RE FOR INDOOR USE ONLY.

This product contains substances, which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container

[back to contents](#)

**INSECTICIDE**

---

---

## **RAID PROTECTOR FLY, WASP & MOSQUITO KILLER WITH NATURAL INGREDIENT**

---

HSE 8146

### **THE APPROVAL**

#### **Marketing Company**

SC JOHNSON LTD

#### **Active Ingredient**

PYRETHRINS – 0.25% w/w

#### **Formulation**

PRE-PRESSURISED HAND HELD AEROSOL

### **THE CONDITIONS**

#### **Application Method**

SPACE SPRAY

#### **Container**

250, 300, 400, 450 AND 500 MILLILITRES

### **USE**

#### **Field of Use**

FOR USE ONLY AS AN INSECTICIDE

#### **User**

AMATEUR

#### **Application Rate**

A 5 SECOND BURST WILL TREAT AN AVERAGE SIZED ROOM (OF APPROXIMATELY 30 CUBIC METRES)

### **PRECAUTIONARY PHRASES**

#### **AMATEUR LABEL**

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.  
EN This material and its container must be disposed of in a safe way.  
OP Avoid contact with skin.  
EN COVER ALL WATER STORAGE TANKS before application.  
RE FOR INDOOR USE ONLY.  
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

[back to contents](#)

---

**WOOD PRESERVATIVE**

---

---

## WOLMANIT ERGANZUNGSMISCHUNG 134

---

HSE 8147

### THE APPROVAL Marketing Company

BASF PLC

### Active Ingredient

5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE - 1.15% w/w  
2-METHYL-4-ISOTHIAZOLIN-3-ONE - 0.35% w/w

### Formulation

WATER BASED CONCENTRATE

### THE CONDITIONS

#### Application Method

VACCUM/PRESSURE IMPREGNATION

#### Container

20 LITRES, 60 LITRES AND 1000 LITRES

### USE

#### Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

#### User

INDUSTRIAL

#### Application Rate

DILUTE PRODUCT BY ADDING TO READY TO USE WOOD PRESERVATIVE SOLUTION AT A MAXIMUM CONCENTRATION OF 0.1%.

THIS PRODUCT MAY BE TANK MIXED WITH HSE 7943 (WOLMANIT CX-10), HSE 7944 (WOLMANIT CX-8) AND HSE 7843 (WOLMANIT CX-S).

### PRECAUTIONARY PHRASES

US FOR USE ONLY BY INDUSTRIAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.  
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP Wear suitable protective gauntlets

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

OP DO NOT BREATHE AEROSOL.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

RE When using do not eat drink or smoke.

OP Take off immediately all contaminated clothing.

OP Avoid contact with skin.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[back to contents](#)

### AMENDMENT

---

---

## **PYNOSECT 10**

---

HSE 3171

### **Marketing Company**

CHIMAC-AGRIPHAR S.A.

### **AMENDMENT**

#### **THE LEVELS OF PERMETHRIN AND TETRAMETHRIN HAVE CHANGED**

**FROM:** PERMETHRIN 19.10% w/w (200 g/l)  
TETRAMETHRIN 9.55% w/w (100 g/l)

**TO:** PERMETHRIN 18.998% w/w (200 g/l)  
TETRAMETHRIN 9.494% w/w (100 g/l)

THE PRODUCT NOW ALSO CONTAINS ORGANIC SULFONATE.

All other conditions remain unchanged.

DATE AMENDED 29/6/05.

[back to contents](#)

AMENDMENT

---

## **FLYING AND CRAWLING INSECT KILLER**

---

HSE 7196

### **Marketing Company**

WILKINSON

### **AMENDMENT**

THE PRODUCT NAME HAS CHANGED:

FROM: ANT AND CRAWLING INSECT KILLER

TO: FLYING AND CRAWLING INSECT KILLER.

Date amended 3/6/05

ALL OTHER CONDITIONS REMAIN UNCHANGED.

[back to contents](#)

AMENDMENT

---

---

## **PYNOSECT 10 (CIS:TRANS / 25:75)**

---

HSE 7235

### **Marketing Company**

CHIMAC-AGRIPHAR S.A.

### **AMENDMENT**

#### **THE LEVELS OF PERMETHRIN AND TETRAMETHRIN HAVE CHANGED**

**FROM:** PERMETHRIN 19.12% w/w (200 g/l)  
TETRAMETHRIN 9.56% w/w (100 g/l)

**TO:** PERMETHRIN 18.998% w/w (200 g/l)  
TETRAMETHRIN 9.494% w/w (100 g/l)

THE PRODUCT NOW ALSO CONTAINS ORGANIC SULFONATE.

All other conditions remain unchanged.

DATE AMENDED 29/6/05.

[back to contents](#)

### **AMENDMENTS**

<b>LUXAN VERMIGON BLOCKS</b>	HSE 7926
<b>LUXAN VERMIGON SEWER BLOCKS</b>	HSE 7927

### **Marketing Company**

LUXAN (UK) LTD

### **AMENDMENT**

THE AMATEUR PACK SIZE HAS BEEN CHANGED:

**FROM:** AMATEUR: 10 G TO 5 KG  
**TO:** 10 GRAMMES TOP 10 KILOGRAMMES

ALL OTHER CONDITIONS REMAIN UNCHANGED.

DATE AMENDED: 16/6/05

[back to contents](#)

AMENDMENT

---

---

## **NIPPON ANT BAIT STATION**

---

HSE 7935

**Marketing Company**

VITAX LTD

**AMENDMENT**

MINOR CORRECTIONS TO CONCENTRATION OF PERMETHRIN. (FROM 0.79% TO 0.76%)  
ALTERATIONS ARE TO SECTIONS 2 AND 3/1 (iii) OF THE SCHEDULE.

THE EXPIRY DATE HAS BEEN EXTENDED IT NOW IS 14 MAY 2010.

Date amended 1/6/05.

All other conditions remain unchanged.

[back to contents](#)

AMENDMENT

---

## **INSECT BARRIER**

---

HSE 7397

**Marketing Company**

BACTENET INDUSTRIE SA

**AMENDMENT**

AS A RESULT OF THESE CHANGES, MINOR CORRECTIONS ARE NECESSARY TO  
CONCENTRATION OF PERMETHRIN WITHIN THE FORMULATION DUE TO CHANGES IN  
DENSITY HENCE ALTERATIONS HAVE BEEN NECESSARY TO SECTIONS 2 AND 3/1 (III) (j) of  
the schedule.

In addition, the expiry date has been extended until 14 May 2010.

Date amended: 01/06/2005

All other conditions remain unchanged.

[back to contents](#)

**AMENDMENT**

---

---

## DETTOL ANTI-BACTERIAL MOULD & MILDEW REMOVER

---

HSE 7558

**Marketing Company**

RECKITT BENCKISER (UK) LTD

**AMENDMENT**

**THE PRODUCT NAME HAS BEEN CHANGED**

**FROM:** DETTOX ANTI-BACTERIAL MOULD & MILDREW REMOVER

**TO:** DETTOL ANTI-BACTERIAL MOULD & MILDREW REMOV ER

ALL OTHER CONDITIONS REMAIN UNCHANGED.

DATE AMENDED 24/6/05.

[back to contents](#)

**AMENDMENT**

---

## 6 X CAT REPELLENT

---

HSE 7699

**Marketing Company**

ORGANIC CONCENTRATES LTD

**AMENDMENT**

An amendment has been made to the formulation and is now listed as containing 2.0% of d-limonene.

All other conditions remain unchanged.

DATE AMENDED 22/6/05.

[back to contents](#)

**AMENDMENT**

---

## GROWING SUCCESS CAT REPELLENT

---

HSE 7700

**Marketing Company**

GROWING SUCCESS ORGANICS LTD

**AMENDMENT**

THE CONTENTS STATEMENT HAS CHANGED:

FROM: ORANGE PITH OIL 1.0% W/W  
ORANGE PEEL OIL 1.0% W/W  
TO: d-LIMONENE 2.0% W/W

Date amended: 7/6/05

ALL OTHER CONDITIONS REMAIN UNCHANGED.

[back to contents](#)

**AMENDMENT**

---

**BIO-BUG WSS**

---

HSE 7721

**Marketing Company**

BIOKIL CROWN LTD

**AMENDMENT**

**THE ACTIVE INGREDIENT CONTENT OF ALPHACYPERMETHRIN HAS BEEN CORRECTED**

FROM: 4.85% W/W (50.40 g/l)

TO: 4.85% W/W (50.39 G/L)

**THE PACK SIZE HAS BEEN CHANGED**

FROM: 10 AND 25 GRAMME SACHETS

TO: 8 X 10 GRAMME AND 40 X 25 GRAMME SACHETS

**TWO PRECAUTIONARY PHRASES HAVE BEEN REMOVED:**

Use only in well-ventilated areas.

Avoid release to the environment. Refer to special instructions/safety data sheet.

**THREE PRECAUTIONARY PHRASES HAVE BEEN AMENDED:**

FROM: Wear suitable protective clothing, gloves and eye/face protection

TO: Wear suitable protective clothing, suitable gloves and eye/face protection

FROM: DANGEROUS TO BEES

TO: DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT

FROM: DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES other than storage boxes or containers

TO: DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES

All other conditions remain unchanged.

Date amended 29/6/05.

[back to contents](#)

AMENDMENT

---

**WOLMANIT CX-10**

---

HSE 7943

**Marketing Company**

BASF PRINTING SYSTEMS LTD

**AMENDMENT**

THE CONTENTS STATEMENT HAS CHANGED:

FROM: COPPER HYDROXIDE CARBONATE FROM GOLDSCHMIDT AG 15.97% W/W, FROM WILLIAM BLYTHE LTD 8.80% COPPER.

TO: COPPER CARBONATE HYDROXIDE 16.30% w/w (equivalent to 8.80-8.97% copper metal)

Date amended 1/6/05.

All other conditions remain unchanged.

[back to contents](#)

AMENDMENT

---

**WOLMANIT CX-8**

---

HSE 7944

**Marketing Company**

BASF PRINTING SYSTEMS LTD

**AMENDMENT**

THE CONTENTS STATEMENT HAS CHANGED:

FROM: COPPER CARBONATE HYDROXIDE FROM GOLDSCHMIDT AG 12.78% W/W, FROM WILLIAM BLYTHE LTD 7.04% COPPER.

TO: COPPER CARBONATE HYDROXIDE 13.04% w/w (equivalent to 7.04-7.17% COPPER METAL)

Date amended 1/6/05.

All other conditions remain unchanged.

[back to contents](#)