

July 2009

Non-Agricultural

Products Approved

Via

**HSE Chemicals
Regulation Directorate**

Contents

New Approvals

HSE No	Product	Use
8939	RODETOX PASTA BAIT	RODENTICIDE
8940	VENOM BROMABLOCK	RODENTICIDE
8941	VENOM BRODIFABLOCK	RODENTICIDE
8942	KILLIT EXTRA	RODENTICIDE
8943	RODETOX WHOLE WHEAT	RODENTICIDE
8944	KILLIT EXTRA BLOCK	RODENTICIDE
8945	KILLIT EXTRA THROW PACKS	RODENTICIDE
8946	KILLIT MAX BLOCKS	RODENTICIDE
8947	VENOM BROMABAIT	RODENTICIDE
8948	PHOBI DOSE	INSECTICIDE
8949	LIPHATECH PREMIUM BLOCK BOOSTER	RODENTICIDE
8950	HARKA-MITEX	INSECTICIDE
8951	PESTSHIELD MOUSE KILLER BAIT STATION PRE-BAITED	RODENTICIDE
8952	PESTSHIELD RAT KILLER BAIT STATION PRE-BAITED	RODENTICIDE
8953	FARMWAY RAT & MOUSE KILLER – BROMADIOLONE BLOCK BAIT	RODENTICIDE
8954	151 PRODUCTS ANT & CRAWLING INSECT KILLER RTU	INSECTICIDE
8955	151 PRODUCTS ANT & CRAWLING INSECT KILLER CONCENTRATE	INSECTICIDE
8956	151 PRODUCTS BUG KILLER RTU	INSECTICIDE
8957	HOME DEFENCE ADVANCE DAT AND MOUSE KILLER	RODENTICIDE
8958	HOME DEFENCE ADVANCED RAT KILLER	RODENTICIDE
8959	PERMANENT WASP SPRAY	INSECTICIDE
8960	TEAMAC ANTI-FOULING 'A' (C256/SERIES)	ANTIFOULING PRODUCT
8961	IMPRALAN-GRUND G100 RAL	WOOD PRESERVATIVE
8962	PESTSHIELD FLY & WASP KILLER	INSECTICIDE
8963	PESTSHIELD ANT & CRAWLING INSECT KILLER	INSECTICIDE
8964	DOFF SUPER BLOCK BAIT	RODENTICIDE
8965	DOFF SUPER RAT & MOUSE KILLER	RODENTICIDE

Amendments

HSE No	Product	Amended
8622	MAXFORCE LN ANT KILLER	27 th JULY 2009
8685	VEROMETAL MARINE M300	10 th JULY 2009

RODENTICIDE

RODETOX PASTA BAIT

HSE 8939

THE APPROVAL

Marketing Company

SCHIPPERS UK LTD

Active Ingredient

BRODIFACOUM - 0.005% w/w

Formulation

PASTE BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 20 g (AMATEUR)
UP TO 10 kg (PROFESSIONAL)

USE

Field of Use

FOR AMATEUR USE AGAINST MICE ONLY AND FOR PROFESSIONAL USE AGAINST MICE AND RATS.

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

(* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

RE FOR INDOOR USE ONLY.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

(* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

RE FOR INDOOR USE ONLY.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

RODENTICIDE

VENOM BROMABLOCK

HSE 8940

THE APPROVAL

Marketing Company

SHELTON TECHNOLOGY LTD

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

WAX BLOCK

THE CONDITIONS

Application Method

BAIT

Container

UP TO 1 KG (AMATEUR)
UP TO 10 KG (PROFESSIONAL)

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way

(* Intervals will vary depending on product used; see manufacturer's guidelines)

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

(* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

[Return to Contents](#)

RODENTICIDE

VENOM BRODIFABLOCK

HSE 8941

THE APPROVAL

Marketing Company

SHELTON TECHNOLOGY LTD

Active Ingredient

BRODIFACOUM - 0.005% w/w

Formulation

BLOCK BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 20 g (AMATEUR)
UP TO 10 kg (PROFESSIONAL)

USE

Field of Use

FOR USE ONLY AS AN AMATEUR MOUSE KILLER AND FOR PROFESSIONAL USE AGAINST RATS AND MICE.

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

(* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

RE FOR INDOOR USE ONLY.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

(* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

RE FOR INDOOR USE ONLY.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

RODENTICIDE

KILLIT EXTRA

HSE 8942

THE APPROVAL

Marketing Company

AVENUE AGRICULTURAL

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

GRAIN BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 1 KILOGRAM (AMATEUR)
UP TO 25 KILOGRAM (PROFESSIONAL)

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

(* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

(* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

OP Wear suitable protective clothing and suitable gloves.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

RODENTICIDE

RODETOX WHOLE WHEAT

HSE 8943

THE APPROVAL

Marketing Company

SCHIPPERS UK LTD

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

GRAIN BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 1 kg (AMATEUR)
UP TO 25 kg (PROFESSIONAL)

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

(* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

(* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

OP Wear suitable protective clothing and suitable gloves.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

RODENTICIDE

KILLIT EXTRA BLOCK

HSE 8944

THE APPROVAL

Marketing Company

AVENUE AGRICULTURAL

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

BLOCK BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 1 kg (AMATEUR)
UP TO 10 kg (PROFESSIONAL)

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

(* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

(* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

[Return to Contents](#)

RODENTICIDE

KILLIT EXTRA THROW PACKS

HSE 8945

THE APPROVAL

Marketing Company

AVENUE AGRICULTURAL

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

GRAIN BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 1 kg (AMATEUR)
UP TO 25 kg (PROFESSIONAL)

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

(* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

(* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

OP Wear suitable protective clothing and suitable gloves.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

RODENTICIDE

KILLIT MAX BLOCKS

HSE 8946

THE APPROVAL

Marketing Company

AVENUE AGRICULTURAL

Active Ingredient

BRODIFACOUM – 0.005% w/w

Formulation

BLOCK BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 20 g (AMATEUR)
PROFESSIONAL 10 kg (PROFESSIONAL)

USE

Field of Use

FOR USE ONLY AS AN AMATEUR MOUSE KILLER AND FOR PROFESSIONAL USE AGAINST RATS AND MICE.

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

(* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

RE FOR INDOOR USE ONLY.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers) EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

(* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

RE FOR INDOOR USE ONLY.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

RODENTICIDE

VENOM BROMABAIT

HSE 8947

THE APPROVAL

Marketing Company

SHELTON TECHNOLOGY LTD

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

GRAIN BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 1 kg (AMATEUR)
UP TO 25 kg (PROFESSIONAL)

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

(* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

(* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

OP Wear suitable protective clothing and suitable gloves.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

INSECTICIDE

PHOBI DOSE

HSE 8948

THE APPROVAL

Marketing Company

LODI UK

Active Ingredient

IMIPROTHRIN - 9.89% w/w
CYPHENOTHRIN – 14.84% w/w

Formulation

EMULSIFIABLE CONCENTRATE

THE CONDITIONS

Application Method

SURFACE SPRAY

Container

UP TO 50 ml SACHET

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

PROFESSIONAL

Application Rate

DILUTE 10mls OF PRODUCT WITH 1 LITRE OF WATER. APPLY 1 LITRE OF DILUTED SPRAY PER 20 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe spray.

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY.

EN This material and its container must be disposed of in a safe way.

EN Do not empty into drains

EN COVER ALL WATER STORAGE TANKS before application.

RE FOR INDOOR USE ONLY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN HAZARDOUS TO BEES.

[Return to Contents](#)

RODENTICIDE

LIPHATECH PREMIUM BLOCK BOOSTER

HSE 8949

THE APPROVAL

Marketing Company

LIPHATECH SAS

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

BLOCK BAIT

THE CONDITIONS

Application Method

BAIT

Container

20-30 GRAMME BAIT BLOCKS

USE

Field of Use

FOR USE ONLY AS AN AMATEUR RAT AND MOUSE KILLER

User

AMATEUR

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. (* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

INSECTICIDE

HARKA-MITEX

HSE 8950

THE APPROVAL

Marketing Company

HARKERS LTD

Active Ingredient

CYPERMETHRIN – 1.84% w/w

Formulation

EMULSIFIABLE CONCENTRATE

THE CONDITIONS

Application Method

BRUSH, SPRAY

Container

UP TO 140 mls

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

DILUTE 1 PART PRODUCT TO 66 PARTS WATER. APPLY 500 ml OF DILUTED PRODUCT PER SQUARE METRE OF SURFACE.

PRECAUTIONARY PHRASES

OP Wear suitable protective clothing, suitable gloves and eye/face protection.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
EN Do not empty into drains
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
OP Wear suitable eye / face protection (when diluting).
OP Avoid contact with skin.
OP Avoid contact with eyes.
OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
EN COVER ALL WATER STORAGE TANKS before application.
EN DO NOT APPLY DIRECTLY TO ANIMALS.
EN HAZARDOUS TO BEES.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN EXCLUDE ANIMALS DURING APPLICATION.

[Return to Contents](#)

RODENTICIDE

PESTSHIELD MOUSE KILLER BAIT STATION PRE-BAITED

HSE 8951

THE APPROVAL

Marketing Company

151 PRODUCTS LIMITED

Active Ingredient

BRODIFACOUM - 0.005% w/w

Formulation

BLOCK BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 20 g

USE

Field of Use

FOR USE ONLY AS AN AMATEUR MOUSE KILLER

User

AMATEUR

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

(* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

RE FOR INDOOR USE ONLY.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

RODENTICIDE

PESTSHIELD RAT KILLER BAIT STATION PRE-BAITED

HSE 8952

THE APPROVAL

Marketing Company

151 PRODUCTS LIMITED

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

WAX BLOCK

THE CONDITIONS

Application Method

BAIT

Container

UP TO 100 g

USE

Field of Use

FOR USE ONLY AS AN AMATEUR RAT AND MOUSE KILLER

User

AMATEUR

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

(* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

RODENTICIDE

FARMWAY RAT & MOUSE KILLER - BROMADIOLONE BLOCK BAIT

HSE 8953

THE APPROVAL

Marketing Company

FARMWAY LTD

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

BLOCK BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 6 kg (AMATEUR)
UP TO 20 kg (PROFESSIONAL)

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

(* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

OP AVOID ALL CONTACT BY MOUTH.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

INSECTICIDE

151 PRODUCTS ANT & CRAWLING INSECT KILLER RTU

HSE 8954

THE APPROVAL

Marketing Company

151 PRODUCTS LIMITED

Active Ingredient

CYPERMETHRIN - 0.09% w/w

Formulation

EMULSION READY-FOR-USE

THE CONDITIONS

Application Method

SPACE SPRAY, SURFACE SPRAY

Container

UP TO 1 LITRE

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR
PROFESSIONAL

Application Rate

SPACE SPRAY: APPLY 1 TO 4 MILLILITRES OF PRODUCT PER CUBIC METRE.
SURFACE SPRAY: APPLY 20 MILLILITRES OF PRODUCT PER SQUARE METRE OF SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Do not breathe spray.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN Do not empty into drains
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN HAZARDOUS TO BEES.
EN COVER ALL WATER STORAGE TANKS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP Do not breathe spray.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN This material and its container must be disposed of in a safe way.
EN Do not empty into drains
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN HAZARDOUS TO BEES.
EN COVER ALL WATER STORAGE TANKS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[Return to Contents](#)

INSECTICIDE

151 PRODUCTS ANT & CRAWLING INSECT KILLER CONCENTRATE

HSE 8955

THE APPROVAL

Marketing Company

151 PRODUCTS LIMITED

Active Ingredient

CYPERMETHRIN - 2.00% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

TRIGGER SPRAY, WATERING CAN

Container

UP TO 50 GRAMMES (2 x 25g)

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

TRIGGER SPRAY: ADD ONE 25 MILLILITRE SACHET TO 500 MILLILITRES OF WATER. APPLY 20 MILLILITRES OF DILUTED PRODUCT PER SQUARE METRE OF SURFACE.
WATERING CAN: ADD ONE 25 MILLILITRE SACHET TO 2.5 LITRES OF WATER THEN APPLY 100 MILLILITRES OF DILUTED PRODUCT PER SQUARE METRE OF SURFACE.

PRECAUTIONARY PHRASES

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN Do not empty into drains
EN COVER ALL WATER STORAGE TANKS before application.
RE FOR OUTDOOR USE ONLY.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN HAZARDOUS TO BEES.

[Return to Contents](#)

INSECTICIDE

151 PRODUCTS BUG KILLER RTU

HSE 8956

THE APPROVAL

Marketing Company

151 PRODUCTS LIMITED

Active Ingredient

PERMETHRIN - 0.184% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

SURFACE AND SPACE SPRAY

Container

UP TO 1000 mls

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

SPACE TREATMENT: APPLY AT A RATE OF 1 TO 4 ml OF PRODUCT PER CUBIC METRE
SURFACE TREATMENT: APPLY AT A RATE OF 10 TO 20 ml OF PRODUCT PER SQUARE METRE

PRECAUTIONARY PHRASES

OP Do not breathe spray.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.

EN Do not empty into drains

EN COVER ALL WATER STORAGE TANKS before application.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN DO NOT APPLY DIRECTLY TO ANIMALS.

EN EXCLUDE ANIMALS DURING APPLICATION.

EN HAZARDOUS TO BEES.

EN DO NOT APPLY TO CLOTHING OR HUMAN BEDDING.

[Return to Contents](#)

RODENTICIDE

HOME DEFENCE ADVANCED RAT & MOUSE KILLER

HSE 8957

THE APPROVAL

Marketing Company

THE SCOTTS COMPANY (UK) LIMITED

Active Ingredient

POWDERED CORN COB - 95% w/w

Formulation

PELLET BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 1 kg

USE

Field of Use

FOR USE ONLY AS AN AMATEUR RAT AND MOUSE KILLER

User

AMATEUR

Application Rate

APPLY AS NECESSARY

PRECAUTIONARY PHRASES

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. (* Intervals will vary depending on product used; see manufacturer's guidelines).

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN HARMFUL TO WILDLIFE.

[Return to Contents](#)

RODENTICIDE

HOME DEFENCE ADVANCED RAT KILLER

HSE 8958

THE APPROVAL

Marketing Company

THE SCOTTS COMPANY (UK) LIMITED

Active Ingredient

POWDERED CORN COB - 95% w/w

Formulation

PELLET BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 1 kg

USE

Field of Use

FOR USE ONLY AS AN AMATEUR RAT KILLER

User

AMATEUR

Application Rate

APPLY AS NECESSARY

PRECAUTIONARY PHRASES

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. (* Intervals will vary depending on product used; see manufacturer's guidelines).

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN HARMFUL TO WILDLIFE.

[Return to Contents](#)

INSECTICIDE

PERMANENT WASP SPRAY

HSE 8959

THE APPROVAL

Marketing Company

W NEUDORFF GmbH KG

Active Ingredient

PYRETHRINS – 0.21% w/w

Formulation

PRE-PRESSURISED HAND HELD AEROSOL

THE CONDITIONS

Application Method

SURFACE SPRAY

Container

525 MILLILITRES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR
PROFESSIONAL

Application Rate

DISCHARGE RATE OF AEROSOL IS 3 GRAMMES OF PRODUCT PER SECOND.
APPLICATION METHOD 1: APPLY 120 GRAMMES OF PRODUCT PER SQUARE METRE OF SURFACE..
APPLICATION METHOD 2: APPLY DIRECTLY TO NESTS.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Do not breathe spray.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
EN Do not empty into drains
EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN DO NOT APPLY TO SOFT FURNISHINGS.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN HAZARDOUS TO BEES.
RE SPRAY ONLY ON TO SURFACES.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe spray.
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
EN Do not empty into drains
EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN DO NOT APPLY TO SOFT FURNISHINGS.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN HAZARDOUS TO BEES.
RE SPRAY ONLY ON TO SURFACES.

[Return to Contents](#)

ANTIFOULING PRODUCT

TEAMAC ANTI-FOULING 'A' (C256/ SERIES)

HSE 8960

THE APPROVAL

Marketing Company

TEAL AND MACKRILL LTD

Active Ingredient

CUPROUS THIOCYANATE
DICHLOFLUANID

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

AMATEUR: BRUSH, ROLLER
PROFESSIONAL: BRUSH, ROLLER, SPRAY (AIRLESS AND CONVENTIONAL)

Container

UP TO 20 LITRES

USE

Field of Use

FOR USE ONLY AS AN ANTIFOULING PRODUCT

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY 1 LITRE OF PRODUCT PER 10 SQUARE METRES OF SURFACE.
READY TO USE BY BRUSH AND AIRLESS SPRAY. DILUTE UP TO 5% WITH NAPHTHA 90/190 THINNER FOR
CONVENTIONAL SPRAY

PRECAUTIONARY PHRASES

AMATEUR LABEL

GE IN ACCORDANCE WITH THE CHEMICALS (HAZARD INFORMATION AND PACKAGING FOR SUPPLY) REGULATIONS 2002, AS FROM TIME TO TIME AMENDED.
OP WEAR SUITABLE PROTECTIVE GLOVES when applying.

PROFESSIONAL LABEL

GE IN ACCORDANCE WITH THE CHEMICALS (HAZARD INFORMATION AND PACKAGING FOR SUPPLY) REGULATIONS 2002, AS FROM TIME TO TIME AMENDED.
OP WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS OF A CONTRASTING COLOUR TO THE PRODUCT BEING APPLIED, UNDERNEATH A DISPOSABLE COVERALL WITH HOOD), SUITABLE GLOVES AND IMPERVIOUS FOOTWEAR THAT PROTECTS THE LOWER LEG.
OP DISPOSE OF PROTECTIVE GLOVES after use.
OP DO NOT BREATHE SPRAY MIST.
OP UNPROTECTED PERSONS SHOULD BE KEPT OUT OF TREATMENT AREAS.
OP WEAR SUITABLE RESPIRATORY EQUIPMENT (such as air-fed respiratory protective equipment with combined protective helmet and visor) when spraying.

[Return to Contents](#)

WOOD PRESERVATIVE

IMPRALAN-GRUND G100 RAL

HSE 8961

THE APPROVAL

Marketing Company

SONNEBORN & RIECK LTD

Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 0.89% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, DIP, SPRAY

Container

UP TO 20 LITRES (PROFESSIONAL)
UP TO 1000 LITRES (INDUSTRIAL)

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL
INDUSTRIAL

Application Rate

APPLY 80 - 120 mls OF PRODUCT PER SQUARE METRE.

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN COVER ALL WATER STORAGE TANKS before application.

INDUSTRIAL LABEL

US FOR USE ONLY BY INDUSTRIAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable protective gauntlets.

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP DO NOT BREATHE AEROSOL.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Return to Contents](#)

INSECTICIDE

PESTSHIELD FLY & WASP KILLER

HSE 8962

THE APPROVAL

Marketing Company

151 PRODUCTS LIMITED

Active Ingredient

TETRAMETHRIN - 0.18% w/w

PERMETHRIN - 0.14% w/w

Formulation

PRE-PRESSURISED HAND HELD AEROSOL

THE CONDITIONS

Application Method

SPACE TREATMENT

Container

UP TO 750 ml

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

SPACE SPRAY - A 5 SECOND SPRAY TREATS AN AVERAGE-SIZED ROOM (30 CUBIC METRES), OR SPRAY DIRECTLY AT INSECTS FROM A DISTANCE OF 60-90 cm).

PRECAUTIONARY PHRASES

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.

EN Do not empty into drains

EN HAZARDOUS TO BEES.

EN COVER ALL WATER STORAGE TANKS before application.

RE FOR INDOOR USE ONLY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[Return to Contents](#)

INSECTICIDE

PESTSHIELD ANT & CRAWLING INSECT KILLER

HSE 8963

THE APPROVAL

Marketing Company

151 PRODUCTS LIMITED

Active Ingredient

TETRAMETHRIN - 0.18% w/w

PERMETHRIN - 0.14% w/w

Formulation

PRE-PRESSURISED HAND HELD AEROSOL

THE CONDITIONS

Application Method

SURFACE SPRAY

Container

UP TO 750 ml

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

A 5 SECOND SPRAY WILL COVER AN AREA OF 5 SQUARE METRES.
SPRAY AT A DISTANCE OF 12 - 15 cm. SPRAY DIRECTLY AT INSECTS ON SURFACE OR SPRAY ON TO SURFACES WHERE INSECTS WALK, INTO CRACKS AND CREVICES AND OTHER INSECT HARBOURAGES.
RE-APPLY AS REQUIRED.

PRECAUTIONARY PHRASES

OP Do not breathe spray.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

OP Avoid contact with skin.

EN This material and its container must be disposed of in a safe way.

EN Do not empty into drains

RE FOR INDOOR USE ONLY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN HAZARDOUS TO BEES.

EN COVER ALL WATER STORAGE TANKS before application.

EN DO NOT APPLY DIRECTLY TO ANIMALS.

EN DO NOT APPLY TO CLOTHING AND BEDDING.

[Return to Contents](#)

RODENTICIDE

DOFF SUPER BLOCK BAIT

HSE 8964

THE APPROVAL

Marketing Company

DOFF PORTLAND LTD

Active Ingredient

DIFENACOUM - 0.005% w/w

Formulation

BLOCK BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 3.5 kg (AMATEUR)
UP TO 20 kg (PROFESSIONAL)

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR AND PROFESSIONAL

Application Rate

BAIT AS NECESSARY

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. (* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers). You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

(* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

[Return to Contents](#)

RODENTICIDE

DOFF SUPER RAT & MOUSE KILLER

HSE 8965

THE APPROVAL

Marketing Company

DOFF PORTLAND LTD

Active Ingredient

DIFENACOUM - 0.005% w/w

Formulation

GRAIN BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 10 kg (AMATEUR)
UP TO 25 kg (PROFESSIONAL)

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. (* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers). You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office. (* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

[Return to Contents](#)

AMENDMENT

MAXFORCE LN ANT KILLER

HSE 8622

Marketing Company

BAYER ENVIRONMENTAL SCIENCE

AMENDMENT

THE CONDITIONS

Container

THE PACK SIZE HAS CHANGED **FROM** '50 x 2 GRAMMES' **TO** '2 GRAMMES'

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

THE FOLLOWING PRECAUTIONARY PHRASE HAS BEEN **ADDED**

This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

VEROMETAL MARINE M300

HSE 8685

THE APPROVAL

Marketing Company

VEROMETAL GmbH

AMENDMENT

THE CONDITIONS

Container

THE PACK SIZE HAS CHANGED

FROM

PACK A (COPPER POWDER): 10, 20 AND 50 KILOGRAMS
PACK B (RESIN): 8, 16 AND 40 KILOGRAMS
PACK C (HARDENER): 20 MILILITERS

TO

AMATEUR

PACK A (COPPER POWDER): 1.25 KILOGRAMS
PACK B (RESIN): 1.0 KILOGRAMS
PACK C (HARDENER): 0.5, 1, 2 AND 4 LITRES

PROFESSIONAL

PACK A (COPPER POWDER): 10, 20 AND 50 KILOGRAMS
PACK B (RESIN): 8, 16 AND 40 KILOGRAMS
PACK C (HARDENER): 0.5, 1, 2 AND 4 LITRES.'

USE

User

THE USE HAS CHANGED **FROM** 'PROFESSIONAL' **TO** 'AMATEUR AND PROFESSIONAL'

All other conditions remain unchanged.

[Return to Contents](#)