

August - 2006

Products Approved

Via

**HSE Biocides & Pesticides Unit**

## Contents

### New Approvals

HSE No	Product	Use
<a href="#">8278</a>	CANOVEL HOME BLITZ	INSECTICIDE
<a href="#">8297</a>	BIOPREN BMS	INSECTICIDE
<a href="#">8298</a>	BIOPREN BMS DUO	INSECTICIDE
<a href="#">8299</a>	BIOPREN BMS AMBER	INSECTICIDE
<a href="#">8304</a>	RED MITE CONCENTRATE	INSECT REPELLENT
<a href="#">8305</a>	CATTLE FLY REPEL	INSECT REPELLENT
<a href="#">8306</a>	BLOWFLY REPEL	INSECT REPELLENT
<a href="#">8307</a>	TICK CONTROL	INSECT REPELLENT
<a href="#">8309</a>	RED MITE POWDER	INSECT REPELLENT
<a href="#">8310</a>	LIVESTOCK LOUSE POWDER	INSECT REPELLENT
<a href="#">8313</a>	SX DIFENACOUM WHOLE WHEAT BAIT	RODENTICIDE
<a href="#">8314</a>	ROMAX DIFENACOUM PASTA BAIT	RODENTICIDE
<a href="#">8318</a>	FLEA AND PARASITE POWDER	INSECT REPELLENT
<a href="#">8320</a>	MAXFORCE WHITE IC	INSECTICIDE
<a href="#">8321</a>	FLY REPELLENT ADVANCED	INSECT REPELLENT
<a href="#">8322</a>	TOMCAT PRE-BAITED MOUSE BAIT STATION	RODENTICIDE
<a href="#">8323</a>	CALLINGTON AEROSAFE TOP OF DESCENT AIRCRAFT INSETICIDE	INSECTICIDE
<a href="#">8324</a>	TOMCAT PRE-FILLED BAIT TRAYS	RODENTICIDE
<a href="#">8325</a>	TOMCAT BLOCK BAIT	RODENTICIDE
<a href="#">8326</a>	PROFILAC SUMMER HEXASURE	INSECT REPELLENT
<a href="#">8327</a>	RENTOKIL FLY REPELLENT	INSECT REPELLENT
<a href="#">8328</a>	RENTOKIL FLY REPELLENT – SMALL SPACE	INSECT REPELLENT
<a href="#">8329</a>	OSMOSE ENDCOAT WOOD PRESERVATIVE	WOOD PRESERVATIVE
<a href="#">8330</a>	JOHNSON'S HERBAL FLEA COLLAR FOR DOGS	INSECT REPELLENT
<a href="#">8333</a>	SOLIGNUM UNIVERSAL WOOD PRESERVER	WOOD PRESERVATIVE
<a href="#">8334</a>	SOLIGNUM CUT END WOOD PRESERVER	WOOD PRESERVATIVE
<a href="#">8335</a>	SOLIGNUM GREEN WOOD PRESERVER	WOOD PRESERVATIVE
<a href="#">8336</a>	PERMAWOOD CUT END PRESERVATIVE	WOOD PRESERVATIVE

## Amendments

HSE No	Product	Amended
<a href="#">6205</a>	VECTOBAC 12AS	29/08/2006
<a href="#">6597</a>	BIOCHECK SILK	17/08/2006
<a href="#">6599</a>	BIOCHECK MATT	17/08/2006
<a href="#">6600</a>	BIOCHECK SP	17/08/2006
<a href="#">6610</a>	BIOCHECK 2507	17/08/2006
<a href="#">7763</a>	LPC ESPACE	01/08/2006
<a href="#">7779</a>	ANT BAIT STATION	10/08/2006
<a href="#">7833</a>	ITCH STOP COMPLETE	21/08/2006
<a href="#">7858</a>	ALPHA-SST	01/08/2006
<a href="#">7921</a>	FLY REPELLENT (WIPES)	21/08/2006
<a href="#">7922</a>	FLY REPELLENT (SPRAY)	21/08/2006
<a href="#">7930</a>	EXTRA NAIL NEW FORMULA	01/08/2006
<a href="#">7934</a>	FLYGON LA	25/08/2006
<a href="#">7958</a>	LOUSE POWDER	08/08/2006
<a href="#">7959</a>	RUBY LOUSE REPELLENT POWDER	08/08/2006
<a href="#">7960</a>	LOUSE POWDER	23/08/2006
<a href="#">8000</a>	EXTRA TAIL NATURAL FLY REPELLENT	29/08/2006
<a href="#">8063</a>	FAST ACTION MOUSE KILLER	04/08/2006
<a href="#">8162</a>	OLEUM FLY REPEL	08/08/2006
<a href="#">8212</a>	EXIT10	
<a href="#">8268</a>	JOHNSON'S FLEA AND TICK DROPS FOR CATS AND KITTENS	30/08/2006
<a href="#">8287</a>	HYPERDRUG VETERINARY FLEA DROPS FOR CATS AND KITTENS	30/08/2006
<a href="#">8288</a>	ARMITAGE PETCARE FLEA DROPS FOR CATS AND KITTENS	30/08/2006
<a href="#">8291</a>	JOHNSON'S HERBAL FLEA DROPS FOR DOGS AND PUPPIES	30/08/2006
<a href="#">8292</a>	AVERT COCKROACH GEL BAIT 330A	24/08/2006
<a href="#">8293</a>	AVERT COCKROACH GEL BAIT 331A	24/08/2006

INSECTICIDE

---

## CANOVEL HOME BLITZ

---

HSE 8278

### THE APPROVAL

#### Marketing Company

AGROPHARM LTD

#### Active Ingredient

PERMETHRIN – 13.25% w/w

#### Formulation

PYROTECHNIC DEVICE

### THE CONDITIONS

#### Application Method

SMOKE GENERATOR

#### Container

SMOKE GENERATORS ARE 27ml SECURITAINERS CONTAINING 3.5g OF PRODUCT.

FOR AMATEURS SUPPLIED AS: 2 SMOKE GENERATORS PER BOX.  
FOR PROFESSIONALS SUPPLIED AS: 20 SMOKE GENERATORS PER BOX.

### USE

#### Field of Use

FOR USE ONLY AS AN INSECTICIDE

#### User

AMATEUR and PROFESSIONAL

#### Application Rate

**FOR FLYING INSECTS:** USE 1 GENERATOR PER 120 CUBIC METRES.

#### **FOR CRAWLING INSECTS:**

FLEAS AND BEDBUGS: USE 1 GENERATOR PER 30 CUBIC METRES  
ANTS AND COCKROACHES: USE 1 GENERATOR PER 7.5 CUBIC METRES.

### PRECAUTIONARY PHRASES

#### Amateur Label

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.  
EN This material and its container must be disposed of in a safe way.  
OP Avoid contact with skin.  
RE When using do not eat drink or smoke.  
EN COVER ALL WATER STORAGE TANKS before application.  
RE FOR INDOOR USE ONLY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.  
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.  
RE VENTILATE THE TREATED AREA THOROUGHLY when the smoke has cleared.  
RE EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.

### **Professional Label**

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing, suitable gloves and eye/face protection.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRY REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

RE When using do not eat drink or smoke.

OP Avoid contact with skin.

RE VENTILATE THE TREATED AREA THOROUGHLY when the smoke has cleared.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

RE FOR INDOOR USE ONLY.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

RE EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.

INSECTICIDE

---

## BIOPREN BMS

---

HSE 8297

### THE APPROVAL

#### Marketing Company

LUXAN (UK) LTD

#### Active Ingredient

S-METHOPRENE - 0.50% w/w

#### Formulation

BAIT

### THE CONDITIONS

#### Application Method

BAIT

#### Container

AMATEUR: 1-5 (2 x 2g) or 1-5 (1-3.5g) BAIT STATIONS PER BOX or  
1 (2 x 2g) or 1 (1-3.5g) IN BLISTER PACK  
PROFESSIONAL: 1-25 (1 – 3.5g) or 1-16 (2 x 2g) BAIT STATIONS PER BOX

### USE

#### Field of Use

FOR USE ONLY AS AN INSECTICIDE

#### User

AMATEUR and PROFESSIONAL

#### Application Rate

APPLY 1 - 2 BAIT STATIONS PER 5 SQUARE METRES (DEPENDING ON LEVEL OF INFESTATION)

### PRECAUTIONARY PHRASES

#### Amateur Label

EN DO NOT USE where food, feed or water could become contaminated.  
RE PREVENT ACCESS TO BAITS by children and animals.  
EN REMOVE ALL REMAINS OF BAIT and bait containers.  
EN This material and its container must be disposed of in a safe way.  
RE FOR INDOOR USE ONLY.  
EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

## **Professional Label**

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

EN DO NOT USE where food, feed or water could become contaminated.

RE PREVENT ACCESS TO BAITs by children and animals.

EN REMOVE ALL REMAINS OF BAIT and bait containers.

EN This material and its container must be disposed of in a safe way.

RE FOR INDOOR USE ONLY.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

INSECTICIDE

---

## **BIOPREN BMS DUO**

---

HSE 8298

### **THE APPROVAL**

#### **Marketing Company**

LUXAN (UK) LTD

#### **Active Ingredient**

S-METHOPRENE - 0.50% w/w

#### **Formulation**

BAIT

### **THE CONDITIONS**

#### **Application Method**

BAIT

#### **Container**

AMATEUR: 1 - 5 (2 X 2 G) BAIT STATIONS PER BOX or 1 (2 X 2 G) IN BLISTER PACK  
PROFESSIONAL: 1 - 16 (2 X 2 G) BAIT STATIONS PER BOX

### **USE**

#### **Field of Use**

FOR USE ONLY AS AN INSECTICIDE

#### **User**

AMATEUR and PROFESSIONAL

#### **Application Rate**

APPLY 1 - 2 BAIT STATIONS PER 5 SQUARE METRES (DEPENDING ON LEVEL OF INFESTATION)

### **PRECAUTIONARY PHRASES**

#### **Amateur Label**

EN DO NOT USE where food, feed or water could become contaminated.  
RE PREVENT ACCESS TO BAITs by children and animals.  
EN REMOVE ALL REMAINS OF BAIT and bait containers.  
EN This material and its container must be disposed of in a safe way.  
RE FOR INDOOR USE ONLY.  
EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

## **Professional Label**

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

EN DO NOT USE where food, feed or water could become contaminated.

RE PREVENT ACCESS TO BAITs by children and animals.

EN REMOVE ALL REMAINS OF BAIT and bait containers.

EN This material and its container must be disposed of in a safe way.

RE FOR INDOOR USE ONLY.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

INSECTICIDE

---

## BIOPREN BMS AMBER

---

HSE 8299

### THE APPROVAL

#### Marketing Company

LUXAN (UK) LTD

#### Active Ingredient

S-METHOPRENE - 0.50% w/w

#### Formulation

BAIT

### THE CONDITIONS

#### Application Method

BAIT

#### Container

AMATEUR: 1-5 (2 X 2 G) or  
1-5 (1-3.5G) BAIT STATIONS PER BOX or 1(2 X 2 G) or 1(1-3.5G) IN BLISTER PACK  
PROFESSIONAL: 1-25 (1 – 3.5 G) or 1-16 (2 X 2 G) BAIT STATIONS PER BOX

### USE

#### Field of Use

FOR USE ONLY AS AN INSECTICIDE

#### User

AMATEUR  
PROFESSIONAL

#### Application Rate

APPLY 1 - 2 BAIT STATIONS PER 5 SQUARE METRES (DEPENDING ON LEVEL OF INFESTATION)

### PRECAUTIONARY PHRASES

#### Amateur Label

EN DO NOT USE where food, feed or water could become contaminated.  
RE PREVENT ACCESS TO BAITS by children and animals.  
EN REMOVE ALL REMAINS OF BAIT and bait containers.  
EN This material and its container must be disposed of in a safe way.  
RE FOR INDOOR USE ONLY.  
EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

## **Professional Label**

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

EN DO NOT USE where food, feed or water could become contaminated.

RE PREVENT ACCESS TO BAITs by children and animals.

EN REMOVE ALL REMAINS OF BAIT and bait containers.

EN This material and its container must be disposed of in a safe way.

RE FOR INDOOR USE ONLY.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

INSECT REPELLENT

---

## RED MITE CONCENTRATE

---

HSE 8304

### THE APPROVAL

#### Marketing Company

BARRIER ANIMAL HEALTHCARE

#### Active Ingredient

AUSTRALIAN TEA TREE OIL - 3% w/w  
LAVANDIN OIL - 3% w/w

#### Formulation

WATER BASED CONCENTRATE

### THE CONDITIONS

#### Application Method

TRIGGER SPRAY

#### Container

AMATEUR 0.5 LITRES AND 1 LITRE  
PROFESSIONAL 0.5 LITRES, 1 LITRE AND 5 LITRES

### USE

#### Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

#### User

AMATEUR and PROFESSIONAL

#### Application Rate

DILUTE 1 PART PRODUCT WITH 50 PARTS WATER THEN USE 2-3 TRIGGER SPRAYS PER FULLY GROWN BIRD.  
ONE PUMP OF TRIGGER SPRAY EQUIVALENT TO 3 ML OF DILUTED PRODUCT

### PRECAUTIONARY PHRASES

#### Amateur Label

OP Do not breathe spray.  
EN This material and its container must be disposed of in a safe way.

#### Professional Label

US FOR USE ONLY BY PROFESSIONAL OPERATORS.  
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.  
OP Do not breathe spray.  
EN This material and its container must be disposed of in a safe way.

[Return to Contents](#)

INSECT REPELLENT

---

## **CATTLE FLY REPEL**

---

HSE 8305

### **THE APPROVAL**

#### **Marketing Company**

BARRIER ANIMAL HEALTHCARE

#### **Active Ingredient**

AUSTRALIAN TEA TREE OIL - 3% w/w  
LAVANDIN OIL - 3% w/w

#### **Formulation**

WATER BASED READY-FOR-USE

### **THE CONDITIONS**

#### **Application Method**

TRIGGER SPRAY

#### **Container**

500 ML, 1 LITRE AND 5 LITRES

### **USE**

#### **Field of Use**

FOR USE ONLY AS AN INSECT REPELLENT

#### **User**

AMATEUR

#### **Application Rate**

1 FULL TRIGGER PULL RELEASES 3ml OF PRODUCT.  
FOR CALVES: APPLY 6 – 9ml OF PRODUCT TO RUMP AND HEAD.  
FOR ADULT CATTLE: APPLY 12 – 24ml OF PRODUCT TO RUMP AND HEAD.  
MAY BE APPLIED SPARINGLY TO THE UDDER AND TEAT AREA.

### **PRECAUTIONARY PHRASES**

OP Do not breathe spray.  
EN This material and its container must be disposed of in a safe way.

[Return to Contents](#)

INSECT REPELLENT

---

## **BLOWFLY REPEL**

---

HSE 8306

### **THE APPROVAL**

#### **Marketing Company**

BARRIER ANIMAL HEALTHCARE

#### **Active Ingredient**

AUSTRALIAN TEA TREE OIL - 3% w/w  
LAVANDIN OIL - 3% w/w

#### **Formulation**

WATER BASED READY-FOR-USE

### **THE CONDITIONS**

#### **Application Method**

TRIGGER SPRAY

#### **Container**

500 ML, 1 LITRE, AND 5 LITRES

### **USE**

#### **Field of Use**

FOR USE ONLY AS AN INSECT REPELLENT

#### **User**

AMATEUR

#### **Application Rate**

1 FULL TRIGGER PULL RELEASES 3ml OF PRODUCT.  
FOR LAMBS: APPLY 3 – 6ml OF PRODUCT TO RUMP AND BACK OR WHERE INJURY OR FOOT ROT EXISTS.  
FOR ADULT SHEEP: APPLY 9 – 18ml OF PRODUCT TO RUMP AND BACK OR WHERE INJURY OR FOOT ROT EXISTS.

### **PRECAUTIONARY PHRASES**

OP Do not breathe spray.  
EN This material and its container must be disposed of in a safe way.

[Return to Contents](#)

## TICK CONTROL

---

HSE 8307

### THE APPROVAL

#### Marketing Company

BARRIER ANIMAL HEALTHCARE

#### Active Ingredient

AUSTRALIAN TEA TREE OIL - 2% w/w  
LAVANDIN OIL - 2% w/w

#### Formulation

WATER BASED READY-FOR-USE

### THE CONDITIONS

#### Application Method

TRIGGER SPRAY

#### Container

150 ML, 500 ML, 1 LITRE AND 5 LITRES

### USE

#### Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

#### User

AMATEUR

#### Application Rate

APPLY 1 TRIGGER PULL OF PRODUCT DIRECTLY ON TO TICK FOR AN AVERAGE SIZED ANIMAL.  
1 TRIGGER PULL EQUIVALENT TO 3ml OF PRODUCT.

### PRECAUTIONARY PHRASES

OP Do not breathe spray.  
EN This material and its container must be disposed of in a safe way.

INSECT REPELLENT

---

## RED MITE POWDER

---

HSE 8309

### THE APPROVAL

#### Marketing Company

BARRIER ANIMAL HEALTHCARE

#### Active Ingredient

AUSTRALIAN TEA TREE OIL - 1.5% w/w  
LAVANDIN OIL - 1.5% w/w

#### Formulation

POWDER

### THE CONDITIONS

#### Application Method

DUSTING POWDER

#### Container

250g, 500g, and 5kg

### USE

#### Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

#### User

AMATEUR

#### Application Rate

APPLY 10 GRAMS OF PRODUCT PER FULLY GROWN CHICKEN

### PRECAUTIONARY PHRASES

OP Do not breathe dust.

EN This material and its container must be disposed of in a safe way.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

INSECT REPELLENT

---

## LIVESTOCK LOUSE POWDER

---

HSE 8310

### THE APPROVAL

#### Marketing Company

BARRIER ANIMAL HEALTHCARE

#### Active Ingredient

AUSTRALIAN TEA TREE OIL - 1.5% w/w

LAVANDIN OIL - 1.5% w/w

#### Formulation

POWDER

### THE CONDITIONS

#### Application Method

DUSTING POWDER

#### Container

250g, 500g and 5kg

### USE

#### Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

#### User

AMATEUR

#### Application Rate

APPLY 50 GRAMS OF PRODUCT PER AVERAGE SIZED ANIMAL.

### PRECAUTIONARY PHRASES

OP Do not breathe dust.

EN This material and its container must be disposed of in a safe way.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

RODENTICIDE

---

## **SX DIFENACOUM WHOLE WHEAT BAIT**

---

HSE 8313

### **THE APPROVAL**

#### **Marketing Company**

ESSEX ENVIRONMENTAL SUPPLIES LTD

#### **Active Ingredient**

DIFENACOUM - 0.005% w/w

#### **Formulation**

GRAIN BAIT

### **THE CONDITIONS**

#### **Application Method**

BAIT

#### **Container**

AMATEUR: 50 - 200g SACHETS, 250 - 2000g TUB, 20 x 50g, 10 x 100g and 5 x 200g BAG, 1 – 10kg PAILS, 5 – 20kg PROFESSIONAL: 50 – 200g SACHETS, 250 – 2000g TUB, 20 x 50g; 10 x 100g and 5 x 200g BAG, 1 – 10kg PAILS, 5 – 20kg SACK, 17.5kg CARTON

### **USE**

#### **Field of Use**

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

#### **User**

AMATEUR and PROFESSIONAL

#### **Application Rate**

APPLY AS NECESSARY

### **PRECAUTIONARY PHRASES**

#### **Amateur Label**

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN Search for and remove rodent bodies at frequent\* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

(\*Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

## **Professional Label**

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN Search for and remove rodent bodies at frequent\* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

(\* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

[Return to Contents](#)

RODENTICIDE

---

## ROMAX DIFENACOUM PASTA BAIT

---

HSE 8314

### THE APPROVAL

#### Marketing Company

BARRETTINE ENVIRONMENTAL HEALTH

#### Active Ingredient

DIFENACOUM - 0.005% w/w

#### Formulation

PASTE BAIT

### THE CONDITIONS

#### Application Method

BAIT

#### Container

AMATEUR: 300 – 600g POUCHES, 250 – 2000g TUB, 1 – 10kg PAILS  
PROFESSIONAL: 300 – 600g POUCHES, 250 – 2000g TUB, 1 – 10kg PAILS, 20kg CARTON

### USE

#### Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL MOUSE KILLER.

#### User

AMATEUR and PROFESSIONAL

#### Application Rate

APPLY AS NECESSARY

### PRECAUTIONARY PHRASES

#### Amateur Label

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry

EN Search for and remove rodent bodies at frequent\* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

(\* Intervals will vary depending on product used; see manufacturer's guidelines).

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN HARMFUL TO WILDLIFE.

## **Professional Label**

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN HARMFUL TO WILDLIFE.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry.

EN Search for and remove rodent bodies at frequent\* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

(\* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

[Return to Contents](#)

INSECT REPELLENT

---

## **FLEA AND PARASITE POWDER**

---

HSE 8318

### **THE APPROVAL**

#### **Marketing Company**

BARRIER ANIMAL HEALTHCARE

#### **Active Ingredient**

AUSTRALIAN TEA TREE OIL - 2.5% w/w

#### **Formulation**

POWDER

### **THE CONDITIONS**

#### **Application Method**

DUSTING POWDER

#### **Container**

250g, 500g, 5kg

### **USE**

#### **Field of Use**

FOR USE ONLY AS AN INSECT REPELLENT

#### **User**

AMATEUR

#### **Application Rate**

APPLY 5 TO 10 GRAMS OF PRODUCT PER AVERAGE SIZE ANIMAL.

### **PRECAUTIONARY PHRASES**

OP Do not breathe dust.

EN This material and its container must be disposed of in a safe way.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

INSECTICIDE

---

## MAXFORCE WHITE IC

---

HSE 8320

### THE APPROVAL

#### Marketing Company

BAYER ENVIRONMENTAL SCIENCE

#### Active Ingredient

IMIDACLOPRID - 2.15% w/w

#### Formulation

GEL BAIT

### THE CONDITIONS

#### Application Method

BAIT

#### Container

30g

### USE

#### Field of Use

FOR USE ONLY AS AN INSECTICIDE

#### User

PROFESSIONAL

#### Application Rate

FOR USE AGAINST GERMAN COCKROACHES:

**LOW INFESTATIONS:** APPLY 1 SPOT OR 1 THIN RIBBON OF PRODUCT (EQUIVALENT TO 0.1 G OF GEL) PER SQUARE METRE OF SURFACE.

**HIGH INFESTATIONS:** APPLY 2 SPOTS OR 2 THIN RIBBONS OF PRODUCT (EQUIVALENT TO 0.2 G OF GEL) PER SQUARE METRE OF SURFACE.

FOR USE AGAINST ORIENTAL COCKROACHES AND AMERICAN COCKROACHES:

**LOW INFESTATIONS:** APPLY 2 SPOTS OR 2 THIN RIBBONS OF PRODUCT (EQUIVALENT TO 0.2 G OF GEL) PER SQUARE METRE OF SURFACE.

**HIGH INFESTATIONS:** APPLY 3 SPOTS OR 3 THIN RIBBONS OF PRODUCT (EQUIVALENT TO 0.3 G OF GEL) PER SQUARE METRE OF SURFACE.

### PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP Wear suitable gloves.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

RE FOR INDOOR USE ONLY.  
EN DO NOT USE where food, feed or water could become contaminated.  
RE USE ONLY in positions inaccessible to children and animals.  
EN This material and its container must be disposed of in a safe way.

[Return to Contents](#)

INSECT REPELLENT

---

## FLY REPELLENT ADVANCED

---

HSE 8321

### THE APPROVAL

#### Marketing Company

NET-TEX INDUSTRIES LTD

#### Active Ingredient

N,N-DIETHYL-M-TOLUAMIDE – 14.7% w/w

BENZYL BENZOATE – 4.9% w/w

AUSTRALIAN TEA TREE OIL - 0.3% w/w

#### Formulation

SOLVENT BASED READY-FOR-USE

### THE CONDITIONS

#### Application Method

TRIGGER SPRAY

#### Container

500 MILLILITRES AND 2 LITRES

### USE

#### Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

#### User

AMATEUR

#### Application Rate

APPLY 0.75 GRAMS OF PRODUCT PER 100 SQUARE CENTIMETERS. ONE FULL TRIGGER SPRAY RELEASES 0.75 GRAMS OF PRODUCT.

### PRECAUTIONARY PHRASES

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

EN This material and its container must be disposed of in a safe way.

[Return to Contents](#)

RODENTICIDE

---

## **TOMCAT PRE-BAITED MOUSE BAIT STATION**

---

HSE 8322

### **THE APPROVAL**

#### **Marketing Company**

BELL UK OFFICE

#### **Active Ingredient**

BROMADIOLONE - 0.005% w/w

#### **Formulation**

WAX BLOCK BAIT

### **THE CONDITIONS**

#### **Application Method**

BAIT

#### **Container**

1-2 x 28g BAIT

### **USE**

#### **Field of Use**

FOR USE ONLY AS AN AMATEUR MOUSE KILLER

#### **User**

AMATEUR

#### **Application Rate**

APPLY AS NECESSARY.

### **PRECAUTIONARY PHRASES**

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry. Search for and remove rodent bodies at frequent\* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. (\* Intervals will vary depending on product used; see manufacturer's guidelines).

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN HARMFUL TO WILDLIFE.

[Return to Contents](#)

INSECTICIDE

---

## CALLINGTON AEROSAFE TOP OF DESCENT AIRCRAFT INSECTICIDE

---

HSE 8323

### THE APPROVAL

#### Marketing Company

ADVANCED FUMIGATION 4 PEST CONTROL LTD

#### Active Ingredient

d-PHENOTHRIN – 1.86% w/w

#### Formulation

PRE-PRESSURISED HAND HELD AEROSOL

### THE CONDITIONS

#### Application Method

SPACE SPRAY

#### Container

40g

### USE

#### Field of Use

FOR USE ONLY AS AN INSECTICIDE

#### User

PROFESSIONAL

#### Application Rate

A 10 SECOND SPRAY PER 28.3 CUBIC METRES, TO GIVE 35g OF FORMULATION PER 100 CUBIC METRES.

### PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.

OP Do not breathe spray.

RE FOR INDOOR USE ONLY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

[Return to Contents](#)

RODENTICIDE

---

## **TOMCAT PRE-FILLED BAIT TRAYS**

---

HSE 8324

### **THE APPROVAL**

#### **Marketing Company**

BELL LABORATORIES INC

#### **Active Ingredient**

BROMADIOLONE - 0.005% w/w

#### **Formulation**

PELLET BAIT

### **THE CONDITIONS**

#### **Application Method**

BAIT

#### **Container**

UP TO 440 GRAMMES

### **USE**

#### **Field of Use**

FOR USE ONLY AS AN AMATEUR RAT AND MOUSE KILLER

#### **User**

AMATEUR

#### **Application Rate**

APPLY AS NECESSARY

### **PRECAUTIONARY PHRASES**

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry.

EN Search for and remove rodent bodies at frequent\* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

(\* Intervals will vary depending on product used; see manufacturer's guidelines).

EN DO NOT PLACE BAIT where food, feed or water would become contaminated (except when used in sewers).

EN HARMFUL TO WILDLIFE.

[Return to Contents](#)

RODENTICIDE

---

## **TOMCAT BLOCK BAIT**

---

HSE 8325

### **THE APPROVAL**

#### **Marketing Company**

BELL LABORATORIES INC

#### **Active Ingredient**

BROMADIOLONE - .005% w/w

#### **Formulation**

WAX BLOCK BAIT

### **THE CONDITIONS**

#### **Application Method**

BAIT

#### **Container**

112 GRAMMES

### **USE**

#### **Field of Use**

FOR USE ONLY AS AN AMATEUR RAT AND MOUSE KILLER

#### **User**

AMATEUR

#### **Application Rate**

APPLY AS NECESSARY

### **PRECAUTIONARY PHRASES**

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry.

EN Search for and remove rodent bodies at frequent\* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

(\* Intervals will vary depending on product used; see manufacturer's guidelines).

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN HARMFUL TO WILDLIFE,

[Return to Contents](#)

INSECT REPELLENT

---

## **PROFILAC SUMMER HEXASURE**

---

HSE 8326

### **THE APPROVAL**

#### **Marketing Company**

WESTFALIASURGE UK LTD

#### **Active Ingredient**

ETHYL BUTYLACETYLAMINOPROPIONATE – 0.98% w/w

#### **Formulation**

WATER BASED READY-FOR-USE

### **THE CONDITIONS**

#### **Application Method**

HAND AND TRIGGER SPRAY

#### **Container**

25 AND 200 LITRES

### **USE**

#### **Field of Use**

FOR USE ONLY AS AN INSECT REPELLENT

#### **User**

PROFESSIONAL

#### **Application Rate**

APPLY 8ML OF PRODUCT AROUND UDDER/TEATS ONLY.

### **PRECAUTIONARY PHRASES**

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Do not breathe gas/fumes/vapour/spray.

EN This material and its container must be disposed of in a safe way.

[Return to Contents](#)

INSECT REPELLENT

---

## RENTOKIL FLY REPELLENT

---

HSE 8327

### THE APPROVAL

#### Marketing Company

RENTOKIL INITIAL UK LTD

#### Active Ingredient

PERMETHRIN - 0.09% w/w

#### Formulation

VAPOURISING MAT

### THE CONDITIONS

#### Application Method

VAPOURISING MAT

#### Container

22.3 GRAMS

### USE

#### Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

#### User

AMATEUR

#### Application Rate

ONE UNIT WILL TREAT AN AREA OF 40 CUBIC METERS (WHEN FULLY OPEN).

### PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

INSECT REPELLENT

---

## RENTOKIL FLY REPELLENT - SMALL SPACE

---

HSE 8328

### THE APPROVAL

#### Marketing Company

RENTOKIL INITIAL UK LTD

#### Active Ingredient

PERMETHRIN - 0.09% w/w

#### Formulation

VAPOURISING MAT

### THE CONDITIONS

#### Application Method

VAPOURISING MAT

#### Container

3.7 GRAMS

### USE

#### Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

#### User

AMATEUR

#### Application Rate

ONE UNIT WILL TREAT 6 CUBIC METRES.

### PRECAUTIONARY PHRASES

RE FOR INDOOR USE ONLY.

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

[Return to Contents](#)

## **OSMOSE ENDCOAT WOOD PRESERVATIVE**

---

HSE 8329

### **THE APPROVAL**

#### **Marketing Company**

PROTIM SOLIGNUM LTD

#### **Active Ingredient**

PROPICONAZOLE – 0.93% w/w

#### **Formulation**

SOLVENT BASED READY-FOR-USE

### **THE CONDITIONS**

#### **Application Method**

AMATEUR: BRUSH, DIP AND SPRAY

PROFESSIONAL: BRUSH, DIP, IMMERSION AND SPRAY

#### **Container**

AMATEUR: 1, 2.5, 4 AND 5 LITRES

PROFESSIONAL 1, 2.5, 4, 5, 25 AND 200 LITRES

### **USE**

#### **Field of Use**

FOR USE ONLY AS A WOOD PRESERVATIVE

#### **User**

AMATEUR and PROFESSIONAL

#### **Application Rate**

BRUSH: 1 LITRE OF PRODUCT PER 6-8 SQUARE METRES OF TIMBER SURFACE.

SPRAY: 1 LITRE OF PRODUCT PER 4-5 SQUARE METRES OF TIMBER SURFACE.

DIP OR IMMERSION: FOR A MINIMUM OF 3 MINUTES.

## PRECAUTIONARY PHRASES

### Amateur Label

OP Wear suitable protective clothing and suitable gloves.  
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").  
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.  
EN COVER ALL WATER STORAGE TANKS before application.  
EN This material and its container must be disposed of in a safe way.  
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.  
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.  
GE Use only in well-ventilated areas.  
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.  
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.  
EN AVOID ALL CONTACT WITH PLANT LIFE.  
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.  
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

### Professional Label

US FOR USE ONLY BY PROFESSIONAL OPERATORS.  
OP The ((COSHH) Control of Substances Hazardous Health Regulations 2002 may apply to the use of this product at work.  
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.  
OP Wear suitable protective clothing and suitable gloves.  
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.  
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").  
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.  
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.  
EN COVER ALL WATER STORAGE TANKS before application.  
EN This material and its container must be disposed of in a safe way.  
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.  
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.  
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.  
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.  
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.  
EN AVOID ALL CONTACT WITH PLANT LIFE.

[Return to Contents](#)

INSECT REPELLENT

---

## **JOHNSON'S HERBAL FLEA COLLAR FOR DOGS**

---

HSE 8330

### **THE APPROVAL**

#### **Marketing Company**

JOHNSON'S VETERINARY PRODUCTS LTD

#### **Active Ingredient**

d-LIMONENE – 4.9% w/w

#### **Formulation**

IMPREGNATED STRIP

### **THE CONDITIONS**

#### **Application Method**

IMPREGNATED STRIP

#### **Container**

ONE COLLAR (60cm LONG)

### **USE**

#### **Field of Use**

FOR USE ONLY AS AN INSECT REPELLENT

#### **User**

AMATEUR

#### **Application Rate**

ONE COLLAR WILL TREAT ONE DOG FOR UP TO 4 MONTHS.

### **PRECAUTIONARY PHRASES**

EN This material and its container must be disposed of in a safe way.  
OP Avoid contact with skin.

[Return to Contents](#)

## SOLIGNUM UNIVERSAL WOOD PRESERVER

---

HSE 8333

### THE APPROVAL

#### Marketing Company

PROTIM SOLIGNUM LTD

#### Active Ingredient

PERMETHRIN – 0.184% w/w  
PROPICONAZOLE – 0.93% w/w

#### Formulation

SOLVENT BASED READY-FOR-USE

### THE CONDITIONS

#### Application Method

AMATEUR: BRUSH  
PROFESSIONAL: BRUSH, DIP, IMMERSION AND SPRAY  
INDUSTRIAL: IMMERSION AND VACUUM/PRESSURE IMPREGNATION

#### Container

AMATEUR: 1 LITRE, 2.5 LITRES AND 5 LITRES.  
PROFESSIONAL: 5 LITRES AND 25 LITRES  
INDUSTRIAL: 200 LITRES

### USE

#### Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

#### User

AMATEUR, PROFESSIONAL and INDUSTRIAL

#### Application Rate

BRUSH AND SPRAY: APPLY 1 LITRE PER 3 SQUARE METRES  
DIP AND IMMERSION: MINIMUM OF 3 MINUTES  
VACUUM/PRESSURE: AS NECESSARY

### PRECAUTIONARY PHRASES

#### Amateur Label

OP Wear suitable protective clothing and suitable gloves.  
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").  
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.  
EN COVER ALL WATER STORAGE TANKS before application.  
EN This material and its container must be disposed of in a safe way.  
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

GE Use only in well-ventilated areas.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

### **Professional Label**

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and gloves..

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP Take off immediately all contaminated clothing.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

OP Avoid contact with skin.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

EN AVOID ALL CONTACT WITH PLANT LIFE.

### **Industrial Label**

US FOR USE ONLY BY INDUSTRIAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and gloves.

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

OP Avoid contact with skin.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Return to Contents](#)

## SOLIGNUM CUT END WOOD PRESERVER

---

HSE 8334

### THE APPROVAL

#### Marketing Company

PROTIM SOLIGNUM LTD

#### Active Ingredient

PERMETHRIN - 0.184% w/w  
PROPICONAZOLE – 0.93% w/w

#### Formulation

SOLVENT BASED READY-FOR-USE

### THE CONDITIONS

#### Application Method

AMATEUR: BRUSH  
PROFESSIONAL: BRUSH, DIP, IMMERSION AND SPRAY  
INDUSTRIAL: IMMERSION AND VACUUM/PRESSURE IMPREGNATION

#### Container

AMATEUR: 2.5 LITRES AND 5 LITRES  
PROFESSIONAL: 5 LITRES AND 25 LITRES  
INDUSTRIAL: 200 LITRES

### USE

#### Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

#### User

AMATEUR, PROFESSIONAL and INDUSTRIAL

#### Application Rate

BRUSH AND SPRAY: 1 LITRE PER 3 SQUARE METRES  
DIP AND IMMERSION: MINIMUM OF 3 MINUTES  
VACUUM/PRESSURE: AS NECESSARY

### PRECAUTIONARY PHRASES

#### Amateur Label

OP Wear suitable protective clothing and suitable gloves.  
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").  
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.  
EN COVER WATER STORAGE TANKS before application.  
EN This material and its container must be disposed of in a safe way.  
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.  
GE Use only in well-ventilated areas.  
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.  
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.  
EN AVOID ALL CONTACT WITH PLANT LIFE.  
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.  
EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

### **Professional Label**

US FOR USE ONLY BY PROFESSIONAL OPERATORS.  
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.  
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.  
OP Wear suitable protective clothing and suitable gloves.  
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.  
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").  
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.  
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.  
EN COVER WATER STORAGE TANKS before application.  
EN This material and its container must be disposed of in a safe way.  
OP Take off immediately all contaminated clothing.  
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.  
OP Avoid contact with skin.  
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.  
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.  
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.  
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.  
EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.  
EN AVOID ALL CONTACT WITH PLANT LIFE.

### **Industrial Label**

US FOR USE ONLY BY INDUSTRIAL OPERATORS.  
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.  
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.  
OP Wear suitable protective clothing and protective gauntlets.  
OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.  
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.  
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").  
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.  
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.  
EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.  
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.  
OP Avoid contact with skin.  
EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Return to Contents](#)

## SOLIGNUM GREEN WOOD PRESERVER

---

HSE 8335

### THE APPROVAL

#### Marketing Company

PROTIM SOLIGNUM LTD

#### Active Ingredient

PERMETHRIN 0.184% w/w  
PROPICONAZOLE – 0.93% w/w

#### Formulation

SOLVENT BASED READY-FOR-USE

### THE CONDITIONS

#### Application Method

AMATEUR: BRUSH  
PROFESSIONAL: BRUSH, DIP, IMMERSION AND SPRAY  
INDUSTRIAL: IMMERSION AND VACUUM/PRESSURE IMPREGNATION

#### Container

AMATEUR: 2.5 LITRES AND 5 LITRES  
PROFESSIONAL: 5 LITRES AND 25 LITRES  
INDUSTRIAL: 200 LITRES

### USE

#### Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

#### User

AMATEUR, PROFESSIONAL and INDUSTRIAL

#### Application Rate

BRUSH AND SPRAY: 1 LITRE PER 3 SQUARE METRES  
DIP AND IMMERSION: MINIMUM OF 3 MINUTES  
VACUUM/PRESSURE: AS NECESSARY

### PRECAUTIONARY PHRASES

#### Amateur Label

OP Wear suitable protective clothing and suitable gloves.  
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").  
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.  
EN COVER WATER STORAGE TANKS before application.  
EN This material and its container must be disposed of in a safe way.  
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.  
GE Use only in well-ventilated areas.  
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.  
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.  
EN AVOID ALL CONTACT WITH PLANT LIFE.  
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.  
EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

### **Professional Label**

US FOR USE ONLY BY PROFESSIONAL OPERATORS.  
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.  
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.  
OP Wear suitable protective clothing and suitable gloves.  
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.  
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").  
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.  
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.  
EN COVER WATER STORAGE TANKS before application.  
EN This material and its container must be disposed of in a safe way.  
OP Take off immediately all contaminated clothing.  
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.  
OP Avoid contact with skin.  
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.  
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.  
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.  
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.  
EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.  
EN AVOID ALL CONTACT WITH PLANT LIFE.

### **Industrial Label**

US FOR USE ONLY BY INDUSTRIAL OPERATORS.  
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.  
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.  
OP Wear suitable protective clothing and protective gauntlets.  
OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.  
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.  
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").  
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.  
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.  
EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.  
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.  
OP Avoid contact with skin.  
EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Return to Contents](#)

WOOD PRESERVATIVE

---

## PERMAWOOD CUT END PRESERVATIVE

---

HSE 8336

### THE APPROVAL

#### Marketing Company

CSI WOOD PROTECTION LTD

#### Active Ingredient

BORIC ACID - 3.3% w/w  
BASIC COPPER CARBONATE - 2.3% w/w

#### Formulation

WATER BASED READY-FOR-USE

### THE CONDITIONS

#### Application Method

BRUSH

#### Container

AMATEUR 1L & 5 L POLYETHYLENE BOTTLES  
INDUSTRIAL & PROFESSIONAL USE: 25L POLYPROPYLENE COPOLYMER BOTTLE & 210 L POLYPROPYLENE DRUM

### USE

#### Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

#### User

AMATEUR, PROFESSIONAL and INDUSTRIAL

#### Application Rate

APPLY 5 LITRES PER 4 SQUARE METRES OF TIMBER SURFACE.

### PRECAUTIONARY PHRASES

#### Amateur Label

OP Wear suitable protective clothing and gloves  
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES  
EN COVER ALL WATER STORAGE TANKS before application  
EN This material and its container must be disposed of in a safe way  
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.  
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

## **Professional Label**

OP FOR USE ONLY BY PROFESSIONAL OPERATORS

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and gloves

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES

EN COVER ALL WATER STORAGE TANKS before application

EN This material and its container must be disposed of in a safe way

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

## **Industrial Label**

US FOR USE ONLY BY INDUSTRIAL OPERATORS

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and gauntlets

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP DO NOT BREATHE AEROSOL

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Return to Contents](#)

AMENDMENT

---

**VECTOBAC 12AS**

---

HSE 6205

**Marketing Company**

RESOURCE CHEMICALS

**AMENDMENT**

THE MARKETING COMPANY HAS CHANGED **FROM** BIACHEM LIMITED **TO** RESOURCE CHEMICALS

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

## BIOCHECK SILK

---

HSE 6597

### Marketing Company

MOULD GROWTH CONSULTANTS LTD

## AMENDMENT

### Active Ingredient

THE ACTIVE INGREDIENT DITHIO-2,2'-BIS(BENZMETHYLAMIDE) 0.5% W/W **HAS BEEN REPLACED BY** DIURON 0.2% W/W, CARBENDAZIM 0.09% W/W AND 2-OCTYL-2H-ISOTHIAZOL-3-ONE 0.028% W/W.

### Container

THE PACK SIZE HAS CHANGED **FROM** UP TO 5 LITRES **TO** 2.5 AND 5 LITRES.

### Precautionary Phrases

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN REMOVED

KEEP AWAY FROM TREATED SURFACES UNTIL DRY.  
DANGEROUS TO FISH AND OTHER AQUATIC LIFE.  
REMOVE OR COVER FISH TANKS AND BOWLS before application.

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN ADDED

Take off immediately all contaminated clothing.  
Avoid contact with skin.  
When using do not eat, drink or smoke.  
This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

## BIOCHECK MATT

---

HSE 6599

### Marketing Company

MOULD GROWTH CONSULTANTS LTD

## AMENDMENT

### Active Ingredient

THE ACTIVE INGREDIENT DITHIO-2,2'-BIS(BENZMETHYLAMIDE) 0.5% W/W **HAS BEEN REPLACED BY** DIURON 0.2% W/W, CARBENDAZIM 0.09% W/W AND 2-OCTYL-2H-ISOTHIAZOL-3-ONE 0.028% W/W.

### Container

THE PACK SIZE HAS CHANGED **FROM** UP TO 5 LITRES **TO** 2.5 AND 5 LITRES.

### Precautionary Phrases

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN REMOVED

KEEP AWAY FROM TREATED SURFACES UNTIL DRY.  
DANGEROUS TO FISH AND OTHER AQUATIC LIFE.  
REMOVE OR COVER FISH TANKS AND BOWLS before application.

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN ADDED

Take off immediately all contaminated clothing.  
Avoid contact with skin.  
When using do not eat, drink or smoke.  
This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

## BIOCHECK SP

---

HSE 6600

### Marketing Company

MOULD GROWTH CONSULTANTS LTD

## AMENDMENT

### Active Ingredient

THE ACTIVE INGREDIENTS:

DITHIO-2,2-BIS (BENZMETHYLAMIDE) 0.375% W/W  
DICHLOROPHENYL DIMETHYLUREA 0.200% W/W  
CARBENDAZIM 0.090% W/W  
2-OCTYL-2H-ISOTHIAZOL-3-ONE 0.027% W/W

### HAVE BEEN REPLACED BY

DIURON 0.26% W/W  
CARBENDAZIM 0.117% W/W  
2-OCTYL-2H-ISOTHIAZOL-3-ONE 0.0364% W/W.

### Precautionary Phrases

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN REMOVED

KEEP AWAY FROM TREATED SURFACES UNTIL DRY.  
DANGEROUS TO FISH AND OTHER AQUATIC LIFE.  
DO NOT CONTAMINATE watercourses or ground  
AVOID ALL CONTACT WITH PLANT LIFE  
PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN ADDED

Take off immediately all contaminated clothing.  
Avoid contact with skin.  
When using do not eat, drink or smoke.  
This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

## **BIOCHECK 2507**

---

HSE 6610

### **Marketing Company**

MOULD GROWTH CONSULTANTS LTD

## **AMENDMENT**

### **Active Ingredient**

THE ACTIVE INGREDIENT DITHIO-2,2-BIS(BENZMETHYLAMIDE) 0.250% W/W **HAS BEEN REPLACED BY** DIURON 0.2% w/w, CARBENDAZIM 0.09% w/w and 2-OCTYL-2H-ISOTHIAZOL-3-ONE 0.028% W/W.

### **Precautionary Phrases**

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN REMOVED

KEEP AWAY FROM TREATED SURFACES UNTIL DRY.  
PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS  
DANGEROUS TO FISH AND OTHER AQUATIC LIFE.  
DO NOT CONTAMINATE watercourses or ground  
AVOID ALL CONTACT WITH PLANT LIFE

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN ADDED

Do not breathe gas/fumes/vapour/spray. (appropriate wording to be specified by the manufacturer). Otherwise wear respiratory protective equipment and eye protection (see HSE guidance Booklet HS (G) 53 "The Selection, Use and Maintenance of Respiratory Protective Equipment – A Practical Guide").

Take off immediately all contaminated clothing.

Avoid contact with skin.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

When using do not eat, drink or smoke.

This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

**LPC ESPACE**

---

HSE 7763

**Marketing Company**

LABORATOIRE SOGEVAL

**AMENDMENT**

**Marketing Company**

THE MARKETING COMPANY HAS CHANGED **FROM** LPC **TO** LABORATOIRE SOGEVAL

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

## **ANT BAIT STATION**

---

HSE 7779

### **Marketing Company**

BAYER CROPSCIENCE LTD

## **AMENDMENT**

### **Product Name**

THE PRODUCT NAME HAS CHANGED **FROM** 'ANT CONTROL SYSTEM' **TO** 'ANT BAIT STATION'.

### **Marketing Company**

THE MARKETING COMPANY HAS CHANGED **FROM** 'GLOBOL AIRCARE' **TO** 'BAYER CROPSCIENCE LIMITED'.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

## **ITCH STOP COMPLETE**

---

HSE 7833

### **Marketing Company**

NET-TEX INDUSTRIES

### **AMENDMENT**

#### **Active Ingredient**

THE ACTIVE INGREDIENTS

TEA TREE OIL 0.20% w/w, BENZYL BENZOATE 19.85% w/w, N,N-DIETHYL-M-TOLUAMIDE 4.90% w/w

**HAVE BEEN REPLACED BY:**

AUSTRALIAN TEA TREE OIL 0.20% w/w, BENZYL BENZOATE 20.00% w/w, N,N-DIETHYL-M-TOLUAMIDE 5.00% w/w

All other conditions remain unchanged.

[Return to Contents](#)

## AMENDMENT

---

### ALPHA-SST

---

## HSE 7858

### Marketing Company

J.V. BARRETT & CO LTD

## AMENDMENT

### Container

The pack sizes have changed

**From:** 10, 20 AND 40 x 25 GRAMME SACHETS

**To:** 8 x 10 GRAMME AND 40 x 25 GRAMME SACHETS, 500 ML AUTODOSE BOTTLE

### Application Rate

The application rate has changed

**From:** DILUTE 1 OR 2 OF THE 25 GRAMME WATER-SOLUBLE SACHETS IN 5 LITRES OF WATER THEN APPLY 1 LITRE OF THE DILUTED PRODUCT PER 20 SQUARE METRES OF SURFACE.

**To:** ROUTINE MAINTENANCE: DILUTE ONE 10G SACHET IN 2 LITRES OF WATER OR ONE 25G SACHET IN 5 LITRES OF WATER OR DILUTE 25 ML OF THE PRODUCT FROM THE AUTODOSE BOTTLE IN 5 LITRES OF WATER. THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 20 SQUARE METRES OF SURFACE.  
HEAVY INFESTATIONS: DILUTE ONE 10G SACHET IN 1 LITRE OF WATER OR TWO 25G SACHETS IN 5 LITRES OF WATER OR DILUTE 50 ML OF THE PRODUCT FROM THE AUTODOSE BOTTLE IN 5 LITRES OF WATER. THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 20 SQUARE METRES OF SURFACE.

### Precautionary Phrases

THE PROFESSIONAL LABEL HAS BEEN AMENDED

THE FOLLOWING HAS BEEN ADDED:

Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment – A Practical Guide").

THE FOLLOWING HAVE BEEN AMENDED

**FROM:** COVER ALL WATER STORAGE TANKS before application.  
DANGEROUS TO BEES

**TO:** COVER WATER STORAGE TANKS BEFORE APPLICATION.  
HAZARDOUS TO BEES.

THE FOLLOWING HAVE BEEN REMOVED:

Do not contaminate ground, waterbodies or watercourses with chemicals or used container.  
Use only in well-ventilated areas.  
Avoid release to the environment. Refer to special instructions/safety data sheet.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

**FLY REPELLENT (WIPES)**

---

HSE 7921

**Marketing Company**

NET-TEX INDUSTRIES LTD

**AMENDMENT**

**Active Ingredient**

THE ACTIVE INGREDIENT TEA TREE OIL 0.300% w/w  
**HAS BEEN REPLACED BY AUSTRALIAN TEA TREE OIL 0.3% w/w**

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

**FLY REPELLENT (SPRAY)**

---

HSE 7922

**Marketing Company**

NET-TEX INDUSTRIES

**AMENDMENT**

**Active Ingredient**

THE ACTIVE INGREDIENT TEA TREE OIL 0.300% w/w  
**HAS BEEN REPLACED BY AUSTRALIAN TEA TREE OIL 0.3% w/w**

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

## EXTRA TAIL NEW FORMULA

---

HSE 7930

### Marketing Company

THOMAS PETTIFER & CO LTD

### AMENDMENT

THE ACTIVE INGREDIENT HAS CHANGED **FROM** N,N-DIETHYL-M-TOLUAMIDE 7.76%  
**TO** N,N-DIETHYL-M-TOLUAMIDE 9.7%

### The Conditions

#### Container

THE PACK SIZE HAS CHANGED  
**FROM** 250 MILLILITRE, 500 MILLILITRE AND 1 LITRE PLASTIC BOTTLES WITH SPRAY NOZZLE, 50 MILLILITRE  
PLASTIC ROLL-ON BOTTLE.  
**TO** 50ML ROLL-ON, 250ML, 500ML, AND 1 LITRE TRIGGER SPRAY

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

**FLYGON LA**

---

HSE 7934

**Marketing Company**

GOLD LABEL UK

**AMENDMENT**

**Active Ingredient**

THE ACTIVE INGREDIENTS: CITRONELLA OIL 0.100% w/w, LAVENDER OIL 0.100% w/w, CEDARWOOD OIL 0.100% w/w  
AND TEA TREE OIL 0.100% w/w **HAVE BEEN REPLACED BY CITRIODIOL 0.8% w/w**

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

## **LOUSE POWDER**

---

HSE 7958

### **Marketing Company**

GOLD LABEL UK

### **AMENDMENT**

#### **Active Ingredient**

THE ACTIVE INGREDIENTS HAVE CHANGED **FROM** CEDARWOOD OIL 0.1% W/W, CITRONELLA OIL 0.1% W/W, LAVENDER OIL 0.1% W/W, TEA TREE OIL 0.1% W/W **TO** CITRIODIOL 0.8% W/W

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

## RUBY LOUSE REPELLENT POWDER

---

HSE 7959

**Marketing Company**

BRIAN G. SPENCER LTD

**AMENDMENT**

**Active Ingredient**

THE ACTIVE INGREDIENTS HAVE CHANGED **FROM** CEDARWOOD OIL 0.1% w/w, CITRONELLA OIL 0.1% w/w, LAVENDER OIL 0.1% w/w, TEA TREE OIL 0.1% w/w **TO** CITRIODIOL 0.8% w/w

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

## **LOUSE POWDER**

---

HSE 7960

### **Marketing Company**

THOMAS PETTIFER & CO LTD

### **AMENDMENT**

#### **Active Ingredient**

THE ACTIVE INGREDIENTS HAVE CHANGED **FROM** CITRONELLA OIL 0.1% w/w, LAVENDER OIL 0.1% w/w, CEDARWOOD OIL 0.1% w/w, TEA TREE OIL 0.1% w/w **TO** CITRIODIOL 0.8% w/w

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

## EXTRA TAIL NATURAL FLY REPELLENT

---

HSE 8000

**Marketing Company**

THOMAS PETTIFER & CO LTD

**AMENDMENT**

**Active Ingredient**

THE ACTIVE INGREDIENTS: CITRONELLA OIL 0.1% w/w, LAVENDER OIL 0.1% w/w, CEDARWOOD OIL 0.1% w/w AND TEA TREE OIL 0.1% w/w **HAVE BEEN REPLACED BY CITRIODIOL 0.8% w/w**

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

## **FAST ACTION MOUSE KILLER**

---

HSE 8063

### **Marketing Company**

RENTOKIL INITIAL UK LTD

### **AMENDMENT**

#### **Container**

THE PACK SIZE HAS CHANGED

**FROM:** 1 – 2 x 10g BLOCKS

**TO:** AMATEUR: 1 – 2 x 10G BLOCKS, PROFESSIONAL: 1 – 2 x 10G BLOCKS

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

## **OLEUM FLY REPEL**

---

HSE 8162

### **Marketing Company**

STERIMATIC WORLDWIDE LTD

### **AMENDMENT**

#### **Active Ingredient**

THE ACTIVE INGREDIENTS HAVE CHANGED **FROM** CITRONELLA OIL 0.5% w/w, LAVENDER OIL 1.0% w/w, EUCALYPTUS OIL 0.5% w/w, AUSTRALIAN TEA TREE OIL 0.5% w/w **TO** LAVANDIN OIL 1.0% w/w

All other conditions remain unchanged.

[Return to Contents](#)

## AMENDMENT

---

### EXIT 10

---

## HSE 8212

### Marketing Company

CHIMAC-AGRIPHAR S.A.

## AMENDMENT

### Application Method

THE APPLICATION METHOD HAS CHANGED

**FROM:** SURFACE SPRAY **TO:** AMATEUR AND PROFESSIONAL: SURFACE SPRAY

### Application Rate

THE APPLICATION RATE HAS BEEN AMENDED:

#### THE FOLLOWING HAS BEEN ADDED

#### INSECTICIDE USE:

AMATEUR USE: ADD 1 SACHET (25 ML) TO 500 ML WATER AND THEN APPLY 500 ML DILUTED PRODUCT PER 10 – 15 SQUARE METRES.

#### WOOD PRESERVATIVE USE:

AMATEUR USE: ADD 1 SACHET (25 ML) TO 500 ML WATER AND THEN APPLY 500 ML DILUTED PRODUCT PER 10 – 15 SQUARE METRES

### Container

#### THE PACK SIZES HAVE CHANGED

**FROM:** 0.5, 1.0 AND 5 LITRES

**TO:** AMATEUR: 25 ML SACHET

PROFESSIONAL: 0.1, 0.25, 0.5, 0.75, 1 AND 5 LITRES.

#### AN AMATEUR LABEL HAS BEEN ADDED:

Wear suitable protective clothing and gloves.

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

COVER ALL WATER STORAGE TANKS before application.

This material and its container must be disposed of in a safe way.

Avoid contact with skin.

DO NOT APPLY DIRECTLY TO ANIMALS.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

SPRAY ONLY ONTO SURFACES.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

**JOHNSON'S FLEA AND TICK DROPS FOR CATS AND KITTENS**

---

HSE 8268

**Marketing Company**

JOHNSON'S VETERINARY PRODUCTS LTD

**AMENDMENT**

**Active Ingredient**

CITRONELLA OIL 1.0% w/w, EUCALYPTUS OIL 0.5% w/w AND PEPPERMINT OIL 0.5% w/w  
**HAVE BEEN REPLACED BY MARGOSA EXTRACT 0.1% w/w.**

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

**HYPERDRUG VETERINARY FLEA DROPS FOR CATS AND KITTENS**

---

HSE 8287

**Marketing Company**

HYPERDRUG PHARMACEUTICALS LTD

**AMENDMENT**

**Active Ingredient**

CITRONELLA OIL 1.0% w/w, EUCALYPTUS OIL 0.5% w/w AND PEPPERMINT OIL 0.5% w/w  
**HAVE BEEN REPLACED BY MARGOSA EXTRACT 0.1% w/w.**

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

**ARMITAGE PETCARE FLEA DROPS FOR CATS AND KITTENS**

---

HSE 8288

**Marketing Company**

ARMITAGE PETCARE

**AMENDMENT**

**Active Ingredient**

CITRONELLA OIL 1.0% w/w, EUCALYPTUS OIL 0.5% w/w AND PEPPERMINT OIL 0.5% w/w  
**HAVE BEEN REPLACED BY MARGOSA EXTRACT 0.1% w/w.**

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

**JOHNSON'S HERBAL FLEA DROPS FOR DOGS AND PUPPIES**

---

HSE 8291

**Marketing Company**

JOHNSON'S VETERINARY PRODUCTS LTD

**AMENDMENT**

**Active Ingredient**

CITRONELLA OIL 1.0% w/w, EUCALYPTUS OIL 0.5% w/w AND PEPPERMINT OIL 0.5% w/w  
**HAVE BEEN REPLACED BY MARGOSA EXTRACT 0.1% w/w.**

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

## **AVERT COCKROACH GEL BAIT 330A**

---

HSE 8292

### **Marketing Company**

SOREX LTD

### **AMENDMENT**

#### **Application Rate**

THE APPLICATION RATE HAS CHANGED

**FROM:**

FOR ROUTINE TREATMENT: APPLY 4 – 6 BAIT POINTS OF APPROXIMATELY 8MM IN DIAMETER (0.25G) PER 10 SQUARE METRES OF SURFACE.

FOR DIFFICULT SITUATIONS (SUCH AS WHERE THERE HAVE BEEN PREVIOUS CONTROL FAILURES, TREATMENT OF HEAVY INFESTATIONS OR DIFFICULT TO ACCESS HARBOURAGES): APPLY 12 – 24 BAIT POINTS OF APPROXIMATELY 8MM IN DIAMETER (0.25G) PER 10 SQUARE METRES OF SURFACE.

**TO:**

FOR ROUTINE INFESTATIONS: APPLY 2 – 3 BAIT POINTS OF APPROXIMATELY 4MM IN DIAMETER (0.05G) PER SQUARE METRE OF SURFACE.

FOR DIFFICULT INFESTATIONS (SUCH AS WHERE THERE HAVE BEEN PREVIOUS CONTROL FAILURES, TREATMENT OF HEAVY INFESTATIONS OR DIFFICULT TO ACCESS HARBOURAGES): APPLY 6 – 12 BAIT POINTS OF APPROXIMATELY 4MM IN DIAMETER (0.05G) PER SQUARE METRE OF SURFACE.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

---

## **AVERT COCKROACH GEL BAIT 331A**

---

HSE 8293

### **Marketing Company**

SOREX LTD

## **AMENDMENT**

### **Application Rate**

THE APPLICATION RATE HAS CHANGED

**FROM:**

FOR ROUTINE TREATMENT: APPLY 4 – 6 BAIT POINTS OF APPROXIMATELY 8 MM IN DIAMETER (0.25G) PER 10 SQUARE METRES OF SURFACE.

FOR DIFFICULT SITUATIONS (SUCH AS WHERE THERE HAVE BEEN PREVIOUS CONTROL FAILURES, TREATMENT OF HEAVY INFESTATIONS OR DIFFICULT TO ACCESS HARBOURAGES): APPLY 12 – 24 BAIT POINTS OF APPROXIMATELY 8MM IN DIAMETER (0.25G) PER 10 SQUARE METRES OF SURFACE.

**TO:**

FOR ROUTINE INFESTATIONS: APPLY 2 – 3 BAIT POINTS OF APPROXIMATELY 4MM IN DIAMETER (0.05G) PER SQUARE METRE OF SURFACE.

FOR DIFFICULT INFESTATIONS (SUCH AS WHERE THERE HAVE BEEN PREVIOUS CONTROL FAILURES, TREATMENT OF HEAVY INFESTATIONS OR DIFFICULT TO ACCESS HARBOURAGES): APPLY 6 – 12 BAIT POINTS OF APPROXIMATELY 4MM IN DIAMETER (0.05G) PER SQUARE METRE OF SURFACE.

All other conditions remain unchanged.

[Return to Contents](#)