

September - 2005

Products Approved

via

HSE Biocides & Pesticides
Unit

Contents

HSE No:	Product	Use
8141	Wise Insecticide Sachet	Wood Preservative
8142	Wise Masonry Sachet	Surface Biocide
8168	Cat Flea Repellent Shampoo	Insect Repellent
8175	Cuprinol Wood Preserver Green (P)	Wood Preservative
8183	DI-ARD	Surface Biocide
8183	DI-ARD	Wood Preservative
8189	Cypress	Wood Preservative

Amendments:

HSE No:	Product	Amended Date
7224	Turbair Flydown	12/9/05
7225	Turbair Super Flydown	12/9/05
8139	Multi Surface Insect Killer	7/9/05
8173	B&Q Indoor Ant Killer Pen	7/9/05
8174	B&Q Indoor Fly Killer Pen	7/9/05

WOOD PRESERVATIVE
WISE INSECTICIDE SACHET

HSE 8141

THE APPROVAL

Marketing Company

WISE PROPERTY CARE LTD

Active Ingredient

PERMETHRIN – 18.4% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

BRUSH, DIP AND SPRAY

Container

125 MILLILITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL

Application Rate

BRUSH AND COARSE SPRAY: ADD ONE SACHET TO 24.875 LITRES OF WATER THEN APPLY 1 LITRE OF SOLUTION PER 3 TO 4 SQUARE METRES.

DIP: ADD ONE SACHET TO 24.875 LITRES OF WATER THEN DIP WOOD IN SOLUTION FOR A MINIMUM OF 3 MINUTES.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing, suitable gloves and eye/face protection.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE EXCLUDE ALL UNPROTECTED PERSONS AND ANIMALS DURING TREATMENT AND FOR AT LEAST 1 HOUR AFTER TREATMENT IS COMPLETED.

RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE VISIBLY DRY.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[Back to contents](#)

SURFACE BIOCIDE

WISE MASONRY SACHET

HSE 8142

THE APPROVAL

Marketing Company

WISE PROPERTY CARE LTD

Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE – 14.85% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

BRUSH, INJECTION AND SPRAY

Container

167 ML

USE

Field of Use

FOR USE ONLY AS A SURFACE BIOCIDE

User

PROFESSIONAL

Application Rate

BRUSH AND COARSE SPRAY: ADD ONE SACHET TO 24.833 LITRES OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 2 TO 5 SQUARE METRES.
INJECTION: ADD ONE SACHET TO 24.833 LITRES OF WATER THEN APPLY DILUTED PRODUCT AS NECESSARY.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable clothing and suitable gloves.

OP Wear suitable eye/face protection (when diluting)

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP Take off immediately all contaminated clothing.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EN Do not empty into drains

EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Back to contents](#)

INSECT REPELLENT

CAT FLEA REPELLENT SHAMPOO

HSE 8168

THE APPROVAL

Marketing Company

JOHNSON'S VETERINARY PRODUCTS LTD

Active Ingredient

d-LIMONENE - 0.5% w/w

Formulation

EMULSION CONCENTRATE

THE CONDITIONS

Application Method

HAND

Container

125 ML, 200ML, 400 ML, AND 5 LITRES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

FOR A MEDIUM SIZED CAT MIX 20ML OF PRODUCT WITH 150ML OF WATER AND APPLY ALL OVER ANIMAL. RINSE THOROUGHLY.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with eyes.

OP Avoid contact with skin.

RE When using do not eat drink or smoke.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Back to contents](#)

WOOD PRESERVATIVE

CUPRINOL WOOD PRESERVER GREEN (P)

HSE 8175

THE APPROVAL

Marketing Company

IMPERIAL CHEMICAL INDUSTRIES PLC

Active Ingredient

PROPICONAZOLE - 0.6% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, DIP AND SPRAY

Container

1 LITRE, 2.5 LITRES AND 5 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR
PROFESSIONAL

Application Rate

BRUSH/SPRAY: APPLY 1 LITRE OF PRODUCT PER 6 SQUARE METRES OF TIMBER SURFACE.
DIP: DIP TIMBER FOR 3 - 10 MINUTES.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRY REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP Take off immediately all contaminated clothing.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

[Back to contents](#)

SURFACE BIOCIDES

DI-ARD

HSE 8183

THE APPROVAL

Marketing Company

ILEX GRANGE LTD

Active Ingredient

DIALKYLDIMETHYL AMMONIUM CHLORIDE - 9.2% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

BRUSH, SPRAY AND WATERING CAN

Container

5 AND 25 LITRES

USE

Field of Use

FOR USE ONLY AS A SURFACE BIOCIDES

User

PROFESSIONAL
INDUSTRIAL

Application Rate

DILUTE 1 LITRE OF PRODUCT WITH 10 - 20 LITRES OF WATER DEPENDING UPON EXTENT / TYPE OF GROWTH.
THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 5 SQUARE METRES OF SURFACE

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP Wear suitable eye / face protection (when diluting).

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
RE FOR OUTDOOR USE ONLY.
EN Do not empty into drains
EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN AVOID ALL CONTACT WITH PLANT LIFE.

INDUSTRIAL LABEL

US FOR USE ONLY BY INDUSTRIAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable protective gauntlets.
OP Wear suitable eye / face protection (when diluting).
OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.
EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Back to contents](#)

WOOD PRESERVATIVE

DI-ARD

HSE 8183

THE APPROVAL

Marketing Company

ILEX GRANGE LTD

Active Ingredient

DIALKYLDIMETHYL AMMONIUM CHLORIDE - 9.2% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

BRUSH, SPRAY AND WATERING CAN

Container

5 AND 25 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL
INDUSTRIAL

Application Rate

DILUTE 1 LITRE OF PRODUCT WITH 10 - 20 LITRES OF WATER DEPENDING UPON EXTENT / TYPE OF GROWTH.
THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 5 SQUARE METRES OF SURFACE

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP Wear suitable eye / face protection (when diluting).
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
RE FOR OUTDOOR USE ONLY.
EN Do not empty into drains
EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN AVOID ALL CONTACT WITH PLANT LIFE.

INDUSTRIAL LABEL

US FOR USE ONLY BY INDUSTRIAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable protective gauntlets.
OP Wear suitable eye / face protection (when diluting).
OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.
EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Back to contents](#)

WOOD PRESERVATIVE

CYPRESS

HSE 8189

THE APPROVAL

Marketing Company

CHIMAC-AGRIPHAR S.A.

Active Ingredient

CYPERMETHRIN – 0.95 % w/w (10 G/L)

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

BRUSH, SPRAY, DIP AND VACUUM/PRESSURE IMPREGNATION

Container

0.5, 1, 5, 25 AND 200 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

INDUSTRIAL

Application Rate

BRUSH AND SPRAY: DILUTE 1 LITRE OF PRODUCT WITH 9 LITRES OF WATER THEN APPLY 100 - 150 ML OF PRODUCT PER SQUARE METRE OF TIMBER SURFACE.

DIP: DILUTE 1 LITRE OF PRODUCT WITH 19 LITRES OF WATER THEN DIP TIMBER FOR A MINIMUM OF 3 MINUTES.

VACUUM PRESSURE / IMPREGNATION: DILUTE 1 LITRE OF PRODUCT WITH 19 LITRES OF WATER THEN APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

INDUSTRIAL LABEL

US FOR USE ONLY BY INDUSTRIAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP Wear suitable protective gauntlets

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP DO NOT BREATHE AEROSOL.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Back to contents](#)

AMENDMENTS

HSE 7224 TURBAIR FLYDOWN

HSE 7225 TURBAIR SUPER FLYDOWN

Marketing Company

SUMMIT AGRO EUROPE LTD

AMENDMENT

THE MARKETING COMPANY NAME FOR THE ABOVE 2 APPROVALS HAS BEEN CHANGED

FROM: SUMIAGRO (UK) LTD

TO: SUMMIT AGRO EUROPE LTD

Date amended 12/9/05.

All other conditions remain unchanged.

[Back to contents](#)

AMENDMENTS

HSE 8139 MULTI SURFACE INSECT KILLER

HSE 8173 B&Q INDOOR ANT KILLER PEN

HSE 8174 B&Q INDOOR FLY KILLER PEN

Marketing Company

RENTOKIL INITIAL UK LTD

AMENDMENT

FOR THE ABOVE THREE APPROVALS THE FOLLOWING PRECAUTIONARY PHRASE HAS BEEN REMOVED:

“REMOVE OR COVER ALL FISH TANKS AND BOWLS before application”.

DATE AMENDED 7/9/05.

ALL OTHER CONDITIONS REMAIN UNCHANGED.

[Back to contents](#)