

September – 2006

Products Approved

Via

HSE Biocides & Pesticides Unit

Contents

New Approvals

HSE No	Product	Use
8266	CAT STOP! SPRAY	VERTEBRATE REPELLENT
8267	CAT STOP! SCATTER GEL	VERTEBRATE REPELLENT
8331	KING BRITISH GREEN ALGAE CONTROL FOR PONDS	AQUATIC ALGICIDE
8332	KING BRITISH GREEN ALGAE CONTROL	AQUATIC ALGICIDE
8337	JOHNSON'S HERBAL FLEA COLLAR FOR CATS	INSECT REPELLENT
8340	PROTIM FENTEX E2	WOOD PRESERVATIVE
8341	PROTIM FENTEX E5	WOOD PRESERVATIVE
8342	ULTRATECH 2000M	SURFACE BIOCIDES
8343	SX UNIVERSAL WOOD TREATMENT	WOOD PRESERVATIVE
8344	RENTOKIL MOTH KILLER HANGING CASSETTE	INSECTICIDE
8345	STRIKE PLUS	INSECT REPELLENT
8347	PEST-STOP PREBAITED MOUSE STATION	RODENTICIDE
8349	BLAKES GLIDE SPEED 7142T	ANTIFOULING PRODUCT
8350	PREMIER Q WOOD PRESERVATIVE	WOOD PRESERVATIVE
8351	BLUE BOTTLE FLY REPELLENT GEL	INSECT REPELLENT
8352	SLOW RELEASE FLYING INSECT REPELLENT	INSECT REPELLENT

Amendments

HSE No	Product	Amended
5028	WOODWORM KILLER	11/09/2006
5339	PLA PRODUCTS DRY ROT KILLER	11/09/2006
5373	PLA PRODUCTS FUNGICIDAL WASH	11/09/2006
6003	CROWN FUNGICIDE INSECTICIDE	04/09/2006
6262	SOVAC F/I	20/09/2006
6337	SOVEREIGN COLOURED WOOD PRESERVATIVE/DIP COAT	20/09/2006
6399	PERMOST UNI	25/09/2006
6486	FORTEFOG	14/09/2006
6828	SOVEREIGN FUNGICIDE/INSECTICIDE	20/09/2006
7052	SEALOCRETE TIMBER MASTER WOOD PRESERVER	22/09/2006
7080	TIMBER MASTER 6 IN 1 WOOD TREATMENT	11/09/2006
7447	ACTIVITY CANDLE	05/09/2006
7651	FLAG CRUISING EXTRA ANTIFOULING	08/09/2006
7710	SCENT OFF GEL	22/09/2006
7862	SOVEREIGN WOOD PRESERVATIVE	20/09/2006
7873	EQUIMINS FLY REPELLENT	08/09/2006
7874	EQUIMINS FLY REPELLENT CREAM	13/09/2006
7903	EQUIMINS BITING MIDGE CREAM	13/09/2006
8030	LEOVET POWER PHASER	06/09/2006
8178	NO BOTHER	19/06/2006
8188	SLAYMOR RAPID M	12/09/2006
8259	BARRETTINE PREMIER UNIVERSAL TREATMENT	20/09/2006
8265	BARRETTINE PREMIER WOOD PRESERVER	20/09/2006

VERTEBRATE REPELLENT

CAT STOP! SPRAY

HSE 8266

THE APPROVAL

Marketing Company

THE SCOTTS COMPANY (UK) LTD

Active Ingredient

METHYL NONYL KETONE - 3.9% w/w

Formulation

WATER BASED READY TO USE

THE CONDITIONS

Application Method

TRIGGER SPRAY

Container

500ML AND 750ML

USE

Field of Use

FOR USE ONLY AS AN AMATEUR VERTEBRATE REPELLENT

User

AMATEUR

Application Rate

APPLY 10 ML OF THE PRODUCT PER 1.252 SQUARE METRES OF SURFACE

PRECAUTIONARY PHRASES

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer)

EN This material and its container must be disposed of in a safe way

EN Do not contaminate ground, waterbodies or watercourses with chemicals or used container

EP DO NOT USE where food, feed or water could be contaminated

[Return to Contents](#)

VERTEBRATE REPELLENT

CAT STOP! SCATTER GEL

HSE 8267

THE APPROVAL

Marketing Company

THE SCOTTS COMPANY (UK) LTD

Active Ingredient

METHYL NONYL KETONE - 1.6% w/w

Formulation

GEL

THE CONDITIONS

Application Method

HAND SHAKER

Container

225g AND 450g

USE

Field of Use

FOR USE ONLY AS AN AMATEUR VERTEBRATE REPELLENT.

User

AMATEUR

Application Rate

SCATTER PRODUCTS SO THAT 100 GRAMMES WILL COVER 11-22 SQUARE METRES OF AREA

PRECAUTIONARY PHRASES

EN DO NOT USE where food, feed or water could be contaminated
EN This material and its container must be disposed of in a safe way
RE FOR OUTDOOR USE ONLY

[Return to Contents](#)

AQUATIC ALGICIDE

KING BRITISH GREEN ALGAE CONTROL FOR PONDS

HSE 8331

THE APPROVAL

Marketing Company

SINCLAIR ANIMAL AND HOUSEHOLD CARE LTD

Active Ingredient

COPPER SULPHATE PENTAHYDRATE - 1.07% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

WATERING CAN

Container

250ml, 500ml and 1 LITRE

USE

Field of Use

FOR USE ONLY AS AN AQUATIC ALGICIDE

User

AMATEUR

Application Rate

APPLY 10 ML OF PRODUCT IN 90 LITRES POND WATER (WHEN HARDNESS OF WATER IS 150 - 200+ MG/L CALCIUM CARBONATE).

APPLY 5 ML OF PRODUCT IN 90 LITRES POND WATER (WHEN HARDNESS OF WATER IS 50 - 149 MG/L CALCIUM CARBONATE).

APPLY 2.5 ML OF PRODUCT IN 90 LITRES POND WATER (WHEN HARDNESS OF WATER IS 0 - 49 MG/L CALCIUM CARBONATE).

USE HALF THE NORMAL DOSE WHEN ADDING TO PONDS CONTAINING SHARKS, LOACHES AND OTHER SENSITIVE OR LIGHT SCALED FISH.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN NOT FOR USE IN WILDLIFE PONDS.

EN NOT FOR USE IN ORNAMENTAL PONDS WHEN FROGS / TOADS ARE SPAWNING.

[Return to Contents](#)

AQUATIC ALGICIDE

KING BRITISH GREEN ALGAE CONTROL

HSE 8332

THE APPROVAL

Marketing Company

SINCLAIR ANIMAL AND HOUSEHOLD CARE LTD

Active Ingredient

COPPER SULPHATE PENTAHYDRATE - 1.07% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

DROPPER

Container

AMATEUR 100 MILLILITRES

USE

Field of Use

FOR USE ONLY AS AN AQUATIC ALGICIDE

User

AMATEUR

Application Rate

APPLY 1 ML OF PRODUCT IN 9 LITRES AQUARIUM WATER (WHEN HARDNESS OF WATER IS 150 - 200+ MG/L CALCIUM CARBONATE)

APPLY 0.5 ML OF PRODUCT IN 9 LITRES AQUARIUM WATER (WHEN HARDNESS OF WATER IS 50 - 149 MG/L CALCIUM CARBONATE)

APPLY 0.25 ML OF PRODUCT IN 9 LITRES AQUARIUM WATER (WHEN HARDNESS OF WATER IS 0 - 49 MG/L CALCIUM CARBONATE)

USE HALF THE NORMAL DOSE WHEN ADDING TO AQUARIA CONTAINING SHARKS, LOACHES AND OTHER SENSITIVE OR LIGHT SCALED FISH.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN NOT FOR USE IN WILDLIFE PONDS.

EN NOT FOR USE IN ORNAMENTAL PONDS WHEN FROGS / TOADS ARE SPAWNING.

[Return to Contents](#)

INSECT REPELLENT

JOHNSON'S HERBAL FLEA COLLAR FOR CATS

HSE 8337

THE APPROVAL

Marketing Company

JOHNSON'S VETERINARY PRODUCTS LTD

Active Ingredient

d-LIMONENE – 4.9% w/w

Formulation

IMPREGNATED STRIP

THE CONDITIONS

Application Method

IMPREGNATED STRIP

Container

ONE COLLAR (30cm LONG) PER PACK

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

ONE COLLAR WILL TREAT ONE CAT FOR UP TO 4 MONTHS.

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.

[Return to Contents](#)

WOOD PRESERVATIVE

PROTIM FENTEX E2

HSE 8340

THE APPROVAL

Marketing Company

PROTIM SOLIGNUM LTD

Active Ingredient

BORIC ACID - 1.79% w/w
3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 0.128% w/w
PROPICONAZOLE - 0.12% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

BRUSH, DELUGE, IMMERSION AND SPRAY

Container

PROFESSIONAL 25 LITRE, 200 LITRE
INDUSTRIAL 25 LITRE, 200 LITRE AND BULK

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL
INDUSTRIAL

Application Rate

DILUTE 1 PART PRODUCT TO 2-3 PARTS WATER THEN
BRUSH/ COARSE SPRAY: APPLY 1 LITRE OF PRODUCT PER 3 SQUARE METRES OF TIMBER SURFACE.
DELUGE AND OPEN IMMERSION – APPLY AS NECESSARY

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN COVER ALL WATER STORAGE TANKS before application.
EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

INDUSTRIAL LABEL

US FOR USE ONLY BY INDUSTRIAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable protective gauntlets.
OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.
EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Return to Contents](#)

WOOD PRESERVATIVE

PROTIM FENTEX E5

HSE 8341

THE APPROVAL

Marketing Company

PROTIM SOLIGNUM LTD

Active Ingredient

BORIC ACID - 3.58% w/w
3-iodo-2-propynyl-N-butyl carbamate - 0.255% w/w
PROPICONAZOLE - 0.239% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

BRUSH, DELUGE, IMMERSION AND SPRAY

Container

PROFESSIONAL 25 LITRE, 200 LITRE
INDUSTRIAL 25 LITRE, 200 LITRE AND BULK

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL
INDUSTRIAL

Application Rate

DILUTE 1 PART PRODUCT TO 2-3 PARTS WATER THEN
BRUSH/ COARSE SPRAY: APPLY 1 LITRE OF PRODUCT PER 3 SQUARE METRES OF TIMBER SURFACE.
DELUGE AND OPEN IMMERSION- APPLY AS NECESSARY

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN COVER ALL WATER STORAGE TANKS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

INDUSTRIAL LABEL

US FOR USE ONLY BY INDUSTRIAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing, suitable gauntlets and eye/face protection.

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

OP Avoid contact with skin.

[Return to Contents](#)

SURFACE BIOCIDES

ULTRATECH 2000M

HSE 8342

THE APPROVAL

Marketing Company

BIOKIL CROWN LTD

Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE – 4.95% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

BRUSH, SPRAY OR INJECTION

Container

500 ML

USE

Field of Use

FOR USE ONLY AS A SURFACE BIOCIDES

User

PROFESSIONAL

Application Rate

INJECTION: DILUTE 0.5 LITRES OF PRODUCT WITH 24.5 LITRES OF WATER (TO ACHIEVE AN IN-USE CONCENTRATION OF 0.1 % w/w IPBC) THEN APPLY.

BRUSH AND SPRAY: DILUTE 0.5 LITRES OF PRODUCT WITH 24.5 LITRES OF WATER AND THEN APPLY 1 LITRE OF THE DILUTED PRODUCT PER 2-5 SQUARE METRES (EQUIVALENT TO 0.2-0.5 GRAMS OF IPBC PER METRE).

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP Wear suitable eye / face protection (when diluting).

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EN Do not empty into drains

EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

WOOD PRESERVATIVE

SX UNIVERSAL WOOD TREATMENT

HSE 8343

THE APPROVAL

Marketing Company

ESSEX ENVIRONMENTAL SUPPLIES LIMITED

Active Ingredient

PROPICONAZOLE - 5.24% w/w
3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 5.58% w/w
PERMETHRIN – 4.60% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

BRUSH, DIP AND SPRAY

Container

1 LITRE

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL

Application Rate

DILUTE 1 LITRE OF PRODUCT WITH 24 LITRES OF WATER THEN:
BRUSH AND SPRAY: APPLY 1 LITRE OF DILUTED PRODUCT PER 3-4 SQUARE METRES OF SURFACE.
DIP:DIP FOR A MINIMUM OF 3 MINUTES.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP Wear suitable eye / face protection (when diluting).

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.

RE EXCLUDE ALL UNPROTECTED PERSONS AND ANIMALS DURING TREATMENT AND FOR AT LEAST 1 HOUR AFTER TREATMENT IS COMPLETED.

RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE VISIBLY DRY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

EN AVOID ALL CONTACT WITH PLANT LIFE.

[Return to Contents](#)

INSECTICIDE

RENTOKIL MOTH KILLER HANGING CASSETTE

HSE 8344

THE APPROVAL

Marketing Company

RENTOKIL INITIAL UK LTD

Active Ingredient

TRANSFLUTHRIN - 2.18% w/w

Formulation

VAPOURISING MATS

THE CONDITIONS

Application Method

VAPOURISING MATS

Container

2 CASSETTES PER PACK

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

PLACE 2 CASSETTES IN CLOTHES STORAGE COMPARTMENT. 2 CASSETTES ARE ENOUGH FOR ONE CUBIC METRE.

PRECAUTIONARY PHRASES

RE USE ONLY in positions inaccessible to children and animals.

RE DO NOT USE in larders or food cupboards.

RE DO NOT exceed the use of one unit per 0.5 cubic metre.

EN This material and its container must be disposed of in a safe way.

[Return to Contents](#)

INSECT REPELLENT

STRIKE PLUS

HSE 8345

THE APPROVAL

Marketing Company

NET-TEX INDUSTRIES LTD

Active Ingredient

CITRIODIOL - 2.4% w/w
N,N-DIETHYL-M-TOLUAMIDE - 4.0% w/w

Formulation

PRE-PRESSURISED HAND HELD AEROSOL

THE CONDITIONS

Application Method

SPRAY

Container

AMATEUR UP TO 250 ml

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY A 2 SECOND SPRAY TO TARGET AREA OF APPROXIMATELY 100 SQUARE CENTIMETRES.

PRECAUTIONARY PHRASES

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
RE When using do not eat drink or smoke.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

RODENTICIDE

PEST-STOP PREBAITED MOUSE STATION

HSE 8347

THE APPROVAL

Marketing Company

PROCTER BROS

Active Ingredient

BRODIFACOUM - 0.004% w/w

Formulation

PASTE BAIT

THE CONDITIONS

Application Method

BAIT

Container

20 GRAMMES

USE

Field of Use

FOR USE ONLY AS AN AMATEUR MOUSE KILLER

User

AMATEUR

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

EN (* Intervals will vary depending on product used; see manufacturer's guidelines).

RE FOR INDOOR USE ONLY.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN HARMFUL TO WILDLIFE.

[Return to Contents](#)

ANTIFOULING PRODUCT

BLAKES GLIDE SPEED 7142T

HSE 8349

THE APPROVAL

Marketing Company

HEMPEL UK LTD

Active Ingredient

CUPROUS OXIDE

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, ROLLER AND SPRAY (AIRLESS AND CONVENTIONAL)

Container

0.375, 0.75 and 2.5 litres

USE

Field of Use

FOR USE ONLY AS AN ANTIFOULING PRODUCT FOR AMATEUR AND PROFESSIONAL USE

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY 1 LITRE OF PRODUCT PER 13 - 14 SQUARE METRES OF SURFACE

Precautionary Phrases

AMATEUR LABEL

IN ACCORDANCE WITH THE CHEMICALS (HAZARD INFORMATION AND PACKAGING FOR SUPPLY) REGULATIONS 1994, AS FROM TIME TO TIME AMENDED.
WEAR SUITABLE PROTECTIVE GLOVES when applying.

PROFESSIONAL LABEL

IN ACCORDANCE WITH THE CHEMICALS (HAZARD INFORMATION AND PACKAGING FOR SUPPLY) REGULATIONS 1994, AS FROM TIME TO TIME AMENDED.

[Return to Contents](#)

WOOD PRESERVATIVE

PREMIER Q WOOD PRESERVATIVE

HSE 8350

THE APPROVAL

Marketing Company

PREMIER Q COATINGS

Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 0.50% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH AND SPRAY

Container

AMATEUR 1, 2.5 and 5 LITRES
PROFESSIONAL 1, 2.5, 5, 25 and 210 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR
PROFESSIONAL

Application Rate

BRUSH: APPLY AT A RATE OF 1 LITRE OF PRODUCT PER 4 - 8 SQUARE METRES OF TIMBER SURFACE.
SPRAY: APPLY AT A RATE OF 1 LITRE OF PRODUCT PER 4-5 SQUARE METRES OF TIMBER SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

GE If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

GE Use only in well-ventilated areas.

EN COVER ALL WATER STORAGE TANKS before application.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRY REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

GE Use only in well-ventilated areas.

EN COVER ALL WATER STORAGE TANKS before application.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

INSECT REPELLENT

BLUE BOTTLE FLY REPELLENT GEL

HSE 8351

THE APPROVAL

Marketing Company

FEEDMARK

Active Ingredient

N,N-DIETHYL-M-TOLUAMIDE – 9.9% w/w

Formulation

GEL

THE CONDITIONS

Application Method

HAND

Container

400 GRAMS

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 5 GRAMS OF PRODUCT PER 225 SQUARE CENTIMETRES OF SKIN.

PRECAUTIONARY PHRASES

OP Avoid contact with eyes.

EN This material and its container must be disposed of in a safe way.

RE When using do not eat drink or smoke.

[Return to Contents](#)

INSECT REPELLENT

SLOW RELEASE FLYING INSECT REPELLENT

HSE 8352

THE APPROVAL

Marketing Company

ROBERT MCBRIDE LTD

Active Ingredient

PERMETHRIN - 0.10% w/w

Formulation

VAPOURISING MAT

THE CONDITIONS

Application Method

VAPOURISING MAT

Container

22.3 GRAMS

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

ONE UNIT WILL TREAT AN AREA OF 40 CUBIC METERS (WHEN FULLY OPEN).

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

AMENDMENT

WOODWORM KILLER

HSE 5028

Marketing Company

BOSTIK LTD

AMENDMENT

Marketing Company

THE MARKETING COMPANY HAS CHANGED FROM 'SEALOCRETE PLA LTD' TO 'BOSTIK LTD'.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

PLA PRODUCTS DRY ROT KILLER

HSE 5339

Marketing Company

SEALOCRETE PLA LTD

AMENDMENT

Marketing Company

THE MARKETING COMPANY HAS CHANGED FROM 'SEALOCRETE PLA LTD' TO 'BOSTIK LTD'.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

PLA PRODUCTS FUNGICIDAL WASH

HSE 5373

Marketing Company

BOSTIK LTD

AMENDMENT

Marketing Company

THE MARKETING COMPANY HAS CHANGED FROM 'SEALOCRETE PLA LTD' TO 'BOSTIK LTD'.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

PERMOST UNI

HSE 6003

Marketing Company

HOCKLEY INTERNATIONAL LTD

AMENDMENT

Active Ingredients

THE ACTIVE INGREDIENTS HAVE CHANGED **FROM** 'TRI(HEXYLENE GLYCOL) BIBORATE 3.56% w/w AND CYPERMETHRIN (TECHNICAL) 0.1% w/w'
TO 'PERMETHRIN 0.2% w/w AND 3-IODO-2-PROPYNYL-N-BUTYL-CARBAMATE 0.5% w/w.

Application Rate

THE APPLICATION RATE HAS CHANGED
FROM 'BRUSH AND SPRAY: APPLY AT A RATE OF 1 LITRE OF PRODUCT PER 2 TO 8 SQUARE METRES OF TIMBER SURFACE. DIP AND IMMERSION: DIP OR IMMERSE TIMBER FOR A MINIMUM OF 3 MINUTES.
TO 'BRUSH AND SPRAY: APPLY AT A RATE OF 1 LITRE OF PRODUCT PER 2 TO 5 SQUARE METRES OF TIMBER SURFACE. DIP AND IMMERSION: DIP OR IMMERSE TIMBER FOR A MINIMUM OF 3 MINUTES'.

Precautionary Phrases

The following phrases have changed.

From:

The (COSHH) Control of Substances Hazardous to Health Regulations 1994 may apply to the use of this product at work.
WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SYNTHETIC RUBBER/PVC GLOVES AND EYE PROTECTION when using.
DO NOT BREATHE SPRAY MIST. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "Respiratory Protective Equipment – a practical guide for users")
COVER WATER STORAGE TANKS before application.
THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way.
REMOVE OR COVER FISH TANKS AND BOWLS before application.
DO NOT CONTAMINATE watercourses or ground.

To:

The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
Wear suitable protective clothing and suitable gloves.
Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer). Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The selection, Use and Maintenance of Respiratory Protective Equipment – A Practical Guide").
COVER ALL WATER STORAGE TANKS before application.
This material and its container must be disposed of in a safe way.
REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

The following phrases have been deleted.

FLAMMABLE. AVOID naked flames and hot surfaces.
WHEN USING DO NOT EAT, DRINK OR SMOKE.
EXTREMELY DANGEROUS TO FISH AND OTHER AQUATIC LIFE.

The following phrases have been added.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
Do not empty into drains.
Use only in well-ventilated areas.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

SOVAC F/I

HSE 6262

Marketing Company

SOVEREIGN CHEMICALS LTD

AMENDMENT

PRODUCT SCHEDULE HAS BEEN UPDATED TO CURRENT STANDARDS THE SAFETY PHRASES HAVE CHANGED TO:

PROFESSIONAL LABEL

FOR USE ONLY BY PROFESSIONAL OPERATORS.

The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work. Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

Wear suitable protective clothing and suitable gloves.

AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRER REGULARLY.

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G): 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment – A Practical Guide")

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

KEEP AWAY FROM TREATED SURFACES UNTIL DRY.

COVER ALL WATER STORAGE TANKS before application.

This material and its container must be disposed of in a safe way.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Use only in well-ventilated areas.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

AVOID ALL CONTACT WITH PLANT LIFE.

INDUSTRIAL LABEL

FOR USE ONLY BY INDUSTRIAL OPERATORS.

The (COSHH) Control of Substances Hazardous to Health Regulations 1994 may apply to the use of this product at work. Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

Wear suitable protective clothing, suitable protective gauntlets and eye/face protection.

WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRER REGULARLY.

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment – A Practical Guide").

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

If swallowed, do not induce vomiting: seek medical advice immediately and show the container or label.

When using do not eat, drink or smoke.
TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS
MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

SOVEREIGN COLOURED WOOD PRESERVATIVES/DIP COAT

HSE 6337

Marketing Company

SOVEREIGN CHEMICALS LTD

AMENDMENT

Precautionary Phrases

THE PRODUCT SCHEDULE HAS BEEN UPDATED TO CURRENT STANDARDS THE SAFETY PHRASES HAVE CHANGED TO:

PROFESSIONAL LABEL

FOR USE ONLY BY PROFESSIONAL OPERATORS.

The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work. Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

Wear suitable protective clothing and suitable gloves.

AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G): 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment – A Practical Guide")

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

COVER ALL WATER STORAGE TANKS before application.

This material and its container must be disposed of in a safe way.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

Use only in well-ventilated areas.

REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

AVOID ALL CONTACT WITH PLANT LIFE.

ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

INDUSTRIAL LABEL

FOR USE ONLY BY INDUSTRIAL OPERATORS.

The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work. Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

Wear suitable protective clothing and suitable protective gauntlets.

WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G): 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment – A Practical Guide").

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

When using do not eat, drink or smoke.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

PERMOST UNI

HSE 6399

Marketing Company

HOCKLEY INTERNATIONAL LTD

AMENDMENT

Application Method

THE APPLICATION METHOD HAS CHANGED FROM 'SPACE TREATMENT AND FOG' TO 'FOGGER, SPACE TREATMENT AND SURFACE SPRAY'.

Precautionary Phrases

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN ADDED

KEEP AWAY FROM TREATED SURFACES UNTIL DRY

Do not empty into drains

Use only in well-ventilated areas

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

FORTEFOG

HSE 6486

Marketing Company

AGROPHARM LTD

AMENDMENT

Container

APPROVAL HAS BEEN EXTENDED TO INCLUDE AN ADDITIONAL 100g PACK SIZE.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

SOVEREIGN FUNGICIDE/INSECTICIDE

HSE 6828

Marketing Company

SOVEREIGN CHEMICALS LTD

AMENDMENT

Precautionary Phrases

THE PRODUCT SCHEDULE HAS BEEN UPDATED TO CURRENT STANDARDS THE SAFETY PHRASES HAVE CHANGED TO:

FOR USE ONLY BY PROFESSIONAL OPERATORS.

The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work. Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

Wear suitable protective clothing and suitable gloves.

AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G): 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment – A Practical Guide")

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY.

COVER ALL WATER STORAGE TANKS before application.

This material and its container must be disposed of in a safe way.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

Use only in well-ventilated areas.

FOR INDOOR USE ONLY.

REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

AVOID ALL CONTACT WITH PLANT LIFE.

ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

SEALOCRETE TIMBER MASTER WOOD PRESERVER

HSE 7052

Marketing Company

BOSTIK LTD

AMENDMENT

Marketing Company

THE MARKETING COMPANY HAS CHANGED FROM 'SEALOCRETE PLA LTD' TO 'BOSTIK LTD'.

Active Ingredient

TRI(HEXYLENE GLYCOL) BIBORATE 3.0% w/w HAS BEEN REPLACED BY 3-IODO-2-PROPYNYL-N-BUTYL CARBOMATE 0.5% w/w

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

TIMBER MASTER 6 IN 1 WOOD TREATMENT

HSE 7080

Marketing Company

BOSTIK LTD

AMENDMENT

Marketing Company

THE MARKETING COMPANY HAS CHANGED FROM 'SEALOCRETE PLA LTD' TO 'BOSTIK LTD'

Active Ingredient

TRI(HEXYLENE GLYCOL) BIBORATE 3.30% w/w HAS BEEN REPLACED BY 3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE 0.5% w/w

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

ACTIVITY CANDLE

HSE 7447

Marketing Company

GLOBOL AIRCARE

AMENDMENT

Active Ingredient

THE ACTIVE INGREDIENT BIOALLETHRIN HAS CHANGED FROM 4.65% w/w to 4.278% w/w IN COMPONENT A
CITRONELLA OIL 2% w/w HAS BEEN REMOVED FROM COMPONENT B.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

FLAG CRUISING EXTRA ANTIFOULING

HSE 7651

Marketing Company

FLAG MARINE PAINTS

AMENDMENT

Product Name

THE PRODUCT NAME HAS CHANGED FROM 'FLAG CRUISING ANTIFOULING' TO 'FLAG CRUISING EXTRA ANTIFOULING'.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

SCENT OFF GEL

HSE 7710

Marketing Company

VITAX LTD

AMENDMENT

Active Ingredient

THE ACTIVE INGREDIENT HAS CHANGED FROM NAPHTHALENE 0.499% w/w TO NAPHTHALENE 0.250% w/w.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

SOVEREIGN WOOD PRESERVATIVE

HSE 7862

Marketing Company

SOVEREIGN CHEMICALS LTD

AMENDMENT

Precautionary Phrases

PRODUCT SCHEDULE HAS BEEN UPDATED TO CURRENT STANDARDS THE SAFETY PHRASES HAVE CHANGED TO:

AMATEUR LABEL

Wear suitable protective clothing and gloves.

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

COVER ALL WATER STORAGE TANKS before application.

This material and its container must be disposed of in a safe way.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

Use only in well-ventilated areas.

REMOVE OR COVER ALL FISH TANKS AND BOWLS before application,.

AVOID ALL CONTACT WITH PLANT LIFE.

ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

PROFESSIONAL LABEL

FOR USE ONLY BY PROFESSIONAL OPERATORS.

The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work. Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

Wear suitable protective clothing and suitable gloves.

AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G): 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment – A Practical Guide")

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

This material and its container must be disposed of in a safe way.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

REMOVE OR COVER ALL FISH TANKS AND BOWLS before application

Use only in well-ventilated areas.

COVER ALL WATER STORAGE TANKS before application.

This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

AVOID ALL CONTACT WITH PLANT LIFE.

ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

INDUSTRIAL LABEL

FOR USE ONLY BY INDUSTRIAL OPERATORS.

The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work. Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

Wear suitable protective clothing, suitable gauntlets and eye/face protection.

WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment – A Practical Guide").

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

EQUIMINS FLY REPELLENT

HSE 7873

Marketing Company

EQUIMINS LTD

AMENDMENT

Active Ingredient

THE ACTIVE INGREDIENTS HAVE CHANGED **FROM** DIMETHYL PHTHALATE 5% w/w,
N,N-DIETHYL-M-TOLUMIDE 4.9% w/w **TO** ETHYL BUTYLACETYLAMINOPROPIONATE 4.9% w/w,
N,N-DIETHYL-M-TOLUMIDE 6.9% w/w.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

EQUIMINS FLY REPELLENT CREAM

HSE 7874

Marketing Company

EQUIMINS LTD

AMENDMENT

Active Ingredient

THE ACTIVE INGREDIENT HAS CHANGED **FROM** DIMETHYL PHTHALATE 5% w/w, N,N-DIETHYL-M-TOULAMIDE 5% w/w **TO** ETHYL BUTYLACETYLAMINOPROPIONATE 2.45% w/w, N,N-DIETHYL-M-TOLUAMIDE 9.8% w/w

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

EQUIMINS BITING MIDGE CREAM

HSE 7903

Marketing Company

EQUIMINS LTD

AMENDMENT

Active Ingredients

THE ACTIVE INGREDIENTS HAVE CHANGED **FROM** DIMETHYL PHTHALATE 5% w/w AND N,N-DIETHYL-M-TOLUAMIDE 5% w/w **TO** ETHYL BUTYLACETYLAMINOPROPIONATE 2.45% w/w AND N,N-DIETHYL-M-TOLUAMIDE 9.8% w/w.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

LEOVET POWER PHASER

HSE 8030

Marketing Company

EDDIE PALIN DISTRIBUTION LTD

AMENDMENT

Active Ingredients

THE ACTIVE INGREDIENTS CEDAR OIL, GERANIUM OIL AND PENNY ROYAL OIL HAVE BEEN REMOVED.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

NO BOTHER

HSE 8178

Marketing Company

EUREKA

AMENDMENT

Active Ingredient

THE ACTIVE INGREDIENT HAS CHANGED **FROM** LAVENDER OIL 0.14%w/w **TO** LAVANDIN OIL 0.63%w/w

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

SLAYMOR RAPID M

HSE 8188

Marketing Company

NOVARTIS ANIMAL HEALTH UK LTD

AMENDMENT

Container

THE PACK SIZES HAVE CHANGED

FROM PROFESSIONAL: UP TO 50 BAIT BOXES EACH WITH 1-2 x 10 GRAM BLOCKS. 48 x 10 GRAM BLOCKS.

TO PROFESSIONAL: 1 – 50 BAIT BOXES EACH WITH 1-2 x 10 GRAM BLOCKS.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

BARRETTINE PREMIER UNIVERSAL TREATMENT

HSE 8259

Marketing Company

J.V. BARRETT & CO LTD

AMENDMENT

Application Method

THE APPLICATION METHOD HAS CHANGED FOR AMATEUR USERS **FROM BRUSH TO BRUSH AND SPRAY.**

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

BARRETTINE PREMIER WOOD PRESERVER

HSE 8265

Marketing Company

J.V. BARRETT & CO LTD

AMENDMENT

THE APPLICATION METHOD HAS CHANGED FOR AMATEUR USERS **FROM BRUSH TO BRUSH AND SPRAY.**

All other conditions remain unchanged.

[Return to Contents](#)