

October - 2004

Products Approved

via

HSE Biocides &
Pesticides Unit

Contents

HSE No:	Product	Use
HSE 7910	Protim E41J	Wood Preservative
HSE 7925	Luxan Vermigon Bait	Rodenticide
HSE 7926	Luxan Vermigon Blocks	Rodenticide
HSE 7927	Luxan Vermigon Sewer Blocks	Rodenticide
HSE 7932	Cuprinol Trade Decorative Preserver (T)	Wood Preservative
HSE 7934	Flygon LA	Insecticide
HSE 7939	Ratta B Whole Wheat Bait	Rodenticide
HSE 7940	Teknol Aqua 1410	Wood Preservative
HSE 7941	Luxan Vermigon Pellets	Rodenticide
HSE 7943	Wolmanit CX-10	Wood Preservative
HSE 7944	Wolmanit CX-8	Wood Preservative
HSE 7945	Flyzoff	Insecticide
HSE 7946	Cuprinol Wood Preserver (P)	Wood Preservative
HSE 7947	Cuprinol Trade Wood Preserver (T)	Wood Preservative
HSE 7948	Cuprinol Trade Exterior Wood Preserver (T)	Wood Preservative
HSE 7949	Cuprinol Shed and Fence Preserver (P)	Wood Preservative
HSE 7950	Blue Bottle Fly Repellent	Insecticide
HSE 7951	Ratta D Whole Wheat Bait	Rodenticide
HSE 7953	Tretoplast WB Topcoat	Biocidal Paint
HSE 7954	Cuprinol Woodworm Killer (F) Aerosol	Wood Preservative
HSE 7955	Doff Ant Killer	Insecticide
HSE 7956	Raco Mouse Bait	Rodenticide
HSE 7957	Creosote	Wood Preservative
HSE 7958	Louse Powder	Insecticide
HSE 7965	Sovaq WSS FLX FI	Wood Preservative

Amendments:

HSE No:	Product	Amended Date
HSE 6947	Combat Ant Bait	4/10/04
HSE 7693	Blanc-Kit	7/10/04
HSE 7694	Algae-Kit	7/10/04
HSE 7822	Gourmet Ant Bait Gel	6/10/04
HSE 6666	Vape Mat	26/10/04
HSE 6838	ACS Ecobor II	28/10/04

WOOD PRESERVATIVE

PROTIM E41J

HSE 7910

THE APPROVAL

Marketing Company

PROTIM SOLIGNUM LTD

Active Ingredient

TEBUCONAZOLE - .238% w/w
PROPICONAZOLE - .140% w/w
DISODIUM OCTABORATE - 3.413% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

VACUUM/PRESSURE IMPREGNATION

Container

BULK

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

INDUSTRIAL

Application Rate

CLOSED IMMERSION FOR A MINIMUM OF 3 MINUTES

PRECAUTIONARY PHRASES

US FOR USE ONLY BY INDUSTRIAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP Wear suitable protective gauntlets

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

OP DO NOT BREATHE AEROSOL.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Back to contents](#)

RODENTICIDE

LUXAN VERMIGON BAIT

HSE 7925

THE APPROVAL

Marketing Company

LUXAN (UK) LTD

Active Ingredient

BROMADIOLONE - .005% w/w

Formulation

GRAIN BAIT

THE CONDITIONS

Application Method

BAIT

Container

AMATEUR 300G TO 10 KG
PROFESSIONAL 300G TO 25 KG

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. (* Intervals will vary depending on product used; see manufacturer's guidelines).

PROFESSIONAL LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT/DUST where food, feed or water could become contaminated (except when used in sewers).

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency (0845 9333111) or your local Scottish Environment Protection Agency (SEPA) office. (* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

[Back to contents](#)

RODENTICIDE

LUXAN VERMIGON BLOCKS

HSE 7926

THE APPROVAL

Marketing Company

LUXAN (UK) LTD

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

WAX BLOCK BAIT

THE CONDITIONS

Application Method

BAIT

Container

AMATEUR 10G TO 5 KILOGRAMS
PROFESSIONAL 10G TO 25 KILOGRAMS

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs and cats].

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. (* Intervals will vary depending on product used; see manufacturer's guidelines).

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP AVOID ALL CONTACT BY MOUTH.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency (0845 9333111) or your local Scottish Environment Protection Agency (SEPA) office. (* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

[Back to contents](#)

RODENTICIDE

LUXAN VERMIGON SEWER BLOCKS

HSE 7927

THE APPROVAL

Marketing Company

LUXAN (UK) LTD

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

WAX BLOCK BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 25 KILOGRAMS

USE

Field of Use

FOR USE ONLY IN RODENT CONTROL BY PROFESSIONAL OPERATORS.

User

PROFESSIONAL

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP AVOID ALL CONTACT BY MOUTH.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency (0845 9333111) or your local Scottish Environment Protection Agency (SEPA) office.

EN (* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

[Back to contents](#)

WOOD PRESERVATIVE

CUPRINOL TRADE DECORATIVE PRESERVER (T)

HSE 7932

THE APPROVAL

Marketing Company

IMPERIAL CHEMICAL INDUSTRIES PLC

Active Ingredient

PROPICONAZOLE - 0.6% w/w

DICHLORFLUANID - 0.36% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, SPRAY AND DRIP

Container

1 LITRE, 2.5 LITRES, 4 LITRES AND 5 LITRES FOR AMATEUR OR PROFESSIONAL USE
25 LITRES FOR PROFESSIONAL USE

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR

PROFESSIONAL

Application Rate

BRUSH / SPRAY: APPLY 1 LITRE OF PRODUCT PER 4-6 SQUARE METRES OF TIMBER SURFACE

DIP: DIP TIMBER FOR A MINIMUM OF 3 MINUTES

PRECAUTIONARY PHRASES

OP Wear suitable protective clothing and suitable gloves.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[Back to contents](#)

INSECTICIDE

FLYGON LA

HSE 7934

THE APPROVAL

Marketing Company

GOLD LABEL UK

Active Ingredient

CITRONELLA OIL - 0.1% w/w
LAVENDER OIL - 0.1% w/w
CEDARWOOD OIL - 0.1% w/w
TEA TREE OIL - 0.1% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

SPRAY

Container

10 LITRES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 22 TRIGGER PULLS PER SQUARE METRE OF SKIN

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
EN This material and its container must be disposed of in a safe way.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

[Back to contents](#)

RODENTICIDE

RATTA B WHOLE WHEAT BAIT

HSE 7939

THE APPROVAL

Marketing Company

DOWNLAND MARKETING LTD

Active Ingredient

BROMADIOLONE - .005% w/w

Formulation

BAIT

THE CONDITIONS

Application Method

BAIT

Container

AMATEUR UP TO 10 KG
PROFESSIONAL UP TO 25 KG

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN HARMFUL TO WILDLIFE.

PROFESSIONAL LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

SEARCH FOR AND REMOVE RODENT BODIES AFTER TREATMENT (UNLESS USED IN SEWERS) AND

DISPOSE OF SAFELY (e.g. burn or bury). Do not dispose of in refuse sacks or on open rubbish tips.

EN REMOVE ALL REMAINS OF [THIS PRODUCT/BAIT AND BAIT CONTAINERS] AFTER TREATMENT (EXCEPT

WHEN USED IN SEWERS) AND DISPOSE OF SAFELY (e.g. burn or bury). Do not dispose of in refuse sacks or on open rubbish tips.

EN DO NOT PLACE BAIT/DUST/GEL/THIS PRODUCT where food, feed or water could become contaminated

(except when used in sewers).

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

EN HARMFUL TO WILDLIFE.

[Back to contents](#)

WOOD PRESERVATIVE

TEKNOL AQUA 1410

HSE 7940

THE APPROVAL Marketing Company

TEKNOS LTD

Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - .3% w/w
PROPICONAZOLE - .0.9% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method CLOSED DELUGE AND DIP

Container

20 LITRE, 110 LITRE AND BULK

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

INDUSTRIAL USE

Application Rate

CLOSED DELUGE: APPLY ONE KILOGRAMME OF PRODUCT PER 11 - 13 SQUARE METRES OF PRE-TREATED TIMBER SURFACE
DIP: DIP FOR A MINIMUM OF 3 MINUTES.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY INDUSTRIAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP Wear suitable protective gauntlets

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRER REGULARLY.

OP DO NOT BREATHE AEROSOL.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Back to contents](#)

RODENTICIDE

LUXAN VERMIGON PELLETS

HSE 7941

THE APPROVAL

Marketing Company

LUXAN (UK) LTD

Active Ingredient

BROMADIOLONE - .005% w/w

Formulation

PELLET BAIT

THE CONDITIONS

Application Method

BAIT

Container

AMATEUR 300 G TO 10 KILOGRAMS
PROFESSIONAL 300 G TO 25 KILOGRAMS

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY

PRECAUTIONARY PHRASES

AMATEUR PHRASES

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

GE Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation occurs in that time.

PROFESSIONAL PHRASES

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT/DUST/GEL/THIS PRODUCT where food, feed or water could become contaminated (except when used in sewers).

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency (0845 9333111) or your local Scottish Environment Protection Agency (SEPA) office.

GE Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation occurs in that time.

[Back to contents](#)

WOOD PRESERVATIVE

WOLMANIT CX-10

HSE 7943

THE APPROVAL

Marketing Company

BASF PRINTING SYSTEMS LTD

Active Ingredient

BORIC ACID – 4.95% w/w
COPPER CARBONATE HYDROXIDE - 15.97% w/w
BIS-N-(CYCLOHEXYLDIAZENIUMDIOXY)-COPPER - 3.42% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

VACUUM/PRESSURE IMPREGNATION

Container

60 LITRES, 1000 LITRES IBC AND BULK

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

INDUSTRIAL

Application Rate

HAZARD CLASS 1:
DILUTE PRODUCT TO A 0.5% WORKING SOLUTION
THEN APPLY 2.9 KG PER CUBIC METRE OF TIMBER

HAZARD CLASS 2, 3 AND 4:
DILUTE PRODUCT TO A MINIMUM 1.3% WORKING SOLUTION
THEN APPLY A MINIMUM 7.7 KG PER CUBIC METRE OF TIMBER AND A MAXIMUM OF 19 KG PER CUBIC
METRE OF TIMBER FOR WOOD WITH A HIGHER SERVICE LIFETIME.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY INDUSTRIAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing.
OP Wear eye/face protection.
OP Wear suitable protective gauntlets

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Take off immediately all contaminated clothing.

OP DO NOT BREATHE AEROSOL.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

RE When using do not eat drink or smoke.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.

[Back to contents](#)

WOOD PRESERVATIVE

WOLMANIT CX-8

HSE 7944

THE APPROVAL

Marketing Company

BASF PRINTING SYSTEMS LTD

Active Ingredient

BORIC ACID – 3.96% w/w
COPPER CARBONATE HYDROXIDE – 12.78% w/w
BIS-N-(CYCLOHEXYLDIAZENIUMDIOXY)-COPPER – 2.74% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

VACUUM/PRESSURE IMPREGNATION

Container

60 LITRES, 1000 LITRES IBC AND BULK

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

INDUSTRIAL

Application Rate

HAZARD CLASS 1:
DILUTE PRODUCT TO A 0.6% WORKING SOLUTION
THEN APPLY 3.5 KG PER CUBIC METRE OF TIMBER

HAZARD CLASS 2, 3 AND 4:
DILUTE PRODUCT TO A MINIMUM 1.6% WORKING SOLUTION
THEN APPLY A MINIMUM 9.6 KG PER CUBIC METRE OF TIMBER AND A MAXIMUM 24 KG PER CUBIC METRE
OF TIMBER FOR WOOD WITH A HIGHER SERVICE LIFETIME

PRECAUTIONARY PHRASES

US FOR USE ONLY BY INDUSTRIAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP Wear eye/face protection.

OP Wear suitable protective gauntlets

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Take off immediately all contaminated clothing.
OP DO NOT BREATHE AEROSOL.
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.
RE When using do not eat drink or smoke.
EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.
EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.

[Back to contents](#)

INSECTICIDE

FLYZOFF

HSE 7945

THE APPROVAL

Marketing Company

OSMONDS

Active Ingredient

TEA TREE OIL - 2% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

TRIGGER SPRAY

Container

5MML, 1LITRE, AND 5 LITRES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 1 MILLILITRE PER SQUARE METRE.

PRECAUTIONARY PHRASES

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.

[Back to contents](#)

WOOD PRESERVATIVE

CUPRINOL WOOD PRESERVER (P)

HSE 7946

THE APPROVAL

Marketing Company

IMPERIAL CHEMICAL INDUSTRIES PLC

Active Ingredient

PROPICONAZOLE - 0.6% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, DIP AND SPRAY

Container

2.5 LITRES AND 5 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR
PROFESSIONAL

Application Rate

BRUSH/SPRAY: APPLY 1 LITRE OF PRODUCT PER 3-6 SQUARE METRES OF TIMBER SURFACE.

DIP: DIP FOR AT LEAST 3 MINUTES.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and gloves.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

GE Use only in well-ventilated areas.

EN Do not empty into drains

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN AVOID ALL CONTACT WITH PLANT LIFE.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP Wear suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN AVOID ALL CONTACT WITH PLANT LIFE.

[Back to contents](#)

WOOD PRESERVATIVE

CUPRINOL TRADE WOOD PRESERVER (T)

HSE 7947

THE APPROVAL

Marketing Company

IMPERIAL CHEMICAL INDUSTRIES PLC

Active Ingredient

PROPICONAZOLE - 0.6% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, DIP AND SPRAY

Container

2.5 LITRES AND 5 LITRES
25 LITRES FOR PROFESSIONAL USE ONLY

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR
PROFESSIONAL

Application Rate

BRUSH/SPRAY: APPLY 1 LITRE OF PRODUCT PER 3-6 SQUARE METRES OF TIMBER SURFACE.

DIP: DIP FOR AT LEAST 3 MINUTES.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing.

OP Wear suitable gloves.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

GE Use only in well-ventilated areas.

EN Do not empty into drains

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN AVOID ALL CONTACT WITH PLANT LIFE.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing.
OP Wear suitable gloves.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN AVOID ALL CONTACT WITH PLANT LIFE.

[Back to contents](#)

WOOD PRESERVATIVE

CUPRINOL TRADE EXTERIOR WOOD PRESERVER (T)

HSE 7948

THE APPROVAL

Marketing Company

IMPERIAL CHEMICAL INDUSTRIES PLC

Active Ingredient

PROPICONAZOLE - 0.6% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, DIP AND SPRAY

Container

AMATEUR 2.5 AND 5 LITRES
25 LITRES FOR PROFESSIONAL USE ONLY

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR
PROFESSIONAL

Application Rate

BRUSH/SPRAY: APPLY 1 LITRE OF PRODUCT PER 6 SQUARE METRES OF TIMBER SURFACE.

DIP: DIP FOR 3-10 MINUTES.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and gloves.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EP Do not empty into drains.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN AVOID ALL CONTACT WITH PLANT LIFE.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53:

"The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN AVOID ALL CONTACT WITH PLANT LIFE.

[Back to contents](#)

WOOD PRESERVATIVE

CUPRINOL SHED AND FENCE PRESERVER (P)

HSE 7949

THE APPROVAL

Marketing Company

IMPERIAL CHEMICAL INDUSTRIES PLC

Active Ingredient

PROPICONAZOLE - 0.6% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, DIP AND SPRAY

Container

1 LITRE, 2.5 LITRES AND 5 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR
PROFESSIONAL

Application Rate

BRUSH/SPRAY: APPLY 1 LITRE OF PRODUCT PER 6 SQUARE METRES OF TIMBER SURFACE.

DIP: DIP TIMBER FOR 3 - 10 MINUTES.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and gloves.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EP Do not empty into drains.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN AVOID ALL CONTACT WITH PLANT LIFE.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN AVOID ALL CONTACT WITH PLANT LIFE.

[Back to contents](#)

INSECTICIDE

BLUE BOTTLE FLY REPELLENT

HSE 7950

THE APPROVAL

Marketing Company

FEEDMARK

Active Ingredient

N,N-DIETHYL-M-TOLUAMIDE - 6.5% w/w
DIMETHYL PHTHALATE - 16.4% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

CLOTH, SPONGE, AND TRIGGER SPRAY

Container

500 ML AND 1 LITRE

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY SMALL AMOUNTS OF PRODUCT AS NECESSARY TO SENSITIVE AREAS OF THE HORSE INCLUDING FACE AND MUZZLE
(TYPICALLY, 4 GRAMMES (5 ML) OF PRODUCT WILL COVER AN APPROXIMATE AREA OF 10 X 15 CM)

PRECAUTIONARY PHRASES

OP Wear eye/face protection.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
EN This material and its container must be disposed of in a safe way.
RE When using do not eat drink or smoke.
GE Use only in well-ventilated areas.

[Back to contents](#)

RODENTICIDE

RATTA D WHOLE WHEAT BAIT

HSE 7951

THE APPROVAL

Marketing Company

DOWNLAND MARKETING LTD

Active Ingredient

DIFENACOUM - .005% w/w

Formulation

GRAIN BAIT

THE CONDITIONS

Application Method

BAIT

Container

AMATEUR UP TO 10 KG
PROFESSIONAL UP TO 25 KG

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

EN (* Intervals will vary depending on product used; see manufacturer's guidelines).

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency (0845 9333111) or your local Scottish Environment Protection Agency (SEPA) office.

EN (* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

[Back to contents](#)

BIOCIDAL PAINT

TRETOPLAST WB TOPCOAT

HSE 7953

THE APPROVAL

Marketing Company

TREMCO LTD

Active Ingredient

2-OCTYL-2H-ISOTHIAZOL-3-ONE - 0.04% w/w

DIURON - 0.32% w/w

CARBENDAZIM - 0.15% w/w

Formulation

WATER BASED PAINT READY-FOR-USE (CAN BE DILUTED)

THE CONDITIONS

Application Method

SURFACE SPRAY

Container

12 AND 25 LITRES

USE

Field of Use

FOR USE ONLY AS A BIOCIDAL PAINT

User

PROFESSIONAL

Application Rate

APPLY ONE LITRE PER 5 SQUARE METERS OF SURFACE.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
RE FOR INDOOR USE ONLY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
OP Avoid contact with skin.

[Back to contents](#)

WOOD PRESERVATIVE

CUPRINOL WOODWORM KILLER (F) AEROSOL

HSE 7954

THE APPROVAL

Marketing Company

IMPERIAL CHEMICAL INDUSTRIES PLC

Active Ingredient

FLUFENOXURON - .0.019% w/w

Formulation

PRE-PRESSURISED HAND HELD AEROSOL

THE CONDITIONS

Application Method

INJECTION AND SPRAY (CRACK AND CREVICE TREATMENT ONLY).

Container

250 ML & 400ML

USE

Field of Use

WOOD PRESERVATIVE FOR AMATEUR AND PROFESSIONAL USE

User

AMATEUR
PROFESSIONAL

Application Rate

INJECT PRODUCT INTO FLIGHTHOLES IN TIMBER AS NECESSARY

SPRAY PRODUCT INTO CRACKS AND CREVICES IN TIMBER AS REQUIRED

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

GE Use only in well-ventilated areas.

RE FOR INDOOR USE ONLY.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR INDOOR USE ONLY.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[Back to contents](#)

INSECTICIDE

DOFF ANT KILLER

HSE 7955

THE APPROVAL

Marketing Company

DOFF PORTLAND LTD

Active Ingredient

PERMETHRIN - .53% w/w

Formulation

DUSTING POWDER

THE CONDITIONS

Application Method

DUSTING POWDER

Container

300 AND 400 GRAMS

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

APPLY 40 G OF PRODUCT PER SQUARE METRE OF SURFACE

PRECAUTIONARY PHRASES

Amateur Label

OP Do not breathe dust.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Back to contents](#)

RODENTICIDE

RACO MOUSE BAIT

HSE 7956

THE APPROVAL

Marketing Company

LODI S.A.

Active Ingredient

DIFENACOUM - 0.005% w/w

Formulation

GRAIN BAIT

THE CONDITIONS

Application Method

BAIT

Container

AMATEUR 2.5 AND 5 KILOGRAMMES
PROFESSIONAL 10 AND 25 KILOGRAMMES

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL MOUSE KILLER.

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry

EN DO NOT PLACE BAIT where food, feed or water could become contaminated

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

EN (* Intervals will vary depending on product used; see manufacturer's guidelines).

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry
EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency (0845 9333111) or your local Scottish Environment Protection Agency (SEPA) office.

EN (* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

[Back to contents](#)

WOOD PRESERVATIVE

CREOSOTE

HSE 7957

THE APPROVAL

Marketing Company

RUTGERS CHEMICALS AG

Active Ingredient

CREOSOTE - 100% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

VACUUM/PRESSURE IMPREGNATION

Container

BULK ONLY (25 TONNES AND 50 TONNES)

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

INDUSTRIAL

Application Rate

VACUUM/PRESSURE IMPREGNATION: AS REQUIRED

PRECAUTIONARY PHRASES

US FOR USE ONLY BY INDUSTRIAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP Wear eye/face protection and suitable protective gauntlets

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

RE When using do not eat drink or smoke.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

OP Take off immediately all contaminated clothing.

[Back to contents](#)

INSECTICIDE

LOUSE POWDER

HSE 7958

THE APPROVAL

Marketing Company

GOLD LABEL UK

Active Ingredient

CITRONELLA OIL - 0.1% w/w
LAVENDER OIL - 0.1% w/w
CEDARWOOD OIL - 0.1% w/w
TEA TREE OIL - 0.1% w/w

Formulation

POWDER

THE CONDITIONS

Application Method

DUSTING POWDER

Container

60G, 200G, 400G, 2KG AND 4 KG

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 30 GRAMS OF PRODUCT (10 SHAKES OF POWDER) PER SQUARE METRE OF SURFACE AREA

PRECAUTIONARY PHRASES

OP Do not breathe dust.
OP AVOID ALL CONTACT BY MOUTH.
RE When using do not eat drink or smoke.
EN COVER ALL WATER STORAGE TANKS before application.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
OP Avoid contact with skin.
EN This material and its container must be disposed of in a safe way.

[Back to contents](#)

WOOD PRESERVATIVE

SOVAQ WSS FLX FI

HSE 7965

THE APPROVAL

Marketing Company

SOVEREIGN CHEMICALS LTD

Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 8.16% w/w
FLUFENOXURON - 1.08% w/w
PROPICONAZOLE - 23.25% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

BRUSH AND SPRAY

Container

175 GRAMS

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL

Application Rate

ADD 2 SACHETS TO 5 LITRES WATER AND MAKE UP TO 25 LITRES WITH WATER.

BRUSH/SPRAY: APPLY 1 LITRE OF DILUTED PRODUCT PER 3 SQUARE METERS OF TIMBER.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP Wear suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53:

"The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP Take off immediately all contaminated clothing.

OP Avoid contact with skin.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR INDOOR USE ONLY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[Back to contents](#)

AMENDMENT

COMBAT ANT BAIT

HSE 6947

Marketing Company

WILLIAM SINCLAIR HORTICULTURE

AMENDMENT

MARKETING COMPANY HAS CHANGED FROM SINCLAIR ANIMAL AND HOUSEHOLD CARE LTD.

TO: WILLIAM SINCLAIR HORTICULTURE.

All other conditions remain unchanged.

DATE AMENDED: 4/10/04

[Back to contents](#)

AMENDMENT

BLANC-KIT

HSE 7693

Marketing Company

NISHIKOI AQUACULTURE LTD

AMENDMENT

THE MARKETING COMPANY HAS CHANGED

FROM: INTERCEL UK LTD

TO: NISHIKOI AQUACULTURE LTD

ALL OTHER CONDITIONS REMAIN UNCHANGED.

DATE AMENDED: 07 OCTOBER 2004

[Back to contents](#)

AMENDMENT

ALGAE-KIT

HSE 7694

Marketing Company

NISHIKOI AQUACULTURE LTD

AMENDMENT

THE MARKETING COMPANY HAS CHANGED

FROM: INTERCEL UK LTD

TO: NISHIKOI AQUACULTURE LTD

ALL OTHER CONDITIONS REMAIN UNCHANGED.

DATE AMENDED: 07 OCTOBER 2004

[Back to contents](#)

AMENDMENT

GOURMET ANT BAIT GEL

HSE 7822

Marketing Company

BARRETTINE PRODUCTS LTD

AMENDMENT

THIS PRODUCT HAS BEEN AMENDED TO INCLUDE AMATEUR USE.

Date amended: 6/10/04

All other conditions remain unchanged.

[Back to contents](#)

AMENDMENT

VAPE MAT

HSE 6666

Marketing Company

Guaber UK Ltd

AMENDMENT

THE MARKETING COMPANY FOR THIS PRODUCT HAS CHANGED

FROM: TRAVEL COMPANIONS

TO: GUABER UK LTD

ALL OTHER CONDITIONS REMAIN UNCHANGED.

DATE AMENDED: 26/10/04

[Back to contents](#)

AMENDMENT

ACS ECOBOR II

HSE 6838

Marketing Company

ADVANCED CHEMICAL SPECIALTIES LTD

AMENDMENT

THE PRODUCT NAME HAS BEEN CHANGED

FROM: ECOBOR II

TO: ACS ECOBOR II

Amended 28/10/04.

All other conditions remain unchanged.

[Back to contents](#)