

October - 2005

Products Approved

via

HSE Biocides & Pesticides
Unit

Contents

HSE No:	Product	Use
8170	Remtox M9 Dual Purpose Fungicide Insecticide	Wood Preservative
8179	Vacsol Aqua 6112	Wood Preservative
8180	Vacsol Aqua 6112 RTU	Wood Preservative
8181	Bottomcoat	Antifouling Product
8182	Interswift 455 FB	Antifouling Product
8184	Teremid	Insect Repellent
8185	Banamite	Insecticide
8188	Slaymor Rapid M	Rodenticide
8191	Luxan Vermigon Pasta Bait	Rodenticide
8192	Raco Paste	Rodenticide
8193	No Flea	Insect Repellent
8194	Ratimor Fresh Bait	Rodenticide
8195	Ratimor Grain Bait	Rodenticide
8196	221L Demand	Insecticide
8197	Rat Radar	Rodenticide
8198	Colibri Natural Anti - Moth With Lavender Sachet	Insect Repellent
8199	Aidol Induline SW-900	Wood Preservative
8200	Paragon Difenacoum Bait	Rodenticide
8202	Superdrug Liquid Mosquito Killer	Insecticide

Amendments:

HSE No:	Product	Amended Date
4855	Cyperkill Plus WP	19/10/05
5659	Peripel 10	1/10/05
5762	Rhodaquat RP50	12/10/05
6296	Aquapy Micro	12/10/05
7068	Protector C	18/10/05
7858	Alpha-SST	18/10/05
7620	Creosote Substitute	2/10/05

WOOD PRESERVATIVE

REMTOX M9 DUAL PURPOSE FUNGICIDE INSECTICIDE

HSE 8170

THE APPROVAL

Marketing Company

SOVEREIGN CHEMICALS LTD

Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 6.13% w/w
PERMETHRIN – 10.51% w/w
PROPICONAZOLE – 17.44% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

BRUSH AND SPRAY

Container

2 X 220G SACHETS

440G IN A SMALL BOTTLE

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL

Application Rate

FOR SACHETS:
DILUTE TWO 220G WATER SOLUBLE SACHETS IN 24.560 LITRES OF WATER.

FOR BOTTLE:
DILUTE 440G OF PRODUCT IN 24.560 LITRES OF WATER.

BRUSH/SPRAY: APPLY 1 LITRE OF DILUTED PRODUCT PER 4 SQUARE METRES OF TIMBER SURFACE.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP Wear suitable eye / face protection (when diluting).
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP Take off immediately all contaminated clothing.

OP Avoid contact with skin.

RE EXCLUDE ALL UNPROTECTED PERSONS AND ANIMALS DURING TREATMENT AND FOR AT LEAST 1 HOUR AFTER TREATMENT IS COMPLETED.

RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE VISIBLY DRY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[Back to contents](#)

WOOD PRESERVATIVE

VACSOL AQUA 6112

HSE 8179

THE APPROVAL

Marketing Company

ARCH TIMBER PROTECTION LTD

Active Ingredient

TEBUCONAZOLE – 0.275 % w/w
PERMETHRIN – 0.250% w/w
PROPICONAZOLE – 0.825% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

VACUUM/PRESSURE IMPREGNATED

Container

640 AND 1000 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

INDUSTRIAL

Application Rate

DILUTE 1 PART OF PRODUCT WITH 9 PARTS OF WATER TO ACHIEVE A 10% WORKING SOLUTION THEN APPLY AS NECESSARY

PRECAUTIONARY PHRASES

US FOR USE ONLY BY INDUSTRIAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing, suitable gauntlets and eye/face protection.

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP DO NOT BREATHE AEROSOL.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Back to contents](#)

WOOD PRESERVATIVE

VACSOL AQUA 6112 RTU

HSE 8180

THE APPROVAL

Marketing Company

ARCH TIMBER PROTECTION LTD

Active Ingredient

TEBUCONAZOLE – 0.0275% w/w
PERMETHRIN – 0.0250 % w/w
PROPICONAZOLE – 0.0825% w/w

Formulation

MICROEMULSION READY-FOR-USE

THE CONDITIONS

Application Method

VACUUM/PRESSURE IMPREGNATED

Container

640 AND 1000 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

INDUSTRIAL

Application Rate

APPLY AS NECESSARY

PRECAUTIONARY PHRASES

US FOR USE ONLY BY INDUSTRIAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable protective gauntlets.

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP DO NOT BREATHE AEROSOL.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Back to contents](#)

ANTIFOULING PRODUCT

BOTTOMCOAT

HSE 8181

THE APPROVAL

Marketing Company

INTERNATIONAL PAINT LTD

Active Ingredient

CUPROUS OXIDE
ZINEB

Also Contains

ROSIN

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

AMATEUR: BRUSH AND ROLLER
PROFESSIONAL: BRUSH, ROLLER AND SPRAY (AIRLESS)

Container

750 ML AND 2.5 LITRES

USE

Field of Use

FOR USE ONLY AS AN ANTIFOULING PRODUCT

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY 1 LITRE OF PRODUCT PER 8 - 10 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP WEAR SUITABLE PROTECTIVE GLOVES when applying.

PROFESSIONAL LABEL

OP DO NOT BREATHE SPRAY MIST.

OP WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS OF A CONTRASTING COLOUR TO THE PRODUCT BEING APPLIED, UNDERNEATH A DISPOSABLE COVERALL WITH HOOD), SUITABLE GLOVES AND IMPERVIOUS FOOTWEAR THAT PROTECTS THE LOWER LEG.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT (such as air-fed respiratory protective equipment with combined protective helmet and visor) when spraying.

OP DISPOSE OF PROTECTIVE GLOVES after use.

OP UNPROTECTED PERSONS SHOULD BE KEPT OUT OF TREATMENT AREAS.

[Back to contents](#)

ANTIFOULING PRODUCT

INTERSWIFT 455 FB

HSE 8182

THE APPROVAL

Marketing Company

INTERNATIONAL PAINT LTD

Active Ingredient

CUPROUS OXIDE
ZINEB

Also Contains

XYLENE
ROSIN

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, ROLLER AND SPRAY (AIRLESS)

Container

20 LITRES

USE

Field of Use

FOR USE ONLY AS AN ANTIFOULING PRODUCT

User

PROFESSIONAL

Application Rate

APPLY 1 LITRE OF PRODUCT PER 4.64 SQUARE METRES OF SURFACE (IF APPLIED AT A UNIFORM THICKNESS OF 125 MICRONS)

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

OP DO NOT BREATHE SPRAY MIST.

OP WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS OF A CONTRASTING COLOUR TO THE PRODUCT BEING APPLIED, UNDERNEATH A DISPOSABLE COVERALL WITH HOOD), SUITABLE GLOVES AND IMPERVIOUS FOOTWEAR THAT PROTECTS THE LOWER LEG.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT (such as air-fed respiratory protective equipment with combined protective helmet and visor) when spraying.

OP DISPOSE OF PROTECTIVE GLOVES after use.

OP UNPROTECTED PERSONS SHOULD BE KEPT OUT OF TREATMENT AREAS.

[Back to contents](#)

INSECT REPELLENT

TEREMID

HSE 8184

THE APPROVAL

Marketing Company

SCOTMAS LIMITED

Active Ingredient

CITRONELLA OIL - 1.242% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

SPRAY

Container

5 LITRES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

PROFESSIONAL

Application Rate

APPLY 1 LITRE OF PRODUCT PER 100 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

EN DO NOT APPLY DIRECTLY TO ANIMALS.

[Back to contents](#)

INSECTICIDE

BANAMITE

HSE 8185

THE APPROVAL

Marketing Company

MEDIVAC HEALTHCARE LTD

Active Ingredient

BORIC ACID – 63.4% w/w

Formulation

DUSTING POWDER

THE CONDITIONS

Application Method

DUSTING POWDER SPRINKLED ONTO CARPET, UNDER THE COVERS OF MATTRESSES, PILLOWS AND CUSHIONS, AND INTO CRACKS AND CREVICES, THEN WORKED IN USING A BRUSH OR CARPET RAKE. EXCESS POWDER TO BE EITHER BRUSHED IN OR VACUUMED UP, AND THE COVERS OF MATTRESSES, PILLOWS AND CUSHIONS TO BE REPLACED OVER THE TREATED SURFACE.

Container

300 GRAMS

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR
PROFESSIONAL

Application Rate

BROADCAST TREATMENT:
APPLY 16.5 GRAMS OF PRODUCT PER SQUARE METRE.

CRACK, CREVICE AND VOID TREATMENT:
APPLY 10 GRAMS OF PRODUCT PER SQUARE METRE.

PRECAUTIONARY PHRASES

OP Do not breathe dust.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
RE FOR INDOOR USE ONLY.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL ANY PRODUCT RESIDUE HAS BEEN REMOVED.
US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe dust.

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE FOR INDOOR USE ONLY.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL ANY PRODUCT RESIDUE HAS BEEN REMOVED.

[Back to contents](#)

RODENTICIDE

SLAYMOR RAPID M

HSE 8188

THE APPROVAL

Marketing Company

NOVARTIS ANIMAL HEALTH UK LTD

Active Ingredient

ALPHACHLORALOSE – 3.9% w/w

Formulation

BLOCK BAIT

THE CONDITIONS

Application Method

BAIT

Container

48 X 10 GRAM BLOCKS
1-2 X 10 GRAM BLOCKS

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL MOUSE KILLER.

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

EN (* Intervals will vary depending on product used; see manufacturer's guidelines).

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

RE FOR INDOOR USE ONLY.

EN HARMFUL TO WILDLIFE.

PROFESSIONAL LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

EN (* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

EN DO NOT PLACE BAIT where food, feed or water could become contaminated .

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

RE FOR INDOOR USE ONLY.

EN HARMFUL TO WILDLIFE.

[Back to contents](#)

RODENTICIDE

LUXAN VERMIGON PASTA BAIT

HSE 8191

THE APPROVAL

Marketing Company

LUXAN (UK) LTD

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

PASTE BAIT

THE CONDITIONS

Application Method

BAIT

Container

AMATEUR 10 KG
PROFESSIONAL 25 KG

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY

PRECAUTIONARY PHRASES

OP AVOID ALL CONTACT BY MOUTH.

EN HARMFUL TO WILDLIFE.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way.

EN (* Intervals will vary depending on product used; see manufacturer's guidelines).

GE Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation occurs in that time.

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN HARMFUL TO WILDLIFE.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).
EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).
EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.
EN (* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).
GE Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation occurs in that time.

[Back to contents](#)

RODENTICIDE

RACO PASTE

HSE 8192

THE APPROVAL

Marketing Company

LODI UK

Active Ingredient

DIFENACOUM - 0.005% w/w

Formulation

PASTE BAIT

THE CONDITIONS

Application Method

BAIT

Container

4 KG (SUPPLIED AS 400 X 10 GRAMME SACHETS)

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT KILLER.

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN HARMFUL TO WILDLIFE.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT where food, feed or water could become contaminated. Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. (* Intervals will vary depending on product used; see manufacturer's guidelines).

FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN HARMFUL TO WILDLIFE.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT where food, feed or water could become contaminated. Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office. (Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

[Back to contents](#)

INSECT REPELLENT

NO FLEA

HSE 8193

THE APPROVAL

Marketing Company

THE ANIMAL HEALTH CO. LTD

Active Ingredient

AUSTRALIAN TEA TREE OIL - 1% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

CLOTH AND TRIGGER SPRAY

Container

500 ML, 2.5 L, AND 5 L REFILLS

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

1 TRIGGER PULL (0.5 ML) COVERS AN AREA OF 12 CM X 13 CM. SPRAY LIGHTLY TO LEGS, SHOULDERS AND NECK AND ONTO TOWEL TO WIPE AROUND HEAD AREA (BUT AVOIDING EYES)

PRECAUTIONARY PHRASES

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.

[Back to contents](#)

RODENTICIDE

RATIMOR FRESH BAIT

HSE 8194

THE APPROVAL

Marketing Company

UNICHEM D.O.O.

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 25 KG

USE

Field of Use

FOR USE ONLY IN RODENT CONTROL BY PROFESSIONAL OPERATORS

User

PROFESSIONAL

Application Rate

APPLY AS NECESSARY

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

(*Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

[Back to contents](#)

RODENTICIDE

RATIMOR GRAIN BAIT

HSE 8195

THE APPROVAL

Marketing Company

UNICHEM D.O.O.

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

GRAIN BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 25 KG

USE

Field of Use

FOR USE ONLY IN RODENT CONTROL BY PROFESSIONAL OPERATORS

User

PROFESSIONAL

Application Rate

APPLY AS NECESSARY

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

(* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

[Back to contents](#)

INSECTICIDE

221L DEMAND

HSE 8196

THE APPROVAL

Marketing Company

SOREX LTD

Active Ingredient

LAMBDA-CYHALOTHRIN – 0.05% w/w

Formulation

PRE-PRESSURISED HAND HELD AEROSOL

THE CONDITIONS

Application Method

SPRAY, SURFACE SPRAY (SPOT, BAND AND CRACK AND CREVICE TREATMENT) AND VOID TREATMENT.

Container

760 MILLILITRES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

PROFESSIONAL

Application Rate

FOR DIRECT SPRAY TREATMENT APPLY A 1 SECOND BURST FROM A DISTANCE OF 30CM.

FOR CRACK AND CREVICE TREATMENT AGAINST APPLY PRODUCT AT A RATE OF:

LIGHT INFESTATION - 1 LINEAR METRE/SECOND (UP TO 10CM WIDE BAND).

HEAVY INFESTATION - 0.5 LINEAR METRES/SECOND (UP TO 10CM WIDE BAND).

FOR BAND TREATMENT APPLY PRODUCT AT A RATE OF 1 LINEAR METRE/SECOND (UP TO 10CM WIDE BAND).

FOR VOID TREATMENT AGAINST COCKROACHES, ANTS OR BEDBUGS APPLY A 1 SECOND BURST PER 0.01 CUBIC METRES.

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

RE When using do not eat drink or smoke.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE FOR INDOOR USE ONLY.

EN DO NOT APPLY DIRECTLY TO ANIMALS.

EN EXCLUDE ANIMALS DURING APPLICATION.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.

[Back to contents](#)

RODENTICIDE

RAT RADAR

HSE 8197

THE APPROVAL

Marketing Company

RENTOKIL INITIAL UK LTD

Active Ingredient

CARBON DIOXIDE - 100% w/w

Formulation

GAS

THE CONDITIONS

Application Method

ENCLOSED GAS TRAP

Container

33 AND 50 GRAMMES

USE

Field of Use

FOR USE ONLY IN THE DESPATCH OF TRAPPED RODENTS BY PROFESSIONAL OPERATORS

User

PROFESSIONAL

Application Rate

APPLY AS NECESSARY

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

EN PREVENT ACCESS TO GAS TRAPS by children and non-target animals.

EN HARMFUL TO WILDLIFE.

EN REMOVE ALL GAS TRAPS AFTER TREATMENT AND DISPOSE OF SAFELY.

EN Search for and remove rodent bodies at frequent* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers).

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

EN (* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

[Back to contents](#)

INSECT REPELLENT

COLIBRI NATURAL ANTI - MOTH WITH LAVENDER SACHET

HSE 8198

THE APPROVAL

Marketing Company

HIMALAYA UK LTD

Active Ingredient

AUSTRALIAN TEA TREE OIL - 1% w/w

Formulation

SOLID READY-FOR-USE

THE CONDITIONS

Application Method

VAPOURISING SOLID

Container

1 – 6 X 4 GRAM SACHETS

1 – 3 X 15 GRAM SACHETS

1 X 26 GRAM SACHETS

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

PLACE 1 - 2 SACHETS PER SPACE DEPENDING ON SIZE AND SEVERITY OF INFESTATION

PRECAUTIONARY PHRASES

RE FOR INDOOR USE ONLY.

RE USE ONLY in positions inaccessible to children and animals.

RE DO NOT USE in larders or food cupboards.

RE DO NOT exceed the use of two units per one cubic metre.

EN This material and its container must be disposed of in a safe way.

[Back to contents](#)

WOOD PRESERVATIVE

AIDOL INDULINE SW-900

HSE 8199

THE APPROVAL

Marketing Company

REMMERS (UK) LTD

Active Ingredient

PROPICONAZOLE - 1.12% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

INDUSTRIAL: BRUSH, DIP AND CLOSED DELUGE.
PROFESSIONAL: BRUSH AND DIP

Container

PROFESSIONAL 5 AND 20 LITRES
INDUSTRIAL 5, 20, AND 120 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL
INDUSTRIAL

Application Rate

BRUSH: 160 - 200 ML OF PRODUCT PER SQUARE METRE.

DIP: DIP FOR 3 MINUTES (APPROXIMATELY 200 ML PER SQUARE METRE).

ENCLOSED DELUGE: IMMERSE FOR A MINIMUM OF 3 MINUTES (TO GIVE APPROXIMATELY 160 MILLILITRES PER SQUARE METRE).

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL:

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

INDUSTRIAL LABEL:

US FOR USE ONLY BY INDUSTRIAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing.

OP Wear suitable protective gauntlets

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP DO NOT BREATHE AEROSOL.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Back to contents](#)

RODENTICIDE

PARAGON DIFENACOUM BAIT

HSE 8200

THE APPROVAL

Marketing Company

PARAGON LTD

Active Ingredient

DIFENACOUM - 0.005% w/w

Formulation

GRAIN BAIT

THE CONDITIONS

Application Method

BAIT

Container

AMATEUR UP TO 10 KG
PROFESSIONAL UP TO 25 KG

USE

Field of Use

FOR USE ONLY AS AN AMATEUR AND PROFESSIONAL RAT AND MOUSE KILLER

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY AS NECESSARY

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. (* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

PROFESSIONAL LABEL

FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry
EN DO NOT PLACE BAIT where food, feed or water could become contaminated. Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office. (* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).
EN HARMFUL TO WILDLIFE.

[Back to contents](#)

INSECTICIDE

SUPERDRUG LIQUID MOSQUITO KILLER

HSE 8202

THE APPROVAL

Marketing Company

AIR FREE SYSTEMS S L

Active Ingredient

PRALLETHRIN – 0.87% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

VAPOURISATION OF ACTIVE INGREDIENT IN ELECTRICAL HEATING UNIT

Container

45 MILLILITRES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

USE 1 UNIT IN AN AVERAGE SIZED ROOM (30 CUBIC METRES) FOR A MAXIMUM OF 12 HOURS PER DAY

PRECAUTIONARY PHRASES

AMATEUR LABEL

RE FOR USE ONLY IN THE HEATING APPLIANCE SPECIFIED.

RE FOR INDOOR USE ONLY.

OP DO NOT TOUCH WICK.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN This material and its container must be disposed of in a safe way.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

[Back to contents](#)

AMENDMENT

RHODQUAT RP50

HSE 5762

Marketing Company

RHODIA UK LTD

AMENDMENT

MARKETING COMPANY NAME HAS CHANGED **FROM: RHODIA HPCII UK LTD**
TO: RHODIA UK LTD

All other conditions remain unchanged.

Date amended 12/10/05.

[Back to contents](#)

AMENDMENT

CYPERKILL PLUS WP

HSE 4855

Marketing Company

CHIMAC-AGRIPHAR S.A.

AMENDMENT

THE APPLICATION RATE HAS CHANGED:

FROM: ROUTINE USE: DISPERSE 25G OF PRODUCT IN 5 LITRES OF WATER. THEN APPLY AT A RATE OF 1 LITRES OF MIXED PRODUCT PER 30 SQUARE METRES OF SURFACE.

HEAVY INFESTATION: DISPERSE 50G OF PRODUCT IN 5 LITRES OF WATER. THEN APPLY AT A RATE OF 1 LITRES PER 20 - 30 SQUARE METRES OF SURFACES.

TO: ROUTINE USE: DISPERSE 10G OF PRODUCT IN 5 LITRES OF WATER THEN 1 LITRE OF DILUTED PRODUCT PER 30 SQUARE METRES OF SURFACE.

HEAVY INFESTATION: DISPERSE 20G OF PRODUCT IN 5 LITRES OF WATER THEN 1 LITRE OF DILUTED PRODUCT PER 20 - 30 SQUARE METRES OF SURFACE.

THE FORMULATION HAS BEEN REVISED:

THE CONCENTRATION OF CYPERMETHRIN HAS BEEN INCREASED:

FROM: 10%

TO: 25%

TETRAMETHRIN HAS BEEN REMOVED.

Date amended 19/10/05.

All other conditions remain unchanged.

[Back to contents](#)

AMENDMENT

PERIPEL 10

HSE 5659

Marketing Company

BAYER ENVIRONMENTAL SCIENCE

AMENDMENT

AMATEUR LABEL

The following safety phrases have changed:

From: DO NOT BREATHE SPRAY MIST.

To: Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer)

From: THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way

To: This material and its container must be disposed of in a safe way.

From: DO NOT CONTAMINATE watercourses or ground.

To: Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

The following safety phrases have been added:

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

COVER ALL WATER STORAGE TANKS before application.

Avoid contact with skin.

When using do not eat drink or smoke.

REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

The following safety phrases have been removed:

WEAR SUITABLE PROTECTIVE GLOVES when handling the concentrate and dripping nets.

AVOID naked flames and hot surfaces.

EXTREMELY DANGEROUS TO FISH AND OTHER AQUATIC LIFE.

PROFESSIONAL PHRASES

The following safety phrases have changed:

From: The (COSHH) Control of Substances Hazardous to Health Regulations 1994 may apply to the use of this product at work.

To: The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

From: WEAR SYNTHETIC RUBBER/PVC GLOVES when handling the concentrate and dipping nets or uniforms plus EYE PROTECTION when diluting.

To: Wear suitable protective clothing and suitable gloves. Wear suitable eye / face protection (when diluting).

From: DO NOT BREATHE SPRAY MIST. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53. "Respiratory Protective Equipment – a practical guide for users").

To: Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

From: THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way.

To: This material and its container must be disposed of in a safe way.

From: EXTREMELY DANGEROUS TO FISH AND OTHER AQUATIC LIFE.

To: REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

From: DO NOT CONTAMINATE watercourses or ground.

To: Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

The following safety phrases have been added:

AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRY REGULARLY.

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

COVER ALL WATER STORAGE TANKS before application.

When using do not eat drink or smoke.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Avoid contact with skin.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY.

The following safety phrases have been removed:

AVOID naked flames and hot surfaces.

AVOID ALL CONTACT WITH PLANT LIFE.

Date amended 1/10/05

All other conditions remain unchanged.

[Back to contents](#)

AMENDMENT

AQUAPY MICRO

HSE 6296

Marketing Company

BAYER ENVIRONMENTAL SCIENCE SA

AMENDMENTS

THE APPLICATION METHOD HAS BEEN AMENDED:

FROM: ULTRA LOW VOLUME (ULV) MICROGEN

TO: ULTRA LOW VOLUME (ULV) MICROGEN MACHINE/GENERATOR

THE FOLLOWING PROFESSIONAL PRECAUTIONARY SAFETY PHRASES HAVE BEEN AMENDED:

FROM: The (COSHH) Control of Substances Hazardous to Health Regulations 1994 may apply to the use of this product at work.

TO: The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

FROM: WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SYNTHETIC RUBBER/PVC GLOVES when using.

TO: Wear suitable protective clothing and suitable gloves.

FROM: COVER WATER STORAGE TANKS before application.

TO: COVER ALL WATER STORAGE TANKS before application.

FROM: THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way.

TO: This material and its container must be disposed of in a safe way.

FROM: Remove or cover fish tanks and bowls before application.

TO: REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

FROM: Do not contaminate watercourses or ground.

TO: Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

THE FOLLOWING PROFESSIONAL PRECAUTIONARY SAFETY PHRASES HAVE BEEN ADDED:

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

THE FOLLOWING PROFESSIONAL PRECAUTIONARY SAFETY PHRASES HAVE BEEN REMOVED:

HARMFUL TO FISH AND OTHER AQUATIC LIFE.

Date amended 12/10/05.

All other conditions remain unchanged.

[Back to contents](#)

AMENDMENTS

HSE 7068 PROTECTOR C

Marketeting Company: Agropharm Ltd

The product name has changed:

From: Patriot C

To: Protector C

HSE 7858 ALPHA-SST

Marketeting Company: JV Barrett & Co. Ltd

The product name has changed:

From: Barrettine Alpha Sachet Flying and Crawling Insect Killer

To: Alpha-SST

Date amended 18/10/05.

All other conditions remain unchanged.

[Back to contents](#)

AMENDMENT

CREOSOTE SUBSTITUTE

HSE 7620

Marketing Company

BARTOLINE LTD

AMENDMENT

The amount of the Active Ingredient Dichlofluanid has changed:

From: 0.396%

To: 0.395%

Amateur Phrases:

The following safety phrases have changed

From: WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SYNTHETIC RUBBER/PVC GLOVES when using.

To: Wear suitable protective clothing and suitable gloves.

From: COVER WATER STORAGE TANKS before application.

To: COVER ALL WATER STORAGE TANKS before application.

From: WHEN USING DO NOT EAT DRINK OR SMOKE.

To: When using do not eat drink or smoke.

From: DO NOT CONTAMINATE watercourses or ground.

To: Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

From: THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way

To: This material and its container must be disposed of in a safe way.

The following safety phrases have been removed:

DO NOT APPLY in the presence of naked flames, hot surfaces or unprotected electrical equipment.

DANGEROUS TO FISH AND OTHER AQUATIC LIFE

The following safety phrase has been added.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Professional Phrases:

The following safety phrases have changed.

From: The (COSHH) Control of Substances Hazardous to Health Regulations 1999 may apply to the use of this product at work.

To: The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

From: WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SYNTHETIC RUBBER/PVC GLOVES when using.

To: Wear suitable protective clothing and suitable gloves.

From: COVER WATER STORAGE TANKS before application.

To: COVER ALL WATER STORAGE TANKS before application.

From: THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way.

To: This material and its container must be disposed of in a safe way.

From: WHEN USING DO NOT EAT DRINK OR SMOKE.

To: When using do not eat drink or smoke.

From: DO NOT CONTAMINATE watercourses or ground.

To: Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

The following safety phrases have been removed:

DO NOT APPLY in the presence of naked flames, hot surfaces or unprotected electrical equipment.

DANGEROUS TO FISH AND OTHER AQUATIC LIFE.

The following safety phrase has been added.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

All other conditions remain unchanged.

Date amended 2/10/05.

[Back to contents](#)