

November - 2004

Products Approved

via

HSE Biocides &
Pesticides Unit

Contents

HSE No:	Product	Use
HSE 7936	Wickes All Purpose Wood Treatment (W)	Wood Preservative
HSE 7937	Wickes Woodworm Killer (W)	Wood Preservative
HSE 7938	Wickes Woodworm Killer (W) Aerosol	Wood Preservative
HSE 7942	Antifouling Seaquantum LLL	Antifouling Product
HSE 7952	Canac Extra Long Lasting Household Flea Spray	Insecticide
HSE 7959	Ruby Louse Repellent Powder	Insecticide
HSE 7960	Louse Powder	Insecticide
HSE 7961	Wilko Herbal Dog Flea Drops	Insecticide
HSE 7962	Wilko Cat Flea Drops	Insecticide
HSE 7966	Intersmooth 460 SPC	Antifouling Product
HSE 7967	Intersmooth 360 SPC	Antifouling Product
HSE 7968	Intersmooth 365 SPC	Antifouling Product
HSE 7969	Intersmooth 465 SPC	Antifouling Product
HSE 7970	Repulse	Insecticide
HSE 7971	Hexaklene Repel Ready To Use	Insecticide
HSE 7973	Canac Herbal Dog Flea Shampoo	Insecticide
HSE 7975	Active Ant and Crawling Insect Killer	Insecticide
HSE 7976	Tesco Decking Cleaner	Surface Biocide
HSE 7981	Sovaq WSS FLX 1	Wood Preservative
HSE 7982	Stop Ant	Insecticide
HSE 7983	Wickes Shed and Fence Preserver	Wood Preservative
HSE 7984	Wickes Decorative Wood Preserver ^(w)	Wood Preservative
HSE 7985	Wickes Decking & Garden Furniture Clear Preserver	Wood Preservative
HSE 7986	Wickes Decking and Garden Furniture Woodstain & Preserver	Wood Preservative
HSE 7989	Extra Tail Fly Repellent	Insecticide
HSE 7990	Aqua-Tech Woodworm	Wood Preservative
HSE 7991	Aqua-Tech Dual	Wood Preservative
HSE 7992	Aquatech Fungicide	Wood Preservative
HSE 7993	Dulux Trade Weathershield Preservative Basecoat +	Wood Preservative
HSE 7995	Wickes Clear Wood Preserver	Wood Preservative
HSE 7998	B & Q Rat Killer Pellets	Rodenticide
HSE 7999	B & Q Mouse Killer	Rodenticide
HSE 8000	Extra Tail Natural Fly Repellent	Insecticide
HSE 8008	Wilko Ant & Crawling Insect Killer Powder	Insecticide

Amendments:

HSE No:	Product	Amended Date
HSE 3372	Interclene Premium BCA300 Series	23/11/04
HSE 3386	TS 10240 Antifouling ADA160 Series	23/11/04
HSE 3399	Boatguard	23/11/04
HSE 4084	Interclene Super BCA400 Series (BCA400 Red)	23/11/04
HSE 5059	Interclene Underwater Premium BCA468 Red	23/11/04
HSE 5217	Intertox	23/11/04
HSE 5634	Interspeed System 2 Bro 142/240 Series	23/11/04
HSE 5642	Interviron Super Tin-Free Polishing Antifouling BQO420 Series	23/11/04
HSE 5725	Interspeed 2002	23/11/04
HSE 5727	Interspeed 2001	23/11/04
HSE 5728	Micron 400 Series	23/11/04
HSE 5730	VC Offshore Extra 100 Series	23/11/04
HSE 5731	Micron CSC 100 Series	23/11/04
HSE 5941	Micron Optima	23/11/04
HSE 6057	Intersmooth 360 Ecoloflex	23/11/04
HSE 6276	Intersmooth 460 Ecoloflex	23/11/04
HSE 6556	Intersmooth 465 Ecoloflex	23/11/04
HSE 6557	Intersmooth 365 Ecoloflex	23/11/04
HSE 6631	Interspeed 2000 White	23/11/04
HSE 6660	Interspeed Ultra	23/11/04
HSE 6661	Trilux	23/11/04
HSE 6663	Micron Extra	23/11/04
HSE 7019	Interclene 245	23/11/04
HSE 7020	Interspeed 340	23/11/04
HSE 7061	VC 17M	23/11/04
HSE 7095	New Improved Cruiser Premium	23/11/04
HSE 7234	Interspeed Aqua	23/11/04

HSE 7244	Mostyn DTP 15 ULV	18/11/04
HSE 7259	Professional Self Polishing Antifouling	23/11/04
HSE 7262	VC Offshore with Teflon	23/11/04
HSE 7296	New Waterways	23/11/04
HSE 7299	Nautical Eroding Antifouling	23/11/04
HSE 7323	New VC Prop O Drev	
HSE 7463	Interspeed Aqua White	23/11/04
HSE 7526	Cruiser Uno	23/11/04
HSE 7527	Uni-Pro	23/11/04
HSE 7740	Trilux-Prop-O-Drev	23/11/04
HSE 7478	Trilux 33 Superyacht 800 Tin Replacement Antifouling	23/11/04
HSE 7479	Micron 55 Superyacht 900 Tin Replacement Antifouling	23/11/04
HSE 7752	Waterways Plus	23/11/04
HSE 7796	Sigma Ecofleet 530	9/11/04
HSE 7871	Intersmooth 88 UK	23/11/04
HSE 7914	Micron 66	23/11/04

WOOD PRESERVATIVE

WICKES ALL PURPOSE WOOD TREATMENT (W)

HSE 7936

THE APPROVAL

Marketing Company

WICKES BUILDING SUPPLIES LTD

Active Ingredient

FLUFENOXURON - 0.02% w/w
PROPICONAZOLE - 0.60% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

AMATEUR: BRUSH, DIP, SPRAY AND INJECTION.
PROFESSIONAL: BRUSH, DIP, IMMERSION, INJECTION AND SPRAY.

Container

AMATEUR 2.5 AND 5 LITRES
PROFESSIONAL 2.5, 5 AND 25 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR
PROFESSIONAL

Application Rate

BRUSH AND SPRAY: APPLY 1 LITRE OF PRODUCT PER 3-4 SQUARE METRES OF TIMBER SURFACE.
DIP: DIP TIMBER FOR A MINIMUM OF 3 MINUTES
IMMERSION: IMMERSER TIMBER FOR 10 - 60 MINUTES
INJECTION: INJECT AS REQUIRED

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and gloves.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

GE Use only in well-ventilated areas.

RE FOR INDOOR USE ONLY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN AVOID ALL CONTACT WITH PLANT LIFE.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53:

"The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of as hazardous waste.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR INDOOR USE ONLY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN AVOID ALL CONTACT WITH PLANT LIFE.

[back to contents](#)

WOOD PRESERVATIVE

WICKES WOODWORM KILLER (W)

HSE 7937

THE APPROVAL

Marketing Company

WICKES BUILDING SUPPLIES LTD

Active Ingredient

FLUFENOXURON - 0.02% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

AMATEUR: BRUSH, DIP, SPRAY AND INJECTION.
PROFESSIONAL: BRUSH, DIP, IMMERSION, INJECTION AND SPRAY.

Container

AMATEUR 2.5 AND 5 LITRES
PROFESSIONAL 2.5, 5 AND 25 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR
PROFESSIONAL

Application Rate

BRUSH AND SPRAY: APPLY 1 LITRE OF PRODUCT PER 3-4 SQUARE METRE OF TIMBER SURFACE.
DIP: DIP TIMBER FOR A MINIMUM OF 3 MINUTES.
INJECTION: INJECT AS REQUIRED
IMMERSION: IMMERSE FOR 10-60 MINUTES

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and gloves.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

GE Use only in well-ventilated areas.

RE FOR INDOOR USE ONLY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN AVOID ALL CONTACT WITH PLANT LIFE.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of as hazardous waste.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR INDOOR USE ONLY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN AVOID ALL CONTACT WITH PLANT LIFE.

[back to contents](#)

WOOD PRESERVATIVE

WICKES WOODWORM KILLER (W) AEROSOL

HSE 7938

THE APPROVAL

Marketing Company

IMPERIAL CHEMICAL INDUSTRIES PLC

Active Ingredient

FLUFENOXURON - 0.019% w/w

Formulation

PRE-PRESSURISED HAND HELD AEROSOL

THE CONDITIONS

Application Method

IMJECTION AND SPRAY

Container

250 ML

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR
PROFESSIONAL

Application Rate

INJECT PRODUCT INTO FLIGHT HOLES AS NECESSARY.
SPRAY PRODUCT INTO CRACKS AND CREVICES IN TIMBER AS REQUIRED.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and gloves.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
GE Use only in well-ventilated areas.
RE FOR INDOOR USE ONLY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN AVOID ALL CONTACT WITH PLANT LIFE.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of as hazardous waste.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR INDOOR USE ONLY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN AVOID ALL CONTACT WITH PLANT LIFE.

[back to contents](#)

ANTIFOULING PRODUCT

ANTIFOULING SEAQUANTUM LLL

HSE 7942

THE APPROVAL

Marketing Company

JOTUN PAINTS (EUROPE) LTD

Active Ingredient

COPPER PYRITHIONE
CUPROUS OXIDE

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, ROLLER AND SPRAY (AIRLESS)

Container

PROFESSIONAL 20 LITRES

USE

Field of Use

FOR USE ONLY AS AN ANTIFOULING PRODUCT

User

PROFESSIONAL

Application Rate

APPLY 1 LITRE OF PRODUCT PER 4.5 - 7.1 SQUARE METRES OF SURFACE

PRECAUTIONARY PHRASES

USE IN ACCORDANCE WITH THE CHEMICALS (HAZARD INFORMATION AND PACKAGING FOR SUPPLY) REGULATIONS 1994, AS FROM TIME TO TIME AMENDED.

OP WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS OF A CONTRASTING COLOUR TO THE PRODUCT BEING APPLIED, UNDERNEATH A DISPOSABLE COVERALL WITH HOOD), SUITABLE GLOVES AND IMPERVIOUS FOOTWEAR THAT PROTECTS THE LOWER LEG.

OP DISPOSE OF PROTECTIVE GLOVES after use.

OP DO NOT BREATHE SPRAY MIST.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT (such as air-fed respiratory protective equipment with combined protective helmet and visor) when spraying.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT such as FFP3 (or an equivalent standard) when working in the vicinity of the spray plume.

OP UNPROTECTED PERSONS SHOULD BE KEPT OUT OF TREATMENT AREAS.

[back to contents](#)

INSECTICIDE

CANAC EXTRA LONG LASTING HOUSEHOLD FLEA SPRAY

HSE 7952

THE APPROVAL

Marketing Company

SINCLAIR ANIMAL AND HOUSEHOLD CARE LTD

Active Ingredient

PERMETHRIN - .19% w/w
PYRETHRINS - .05% w/w
METHOPRENE - .10% w/w

Formulation

PRE-PRESSURISED HAND HELD AEROSOL

THE CONDITIONS

Application Method

SURFACE SPRAY

Container

AMATEUR 300 ML
PROFESSIONAL 300 ML

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR
PROFESSIONAL

Application Rate

A 10 SECOND BURST TREATS 1 SQUARE METRE OF SURFACE.

PRECAUTIONARY PHRASES

AMATEUR PHRASES

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.

RE FOR INDOOR USE ONLY.

EN DO NOT APPLY DIRECTLY TO ANIMALS.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

PROFESSIONAL PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

RE FOR INDOOR USE ONLY.

EN DO NOT APPLY DIRECTLY TO ANIMALS.

EN EXCLUDE ANIMALS DURING APPLICATION.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[back to contents](#)

INSECTICIDE

RUBY LOUSE REPELLENT POWDER

HSE 7959

THE APPROVAL

Marketing Company

BRIAN G. SPENCER LTD

Active Ingredient

CITRONELLA OIL - 0.1% w/w
LAVENDER OIL - 0.1% w/w
CEDARWOOD OIL - 0.1% w/w
TEA TREE OIL - 0.1% w/w

Formulation

POWDER

THE CONDITIONS

Application Method

DUSTING POWDER

Container

60G, 200G, 400G, 2 KG AND 4 KG

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 30 GRAMS OF PRODUCT (10 SHAKES OF POWDER) PER SQUARE METRE OF SURFACE AREA

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Do not breathe dust.
OP AVOID ALL CONTACT BY MOUTH.
RE When using do not eat drink or smoke.
EN COVER ALL WATER STORAGE TANKS before application.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
OP Avoid contact with skin.
EN This material and its container must be disposed of in a safe way.

[back to contents](#)

INSECTICIDE

LOUSE POWDER

HSE 7960

THE APPROVAL

Marketing Company

THOMAS PETTIFER & CO LTD

Active Ingredient

CITRONELLA OIL - 0.1% w/w
LAVENDER OIL - 0.1% w/w
CEDARWOOD OIL - 0.1% w/w
TEA TREE OIL - 0.1% w/w

Formulation

POWDER

THE CONDITIONS

Application Method

DUSTING POWDER

Container

60G, 200G, 400G, 2 KG AND 4 KG

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 30 GRAMS OF PRODUCT (10 SHAKES OF POWDER) PER SQUARE METRE OF SURFACE AREA

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Do not breathe dust.
OP AVOID ALL CONTACT BY MOUTH.
RE When using do not eat drink or smoke.
EN COVER ALL WATER STORAGE TANKS before application.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
OP Avoid contact with skin.
EN This material and its container must be disposed of in a safe way.

[back to contents](#)

INSECTICIDE

WILKO HERBAL DOG FLEA DROPS

HSE 7961

THE APPROVAL

Marketing Company

WILKINSON

Active Ingredient

CITRONELLA OIL - .75% w/w
d-LIMONENE - 5% w/w
NEEM - 2.25% w/w
EUCALYPTUS OIL - 1% w/w
TEA TREE OIL - .2% w/w

Formulation

LIQUID READY-FOR-USE

THE CONDITIONS

Application Method

TUBE

Container

1 MILLILITRE

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

FOR DOGS UP TO 15KG: ENTIRE CONTENTS OF ONE TUBE (1ML) IS APPLIED BETWEEN THE SHOULDER BLADES.
FOR DOGS UP TO 30KG: ENTIRE CONTENTS OF ONE TUBE (1ML) IS APPLIED BETWEEN THE SHOULDER BLADES AND ENTIRE CONTENTS OF SECOND TUBE IS APPLIED ON THE BACK NEAR THE TAIL.

PRECAUTIONARY PHRASES

Amateur label

EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
RE When using do not eat drink or smoke.

[back to contents](#)

INSECTICIDE

WILKO CAT FLEA DROPS

HSE 7962

THE APPROVAL

Marketing Company

WILKINSON

Active Ingredient

CITRONELLA OIL - .75% w/w
d-LIMONENE - 5% w/w
NEEM - 2.25% w/w
EUCALYPTUS OIL - 1% w/w
TEA TREE OIL - .2% w/w

Formulation

LIQUID READY-FOR-USE

THE CONDITIONS

Application Method

TUBE

Container

1 MILLILITRES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 1 ML OF PRODUCT PER BETWEEN THE CATS FUR ON ITS SHOULDER BLADES.

PRECAUTIONARY PHRASES

Amateur label

RE When using do not eat drink or smoke.

OP Avoid contact with skin.

EN This material and its container must be disposed of in a safe way.

[back to contents](#)

ANTIFOULING PRODUCT
INTERSMOOTH 460 SPC

HSE 7966

THE APPROVAL

Marketing Company

INTERNATIONAL PAINT LTD

Active Ingredient

CUPROUS OXIDE
ZINC PYRITHIONE

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

PROFESSIONAL: BRUSH, ROLLER AND SPRAY
AMATEUR: BRUSH AND ROLLER.

Container

AMATEUR 20 LITRES
PROFESSIONAL 20 LITRES

USE

Field of Use

FOR USE ONLY AS AN ANTIFOULING PRODUCT

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY 1 LITRE OF PRODUCT PER 3 SQUARE METRES.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP WEAR SUITABLE PROTECTIVE GLOVES when applying.

PROFESSIONAL LABEL

OP DO NOT BREATHE SPRAY MIST.

OP WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS OF A CONTRASTING COLOUR TO THE PRODUCT BEING APPLIED, UNDERNEATH A DISPOSABLE COVERALL WITH HOOD), SUITABLE GLOVES AND IMPERVIOUS FOOTWEAR THAT PROTECTS THE LOWER LEG.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT (such as air-fed respiratory protective equipment with combined protective helmet and visor) when spraying.

OP UNPROTECTED PERSONS SHOULD BE KEPT OUT OF TREATMENT AREAS.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT such as FFP3 (or an equivalent standard) when working in the vicinity of the spray plume.

OP DISPOSE OF PROTECTIVE GLOVES after use.

[back to contents](#)

ANTIFOULING PRODUCT

INTERSMOOTH 360 SPC

HSE 7967

THE APPROVAL

Marketing Company

INTERNATIONAL PAINT LTD

Active Ingredient

CUPROUS OXIDE
ZINC PYRITHIONE

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

PROFESSIONAL: BRUSH, ROLLER AND SPRAY.
AMATEUR: BRUSH AND ROLLER.

Container

AMATEUR 20 LITRES
PROFESSIONAL 20 LITRES

USE

Field of Use

FOR USE ONLY AS AN ANTIFOULING PRODUCT

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY 1 LITRE OF PRODUCT PER 3 SQUARE METRES.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP WEAR SUITABLE PROTECTIVE GLOVES when applying.

PROFESSIONAL LABEL

OP DO NOT BREATHE SPRAY MIST.

OP WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS OF A CONTRASTING COLOUR TO THE PRODUCT BEING APPLIED, UNDERNEATH A DISPOSABLE COVERALL WITH HOOD), SUITABLE GLOVES AND IMPERVIOUS FOOTWEAR THAT PROTECTS THE LOWER LEG.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT (such as air-fed respiratory protective equipment with combined protective helmet and visor) when spraying.

OP UNPROTECTED PERSONS SHOULD BE KEPT OUT OF TREATMENT AREAS.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT such as FFP3 (or an equivalent standard) when working in the vicinity of the spray plume.

OP DISPOSE OF PROTECTIVE GLOVES after use.

[back to contents](#)

ANTIFOULING PRODUCT
INTERSMOOTH 365 SPC

HSE 7968
THE APPROVAL

Marketing Company

INTERNATIONAL COATINGS LTD

Active Ingredient

CUPROUS OXIDE
ZINC PYRITHIONE

Also Contains

XYLENE

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

AMATEUR: BRUSH AND ROLLER
PROFESSIONAL: BRUSH, ROLLER AND SPRAY

Container

20 LITRES

USE

Field of Use

USE ONLY AS AN ANTIFOULING PRODUCT

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY 1 LITRE OF PRODUCT PER 3.3 SQUARE METRES OF SURFACE

PRECAUTIONARY PHRASES

Amateur label

OP WEAR SUITABLE PROTECTIVE GLOVES when applying.

Professional label

OP DO NOT BREATHE SPRAY MIST.

OP WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS OF A CONTRASTING COLOUR TO THE PRODUCT BEING APPLIED, UNDERNEATH A DISPOSABLE COVERALL WITH HOOD), SUITABLE GLOVES AND IMPERVIOUS FOOTWEAR THAT PROTECTS THE LOWER LEG.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT (such as air-fed respiratory protective equipment with combined protective helmet and visor) when spraying.

OP UNPROTECTED PERSONS SHOULD BE KEPT OUT OF TREATMENT AREAS.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT such as FFP3 (or an equivalent standard) when working in the vicinity of the spray plume.

OP DISPOSE OF PROTECTIVE GLOVES after use.

[back to contents](#)

ANTIFOULING PRODUCT

INTERSMOOTH 465 SPC

HSE 7969 THE APPROVAL

Marketing Company

INTERNATIONAL COATINGS LTD

Active Ingredient

CUPROUS OXIDE
ZINC PYRITHIONE

Also Contains

XYLENE

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

AMATEUR: BRUSH AND ROLLER
PROFESSIONAL: BRUSH, ROLLER AND SPRAY

Container

20 LITRES

USE

Field of Use

USE ONLY AS AN ANTIFOULING PRODUCT

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY 1 LITRE OF PRODUCT PER 3.3 SQUARE METRES OF SURFACE

PRECAUTIONARY PHRASES

Amateur label

OP WEAR SUITABLE PROTECTIVE GLOVES when applying.

Professional label

OP DO NOT BREATHE SPRAY MIST.

OP WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS OF A CONTRASTING COLOUR TO THE PRODUCT BEING APPLIED, UNDERNEATH A DISPOSABLE COVERALL WITH HOOD), SUITABLE GLOVES AND IMPERVIOUS FOOTWEAR THAT PROTECTS THE LOWER LEG.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT (such as air-fed respiratory protective equipment with combined protective helmet and visor) when spraying.

OP UNPROTECTED PERSONS SHOULD BE KEPT OUT OF TREATMENT AREAS.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT such as FFP3 (or an equivalent standard) when working in the vicinity of the spray plume.

OP DISPOSE OF PROTECTIVE GLOVES after use.

[back to contents](#)

INSECTICIDE

REPULSE

HSE 7970

THE APPROVAL

Marketing Company: AGROSERVE LTD

Active Ingredients: ETHYL BUTYLACETYLAMINOPROPIONATE – 4.9% w/w

Formulation: WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method: SURFACE TRIGGER SPRAY

Container: 5 LITRES

USE

Field of Use: FOR USE ONLY AS AN INSECT REPELLENT

User: PROFESSIONAL

Application Rate: APPLY AT A RATE OF 2ML OF PRODUCT PER COW OVER A SURFACE AREA OF 500 SQUARE CENTIMETERS (EQUIVALENT TO 20 SPRAYS).

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

EN This material and its container must be disposed of in a safe way.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

EN Protect milk machinery and milk containers from contamination.

[back to contents](#)

INSECTICIDE

HEXAKLENE REPEL READY TO USE

HSE 7971

THE APPROVAL

Marketing Company: AGROSERVE LTD

Active Ingredients: ETHYL BUTYLACETYLAMINOPROPIONATE – 0.98% w/w

Formulation: WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method: HAND AND TRIGGER SPRAY

Container: 25 AND 200 LITRES

USE

Field of Use: FOR USE ONLY AS AN INSECT REPELLENT

User: PROFESSIONAL

Application Rate: APPLY 8ML OF PRODUCT AROUND UDDER/TEATS ONLY.

PRECAUTIONARY PHRASES

PROFESSIONAL LABEL

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

EN This material and its container must be disposed of in a safe way.

[back to contents](#)

INSECTICIDE

CANAC HERBAL DOG FLEA SHAMPOO

HSE 7973

THE APPROVAL

Marketing Company

SINCLAIR ANIMAL AND HOUSEHOLD CARE LTD

Active Ingredient

d-LIMONENE - .415% w/w

Formulation

EMULSION CONCENTRATE

THE CONDITIONS

Application Method

HAND

Container

1 LITRE

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

DILUTE THE RECOMMENDED AMOUNT OF SHAMPOO WITH 300ML OF WATER.

FOR SMALL DOGS: USE 30ML OF SHAMPOO.

FOR MEDIUM DOGS: USE 50ML OF SHAMPOO.

FOR LARGE DOGS: USE 70ML OF SHAMPOO.

WET THE COAT THOROUGHLY WITH WATER AND MASSAGE IN HALF OF THE MIXTURE. RINSE THE COAT AND REPEAT WITH THE OTHER HALF OF THE MIXTURE. REPEAT IN 7 DAYS IF NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.

RE When using do not eat drink or smoke.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[back to contents](#)

INSECTICIDE

ACTIVE ANT AND CRAWLING INSECT KILLER

HSE 7975

THE APPROVAL

Marketing Company

SINCLAIR ANIMAL AND HOUSEHOLD CARE LTD

Active Ingredient

DELTAMETHRIN - .0196% w/w

Formulation

PRE-PRESSURISED HAND HELD AEROSOL

THE CONDITIONS

Application Method

SURFACE SPRAY (SPOT, BAND AND CRACK AND CREVICE TREATMENT)

Container

300 ML

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

SPRAY AT A DISTANCE OF 30 CM. SPRAY DIRECTLY AT INSECTS ON SURFACE. SPRAY ONTO SURFACES ON WHICH INSECTS WALK, INTO CRACKS, CREVICES AND OTHER INSECT HARBOURAGES. RE-APPLY AS NECESSARY.

THE RESIDUE RATE OF DELTAMETHRIN IS 19.19 MG PER SQUARE METRE. COMPANY HAVE PREVIOUSLY SUBMITTED AN APPLICATION RATE OF 'SPRAY FOR 47 SECONDS PER SQUARE METRE'

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.

EN DO NOT APPLY DIRECTLY TO ANIMALS.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

RE SPRAY ONLY ONTO SURFACES.

[back to contents](#)

SURFACE BIOCIDES

TESCO DECKING CLEANER

HSE 7976

THE APPROVAL

Marketing Company

TESCO LTD

Active Ingredient

BENZALKONIUM CHLORIDE – 5.00% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

BRUSH

Container

AMATEUR: 1 LITRE

PROFESSIONAL: 1 LITRE AND 2.5 LITRES

USE

Field of Use

FOR USE ONLY AS A SURFACE BIOCIDES

User

AMATEUR

PROFESSIONAL

Application Rate

DILUTE 1 LITRE OF PRODUCT WITH 4 LITRES OF WATER. THEN APPLY AT A RATE OF 1 LITRE OF DILUTED PRODUCT PER 3 - 7 SQUARE METRES.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing, gloves, eye/face protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE When using do not eat drink or smoke.

RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE DRY.

EN Do not empty into drains

EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.

EN AVOID ALL CONTACT WITH PLANT LIFE.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing, gloves, eye/face protection.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE When using do not eat drink or smoke.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EN AVOID ALL CONTACT WITH PLANT LIFE.

[back to contents](#)

WOOD PRESERVATIVE

SOVAQ WSS FLX I

HSE 7981

THE APPROVAL

Marketing Company

SOVEREIGN CHEMICALS LTD

Active Ingredient

FLUFENOXURON - 2.17% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

BRUSH AND SPRAY

Container

PROFESSIONAL 176 GRAMS

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL

Application Rate

DILUTE BY ADDING 1 SACHET TO 5 LITRES WATER AND THEN MAKE UP TO 25 LITRES WITH WATER.

BRUSH/SPRAY: APPLY 1 LITRE OF DILUTED PRODUCT PER 3 SQUARE METERS OF TIMBER.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR INDOOR USE ONLY.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[back to contents](#)

INSECTICIDE

STOP ANT

HSE 7982 THE APPROVAL

Marketing Company

JOSEPH METCALFE LTD

Active Ingredient

CYPERMETHRIN – 0.09% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

SPACE TREATMENT AND SURFACE SPRAY

Container

500 MILLILITRES AND 1 LITRE

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR
PROFESSIONAL

Application Rate

SPACE TREATMENT: APPLY 1 TO 4 ML OF PRODUCT PER CUBIC METRE.
SURFACE SPRAY: APPLY 20 ML OF PRODUCT PER SQUARE METRE OF SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Do not breathe spray.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
EN HAZARDOUS TO BEES.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
OP Do not breathe spray.
EN HAZARDOUS TO BEES.

[back to contents](#)

WOOD PRESERVATIVE

WICKES SHED AND FENCE PRESERVER

HSE 7983

THE APPROVAL

Marketing Company

WICKES BUILDING SUPPLIES LTD

Active Ingredient

PROPICONAZOLE - 0.6% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

AMATEUR: BRUSH, SPRAY AND DIP
PROFESSIONA : BRUSH, SPRAY, DIP AND IMMERSION

Container

AMATEUR 5 LITRES
PROFESSIONAL 5 LITRES AND 20 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR
PROFESSIONAL

Application Rate

BRUSH / SPRAY: APPLY 1 LITRE OF PRODUCT PER 7 SQUARE METRES OF TIMBER SURFACE
DIP: DIP TIMBER IN PRODUCT FOR A MINIMUM OF 3 MINUTES
IMMERSION: IMMERSE TIMBER FOR 10 - 60 MINUTES
FOR BRUSH / SPRAY: THE COVERAGE RATE IS 0.75 GRAMS OF PROPICONAZOLE PER SQUARE METRE

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
RE FOR OUTDOOR USE ONLY.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[back to contents](#)

WOOD PRESERVATIVE

WICKES DECORATIVE WOOD PRESERVER ^(w)

HSE 7984

THE APPROVAL

Marketing Company

WICKES BUILDING SUPPLIES LTD

Active Ingredient

PROPICONAZOLE - 0.6% w/w

DICHOFLUANID - 0.36% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, SPRAY AND DIP.

Container

AMATEUR 4 LITRE AND 5 LITRE

PROFESSIONAL 5 LITRE AND 20 LITRE

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR

PROFESSIONAL

Application Rate

BRUSH / SPRAY: APPLY 1 LITRE OF PRODUCT PER 4- 6 SQUARE METRES OF TIMBER SURFACE

DIP: DIP TIMBER IN PRODUCT FOR A MINIMUM OF 3 MINUTES

PRECAUTIONARY PHRASES

Amateur Label

OP Wear suitable protective clothing and suitable gloves.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53:

"The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

Professional Label

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53:

"The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[back to contents](#)

WOOD PRESERVATIVE

WICKES DECKING & GARDEN FURNITURE CLEAR PRESERVER

HSE 7985

THE APPROVAL

Marketing Company

WICKES BUILDING SUPPLIES LTD

Active Ingredient

PROPICONAZOLE - 0.6% w/w

DICHLORFLUANID - 0.36% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, SPRAY AND DIP

Container

2.5 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR
PROFESSIONAL

Application Rate

BRUSH / SPRAY: APPLY 1 LITRE OF PRODUCT PER 3-6 SQUARE METRES OF TIMBER SURFACE

DIP: DIP TIMBER FOR A MINIMUM OF 3 MINUTES

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN AVOID ALL CONTACT WITH PLANT LIFE.

[back to contents](#)

WOOD PRESERVATIVE

WICKES DECKING AND GARDEN FURNITURE WOODSTAIN & PRESERVER

HSE 7986

THE APPROVAL

Marketing Company

WICKES BUILDING SUPPLIES LTD

Active Ingredient

PROPICONAZOLE - 0.875% w/w

DICHLLOFLUANID - 0.55% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, SPRAY AND DIP

Container

2.5 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR
PROFESSIONAL

Application Rate

BRUSH / SPRAY: APPLY 1 LITRE OF PRODUCT PER 6 - 10 SQUARE METRES OF TIMBER SURFACE

DIP: DIP TIMBER FOR MINIMUM OF 3 MINUTES

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53:

"The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN AVOID ALL CONTACT WITH PLANT LIFE.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[back to contents](#)

INSECTICIDE

EXTRA TAIL FLY REPELLENT

HSE 7989

THE APPROVAL

Marketing Company

THOMAS PETTIFER & CO LTD

Active Ingredient

N,N-DIETHYL-M-TOLUAMIDE – 9.7% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

ROLL-ON

Container

50 MILLILITRES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY SINGLE STROKES AROUND AFFECTED AREAS

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Avoid contact with eyes.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

RE When using do not eat drink or smoke.

EN This material and its container must be disposed of in a safe way.

[back to contents](#)

WOOD PRESERVATIVE

AQUA-TECH WOODWORM

HSE 7990

THE APPROVAL

Marketing Company

THE WYKAMOL GROUP

Active Ingredient

PERMETHRIN – 18.5% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

BRUSH, DIP AND SPRAY

Container

ONE SACHET 138.44 GRAMS

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL

Application Rate

USE ONE SACHET AND MAKE UP TO 25 LITRES OF WATER.

BRUSH/SPRAY: APPLY 1 LITRE OF DILUTED PRODUCT PER 3 - 4 SQUARE METRES OF TIMBER.

DIP: DIP TIMBER FOR A MINIMUM OF 3 MINUTES.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing, suitable gloves and eye/face protection.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE EXCLUDE ALL UNPROTECTED PERSONS AND ANIMALS DURING TREATMENT AND FOR AT LEAST 1 HOUR AFTER TREATMENT IS COMPLETED.
RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE VISIBLY DRY.
RE FOR INDOOR USE ONLY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[back to contents](#)

WOOD PRESERVATIVE

AQUA-TECH DUAL

HSE 7991

THE APPROVAL

Marketing Company

THE WYKAMOL GROUP

Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 5.7% w/w
PERMETHRIN - 6.2% w/w
PROPICONAZOLE – 23.3% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

BRUSH, DIP AND SPRAY

Container

2 x SACHETS 196.5 GRAMS

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL

Application Rate

USE TWO SACHETS AND MAKE UP TO 25 LITRES OF WATER.

BRUSH/SPRAY: APPLY 1 LITRE OF DILUTED PRODUCT PER 3 - 4 SQUARE METRES OF TIMBER.

DIP: DIP TIMBER FOR A MINIMUM OF THREE MINUTES.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing, suitable gloves and eye/face protection.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
OP Take off immediately all contaminated clothing.
OP Avoid contact with skin.
RE EXCLUDE ALL UNPROTECTED PERSONS AND ANIMALS DURING TREATMENT AND FOR AT LEAST 1 HOUR AFTER TREATMENT IS COMPLETED.
RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE VISIBLY DRY.
RE FOR INDOOR USE ONLY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[back to contents](#)

WOOD PRESERVATIVE

AQUATECH FUNGICIDE

HSE 7992

THE APPROVAL

Marketing Company

THE WYKAMOL GROUP

Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 5.73% w/w
PROPICONAZOLE - 25.26% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

BRUSH, DIP AND SPRAY

Container

2 X 196.5 G SACHETS

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

PROFESSIONAL

Application Rate

USE TWO SACHETS AND MAKE UP TO 25 LITRES OF WATER.

BRUSH/SPRAY: APPLY 1 LITRE OF DILUTED PRODUCT PER 3-4 SQUARE METRES.

DIP: DIP FOR A MINIMUM OF 3 MINUTES.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing, suitable gloves and eye/face protection.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP Take off immediately all contaminated clothing.

OP Avoid contact with skin.

RE EXCLUDE ALL UNPROTECTED PERSONS AND ANIMALS DURING TREATMENT AND FOR AT LEAST 1 HOUR AFTER TREATMENT IS COMPLETED.

RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE VISIBLY DRY.

RE FOR INDOOR USE ONLY.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

[back to contents](#)

RODENTICIDE

B & Q RAT KILLER PELLETS

HSE 7998

THE APPROVAL

Marketing Company

B & Q PLC

Active Ingredient

DIFENACOUM - 0.005% w/w

Formulation

PELLET BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 5 KG

USE

Field of Use

FOR USE ONLY AS AN AMATEUR RAT AND MOUSE KILLER

User

AMATEUR

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. (* Intervals will vary depending on product used; see manufacturer's guidelines).

[back to contents](#)

RODENTICIDE

B & Q MOUSE KILLER

HSE 7999

THE APPROVAL

Marketing Company

B & Q PLC

Active Ingredient

DIFENACOUM - 0.005% w/w

Formulation

GRAIN BAIT

THE CONDITIONS

Application Method

BAIT

Container

UP TO 120 G (SUPPLIED IN 10G SACHETS)

USE

Field of Use

FOR USE ONLY AS AN AMATEUR MOUSE KILLER

User

AMATEUR

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. (* Intervals will vary depending on product used; see manufacturer's guidelines).

[back to contents](#)

INSECTICIDE

EXTRA TAIL NATURAL FLY REPELLENT

HSE 8000

THE APPROVAL

Marketing Company

THOMAS PETTIFER & CO LTD

Active Ingredient

CITRONELLA OIL 0.1% w/w
LAVENDER OIL 0.1% w/w
CEDARWOOD OIL 0.1% w/w
TEA TREE OIL 0.1% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

SPRAY

Container

0.25, 0.50, 1, 2 AND 5 LITRES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

APPLY 18ML OF PRODUCT (EQUIVALENT TO 22 TRIGGER PULLS) PER SQUARE METRE OF SKIN

PRECAUTIONARY PHRASES

EN This material and its container must be disposed of in a safe way.
EN Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer)

[back to contents](#)

WOOD PRESERVATIVE

DULUX TRADE WEATHERSHIELD PRESERVATIVE BASECOAT +

HSE 7993

THE APPROVAL

Marketing Company

IMPERIAL CHEMICAL INDUSTRIES PLC

Active Ingredient

DICHLORFLUANID - 0.9% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH

Container

1, 2.5 AND 5 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY 1 LITRE OF PRODUCT PER 12 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
RE FOR OUTDOOR USE ONLY.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN AVOID ALL CONTACT WITH PLANT LIFE.

[back to contents](#)

WOOD PRESERVATIVE

WICKES CLEAR WOOD PRESERVER

HSE 7995

THE APPROVAL

Marketing Company

WICKES BUILDING SUPPLIES LTD

Active Ingredient

3-IODO-2-PROPYNYL-N-BUTYL CARBAMATE - 0.4% w/w
PROPICONAZOLE - 0.4% w/w

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

AMATEUR: BRUSH, DIP AND SPRAY.
PROFESSIONAL: BRUSH, DIP, IMMERSION AND SPRAY.

Container

2.5 AND 5 LITRES

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

AMATEUR
PROFESSIONAL

Application Rate

BRUSH: APPLY 1 LITRE OF PRODUCT PER 6 - 7.5 SQUARE METRES OF SURFACE.
SPRAY: APPLY 1 LITRE OF PRODUCT PER 4 - 6 SQUARE METRES OF SURFACE.
DIP: DIP FOR A MINIMUM OF 3 MINUTES.
IMMERSION: IMMERSER TIMBER FOR 10 - 60 MINUTES.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

GE Use only in well-ventilated areas.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN AVOID ALL CONTACT WITH PLANT LIFE.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing and suitable gloves.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN AVOID ALL CONTACT WITH PLANT LIFE.

[back to contents](#)

INSECTICIDE

WILKO ANT & CRAWLING INSECT KILLER POWDER

HSE 8008

THE APPROVAL

Marketing Company

WILKINSON HARDWARE STORES LTD

Active Ingredient

PERMETHRIN - 0.50% w/w

Formulation

DUSTING POWDER

THE CONDITIONS

Application Method

DUSTING POWDER

Container

300 G AND 400 G

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

APPLY 20 - 40 GRAMMES OF POWDER PER SQUARE METRE OF SURFACE

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Do not breathe dust.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with skin.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[back to contents](#)

AMENDMENT

MOSTYN DTP 15 ULV

HSE 7244

Marketing Company

HOCKLEY INTERNATIONAL LTD

AMENDMENT

THE FOLLOWING APPLICATION RATES HAVE BEEN ADDED:

INITIAL SPRAY FOR FLYING INSECTS: DILUTE 180 ML OF PRODUCT WITH 5 LITRES OF WATER THEN APPLY 5 LITRES OF DILUTED PRODUCT PER 100 SQUARE METRES

MAINTENANCE SPRAY FOR FLYING INSECTS: DILUTE 120 ML OF PRODUCT WITH 5 LITRES OF WATER THEN APPLY 5 LITRES OF DILUTED PRODUCT PER 100 SQUARE METRES

INITIAL SPRAY FOR CRAWLING INSECTS: DILUTE 180 ML OF PRODUCT WITH 4 LITRES OF WATER THEN APPLY 4 LITRES OF DILUTED PRODUCT PER 100 SQUARE METRES

MAINTENANCE SPRAY FOR CRAWLING INSECTS: DILUTE 120 ML OF PRODUCT WITH 4 LITRES OF WATER THEN APPLY 4 LITRES OF DILUTED PRODUCT PER 100 SQUARE METRES

ALL OTHER CONDITIONS REMAIN UNCHANGED

DATE AMENDED: 18 NOVEMBER 2004

[back to contents](#)

AMENDMENT

SIGMA ECOFLEET 530

HSE 7796

Marketing Company

SIGMA MARINE AND PROTECTIVE COATINGS NETHERLANDS B.V.

AMENDMENT

**THE PRODUCT NAME HAS CHANGED FROM” SIGMAPLANE ECOL HA ANTIFOULING”
TO” SIGMA ECOFLEET 530” AT SECTION 1 OF THE SCHEDULE.**

All other conditions remain unchanged.

DATE AMENDED 9/11/04.

[back to contents](#)

AMENDMENTS

Marketing Company

INTERNATIONAL PAINT LTD

HSE: 6057	INTERSMOOTH 360 ECOLOFLEX
HSE: 6276	INTERSMOOTH 460 ECOLOFLEX
HSE: 6556	INTERSMOOTH 465 ECOLOFLEX
HSE: 6557	INTERSMOOTH 365 ECOLOFLEX
HSE: 5725	INTERSPEED 2002
HSE: 5727	INTERSPEED 2001
HSE: 7463	INTERSPEED AQUA WHITE
HSE: 7020	INTERSPEED 340
HSE: 6660	INTERSPEED ULTRA
HSE: 6631	INTERSPEED 2000 WHITE
HSE: 7871	INTERSMOOTH 88 UK
HSE: 7527	UNI-PRO
HSE: 7526	CRUISER UNO
HSE: 7740	TRILUX-PROP-O-DREV
HSE: 6661	TRILUX
HSE: 3372	INTERCLENE PREMIUM BCA300 SERIES
HSE: 4084	INTERCLENE SUPER BCA400 SERIES (BCA400 RED)
HSE: 5059	INTERCLENE UNDERWATER PREMIUM BCA468 RED
HSE: 7019	INTERCLENE 245
HSE: 7234	INTERSPEED AQUA
HSE: 7061	VC 17M
HSE: 7095	NEW IMPROVED CRUISER PREMIUM
HSE: 6663	MICRON EXTRA
HSE: 5728	MICRON 400 SERIES
HSE: 5941	MICRON OPTIMA
HSE: 5731	MICRON CSC 100 SERIES
HSE: 5730	VC OFFSHORE EXTRA 100 SERIES
HSE: 5217	INTERTOX
HSE: 3399	BOATGUARD
HSE: 3386	TS 10240 ANTIFOULING ADA160 SERIES
HSE: 5634	INTERSPEED SYSTEM 2 BRO 142/240 SERIES
HSE: 5642	INTERVIRON SUPER TIN-FREE POLISHING ANTIFOULING BQO420 SERIES
HSE: 7323	NEW VC PROP O DREV
HSE: 7259	PROFESSIONAL SELF POLISHING ANTIFOULING
HSE: 7262	VC OFFSHORE WITH TEFLON
HSE: 7296	NEW WATERWAYS
HSE: 7299	NAUTICAL ERODING ANTIFOULING
HSE: 7914	MICRON 66
HSE: 7752	WATERWAYS PLUS
HSE: 7478	TRILUX 33 SUPERYACHT 800 TIN REPLACEMENT ANTIFOULING
HSE: 7479	MICRON 55 SUPERYACHT 900 TIN REPLACEMENT ANTIFOULING

AMENDMENT

THE MARKETING COMPANY NAME FOR THE ABOVE PRODUCTS HAS CHANGED

FROM: INTERNATIONAL COATINGS LTD

TO: INTERNATIONAL PAINT LTD

Date Amended: 23/11/04.

ALL OTHER CONDITIONS REMAIN UNCHANGED.

[back to contents](#)

