

November - 2005

Products Approved

via

HSE Biocides & Pesticides  
Unit

# Contents

<b>HSE No:</b>	<b>Product</b>	<b>Use</b>
<a href="#">8186</a>	B&Q Rat Killer Box	Rodenticide
<a href="#">8187</a>	Rat Killer Box	Rodenticide
<a href="#">8201</a>	Wykabor Wood Preservative	Surface Biocide
<a href="#">8201</a>	Wykabor Wood Preservative	Wood Preservative
<a href="#">8203</a>	Intersmooth 465 HS	Antifouling Product
<a href="#">8204</a>	Ecochem Algae and Moss Remover	Surface Biocide
<a href="#">8206</a>	Cuprinol Decking Protector (A)	Wood Preservative

## Amendments:

<b>HSE No:</b>	<b>Product</b>	<b>Amended Date</b>
<a href="#">5096</a>	Coopex WP	1/11/05
<a href="#">5097</a>	K-Othrine SC 10	22/11/05
<a href="#">7274</a>	Alphaban 5 SC	10/11/05
<a href="#">7669</a>	Deosan Rat and Mouse Killer	30/11/05
<a href="#">7825</a>	MMC Concentrate	23/11/05
<a href="#">8081</a>	Exit 100	2/11/05

RODENTICIDE

---

## **B&Q RAT KILLER BOX**

---

HSE 8186

### **THE APPROVAL**

#### **Marketing Company**

B & Q PLC

#### **Active Ingredient**

BROMADIOLONE - 0.005% w/w

#### **Formulation**

BLOCK BAIT

### **THE CONDITIONS**

#### **Application Method**

BAIT

#### **Container**

2 X 120G BLOCKS

4 X 120G BLOCKS

### **USE**

#### **Field of Use**

FOR USE ONLY AS AN AMATEUR RAT KILLER

#### **User**

AMATEUR

#### **Application Rate**

APPLY AS NECESSARY.

### **PRECAUTIONARY PHRASES**

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry Search for and remove rodent bodies at frequent\* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. (\*Intervals will vary depending on product used; see manufacturer's guidelines).

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN HARMFUL TO WILDLIFE.

[Back to contents](#)

RODENTICIDE

---

## RAT KILLER BOX

---

HSE 8187

### THE APPROVAL

#### Marketing Company

RENTOKIL INITIAL UK LTD

#### Active Ingredient

BROMADIOLONE - 0.005% w/w

#### Formulation

BLOCK BAIT

### THE CONDITIONS

#### Application Method

APPLY AS NECESSARY

#### Container

2 X 120G BLOCKS

4 X 120G BLOCKS

### USE

#### Field of Use

FOR USE ONLY AS AN AMATEUR RAT KILLER

#### User

AMATEUR

#### Application Rate

APPLY AS NECESSARY.

### PRECAUTIONARY PHRASES

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry Search for and remove rodent bodies at frequent\* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. (\* Intervals will vary depending on product used; see manufacturer's guidelines).

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN HARMFUL TO WILDLIFE.

[Back to contents](#)

## **SURFACE BIOCIDES**

---

### **WYKABOR WOOD PRESERVATIVE**

---

HSE 8201

#### **THE APPROVAL**

##### **Marketing Company**

THE WYKAMOL GROUP

##### **Active Ingredient**

DISODIUM OCTABORATE – 9.75% w/w (97.5 G/L)

##### **Formulation**

WATER BASED READY-FOR-USE

#### **THE CONDITIONS**

##### **Application Method**

BRUSH, DIP AND SPRAY

##### **Container**

AMATEUR: 5 LITRES  
PROFESSIONAL: 5, 25 AND 200 LITRES  
INDUSTRIAL: 5, 25, 200 AND 1000 LITRES

#### **USE**

##### **Field of Use**

FOR USE ONLY AS A SURFACE BIOCIDES

##### **User**

AMATEUR  
PROFESSIONAL  
INDUSTRIAL

##### **Application Rate**

BRUSH AND SPRAY: APPLY 1 LITRE OF PRODUCT PER 4-8 SQUARE METRES OF SURFACE.

DIP: DIP TIMBER FOR 30-60 SECONDS

#### **PRECAUTIONARY PHRASES**

##### **AMATEUR LABEL**

OP Wear suitable protective clothing and suitable gloves.  
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.  
EN COVER ALL WATER STORAGE TANKS before application.  
EN This material and its container must be disposed of in a safe way.  
RE EXCLUDE ALL UNPROTECTED PERSONS AND ANIMALS DURING TREATMENT AND FOR AT LEAST 1 HOUR AFTER TREATMENT IS COMPLETED.  
RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE VISIBLY DRY.  
EN Do not empty into drains  
EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.  
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

#### **PROFESSIONAL LABEL**

US FOR USE ONLY BY PROFESSIONAL OPERATORS.  
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.  
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.  
OP Wear suitable protective clothing and suitable gloves.  
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.  
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").  
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.  
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.  
EN COVER ALL WATER STORAGE TANKS before application.  
EN This material and its container must be disposed of in a safe way.  
RE EXCLUDE ALL UNPROTECTED PERSONS AND ANIMALS DURING TREATMENT AND FOR AT LEAST 1 HOUR AFTER TREATMENT IS COMPLETED.  
RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE VISIBLY DRY.  
EN Do not empty into drains  
EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.  
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

#### **INDUSTRIAL LABEL**

US FOR USE ONLY BY INDUSTRIAL OPERATORS.  
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.  
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.  
OP Wear suitable protective clothing.  
OP Wear suitable protective gauntlets  
OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.  
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.  
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").  
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.  
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.  
EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.  
EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Back to contents](#)

## WOOD PRESERVATIVE

---

### WYKABOR WOOD PRESERVATIVE

---

HSE 8201

#### THE APPROVAL

##### Marketing Company

THE WYKAMOL GROUP

##### Active Ingredient

DISODIUM OCTABORATE – 9.75% w/w (97.5 G/L)

##### Formulation

WATER BASED READY-FOR-USE

#### THE CONDITIONS

##### Application Method

BRUSH, DIP AND SPRAY

##### Container

AMATEUR: 5 LITRES  
PROFESSIONAL: 5, 25 AND 200 LITRES  
INDUSTRIAL: 5, 25, 200 AND 1000 LITRES

#### USE

##### Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

##### User

AMATEUR  
PROFESSIONAL  
INDUSTRIAL

##### Application Rate

BRUSH AND SPRAY: APPLY 1 LITRE OF PRODUCT PER 4-8 SQUARE METRES OF SURFACE.

DIP: DIP TIMBER FOR 30-60 SECONDS

#### PRECAUTIONARY PHRASES

##### AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.  
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.  
EN COVER ALL WATER STORAGE TANKS before application.  
EN This material and its container must be disposed of in a safe way.  
RE EXCLUDE ALL UNPROTECTED PERSONS AND ANIMALS DURING TREATMENT AND FOR AT LEAST 1 HOUR AFTER TREATMENT IS COMPLETED.  
RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE VISIBLY DRY.  
EN Do not empty into drains  
EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.  
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

#### **PROFESSIONAL LABEL**

US FOR USE ONLY BY PROFESSIONAL OPERATORS.  
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.  
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.  
OP Wear suitable protective clothing and suitable gloves.  
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.  
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").  
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.  
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.  
EN COVER ALL WATER STORAGE TANKS before application.  
EN This material and its container must be disposed of in a safe way.  
RE EXCLUDE ALL UNPROTECTED PERSONS AND ANIMALS DURING TREATMENT AND FOR AT LEAST 1 HOUR AFTER TREATMENT IS COMPLETED.  
RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE VISIBLY DRY.  
EN Do not empty into drains  
EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.  
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

#### **INDUSTRIAL LABEL**

US FOR USE ONLY BY INDUSTRIAL OPERATORS.  
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.  
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.  
OP Wear suitable protective clothing.  
OP Wear suitable protective gauntlets  
OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.  
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.  
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").  
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.  
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.  
EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.  
EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

[Back to contents](#)

ANTIFOULING PRODUCT

---

## INTERSMOOTH 465 HS

---

HSE 8203

### THE APPROVAL

#### Marketing Company

AKZO NOBEL UK LTD

#### Active Ingredient

COPPER OXIDE  
ZINC PYRITHIONE

#### Also Contains

XYLENE

#### Formulation

SOLVENT BASED READY-FOR-USE

### THE CONDITIONS

#### Application Method

BRUSH, ROLLER AND SPRAY (AIRLESS)

#### Container

20 LITRES

### USE

#### Field of Use

FOR USE ONLY AS A BIOCIDAL PAINT

#### User

PROFESSIONAL

#### Application Rate

APPLY 1 LITRE OF PRODUCT PER 4.4 SQUARE METRES OF SURFACE.

### PRECAUTIONARY PHRASES

OP DO NOT BREATHE SPRAY MIST.

OP DISPOSE OF PROTECTIVE GLOVES after use.

OP WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS OF A CONTRASTING COLOUR TO THE PRODUCT BEING APPLIED, UNDERNEATH A DISPOSABLE COVERALL WITH HOOD), SUITABLE GLOVES AND IMPERVIOUS FOOTWEAR THAT PROTECTS THE LOWER LEG.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT (such as air-fed respiratory protective equipment with combined protective helmet and visor) when spraying.

OP UNPROTECTED PERSONS SHOULD BE KEPT OUT OF TREATMENT AREAS.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT such as FFP3 (or an equivalent standard) when working in the vicinity of the spray plume.

[Back to contents](#)

SURFACE BIOCIDES

---

## ECOCEM ALGAE AND MOSS REMOVER

---

HSE 8204

### THE APPROVAL

#### Marketing Company

GEOCEL LTD

#### Active Ingredient

DIALKYLDIMETHYL AMMONIUM CHLORIDE - 4.545% w/w

#### Formulation

WATER BASED CONCENTRATE

### THE CONDITIONS

#### Application Method

BRUSH AND SPRAY

#### Container

1 LITRE

### USE

#### Field of Use

FOR USE ONLY AS A SURFACE BIOCIDES

#### User

AMATEUR  
PROFESSIONAL

#### Application Rate

DEPENDING UPON THE DEGREE OF ALGAE AND MOSS GROWTH, DILUTE 1 PART PRODUCT TO EITHER 4 PARTS WATER (1:5), OR 19 PARTS WATER (1:20).

BRUSH/SPRAY: APPLY 300ML OF DIULTED PRODUCT PER SQUARE METRE OF SURFACE.

### PRECAUTIONARY PHRASES

#### Amateur Label

OP Wear suitable protective clothing and suitable gloves.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

RE When using do not eat drink or smoke.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EN Do not empty into drains

EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

### Professional label

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.

RE FOR OUTDOOR USE ONLY.

EN Do not empty into drains

EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Back to contents](#)

WOOD PRESERVATIVE

---

## CUPRINOL DECKING PROTECTOR (A)

---

HSE 8206

### THE APPROVAL

#### Marketing Company

IMPERIAL CHEMICAL INDUSTRIES PLC

#### Active Ingredient

PROPICONAZOLE - 0.6% w/w  
DICHLOFLUANID - 0.8% w/w

#### Formulation

SOLVENT BASED READY-FOR-USE

### THE CONDITIONS

#### Application Method

BRUSH, DIP AND SPRAY

#### Container

2.5 LITRES AND 5 LITRES

### USE

#### Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

#### User

AMATEUR  
PROFESSIONAL

#### Application Rate

BRUSH/SPRAY:  
APPLY 1 LITRE OF PRODUCT TO 3 - 6 SQUARE METRES OF TIMBER SURFACE.

DIP:  
DIP TIMBER FOR A MINIMUM OF 3 MINUTES.

### PRECAUTIONARY PHRASES

Amateur Label

OP Wear suitable protective clothing and suitable gloves.  
OP Do not breathe spray (appropriate wording to be specified by the manufacturer).  
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").  
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.  
EN COVER ALL WATER STORAGE TANKS before application.  
EN This material and its container must be disposed of in a safe way.  
GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE FOR OUTDOOR USE ONLY.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN AVOID ALL CONTACT WITH PLANT LIFE.

Professional Label

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN COVER ALL WATER STORAGE TANKS before application.

EN This material and its container must be disposed of in a safe way.

GE If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

RE FOR OUTDOOR USE ONLY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN AVOID ALL CONTACT WITH PLANT LIFE.

[Back to contents](#)

AMENDMENT

---

## COOPEX WP

---

HSE 5096

### Marketing Company

BAYER ENVIRONMENTAL SCIENCE SA

### AMENDMENT

AT THE REQUEST OF THE APPROVAL HOLDER, THE FORMULATION DETAILS SPECIFIED IN SECTION 2 OF THE SCHEDULE HAVE BEEN CORRECTED TO ITEMISE THOSE COMPONENTS FOUND WITHIN THE COMMERCIAL PRODUCT SOLD AS "COOPEX WP". AS A CONSEQUENCE, THE FORMULATION, AS APPROVED, CONTAINS 2% OF NONYL PHENOL ETHOXYLATE WITH AN EQUIVALENT REDUCTION IN LEVELS OF CELITE 209 (EXPRESSED AS "DIATOMACEOUS EARTH") TO COMPENSATE.

FURTHERMORE, PRODUCT CLASSIFICATION IN SECTION 3/1 (iv) (d) AND ASSOCIATED RISK PHRASES IN SECTION 3/1 (iv) (f) OF THE SCHEDULE HAVE BEEN UPDATED TO TAKE ACCOUNT OF CURRENT UK LEGISLATION ON CLASSIFICATION AND LABELLING (IE. "CHIP3" REGULATIONS).

ALL OTHER CONDITIONS (INCLUDING EXPIRY DATE) REMAIN UNCHANGED

Date amended 1/11/05.

[Back to contents](#)

**AMENDMENT**

---

**K-OTHRINE SC 10**

---

HSE 5097

**Marketing Company**

BAYER ENVIRONMENTAL SCIENCE

**AMENDMENT**

**THE AMOUNT OF DELTAMETHRIN HAS DECREASED:**

**FROM:** 1.055% w/w

**TO:** 0.995% w/w

All other conditions remain unchanged.

Date amended 22/11/05.

[Back to contents](#)

AMENDMENT

---

## **ALPHABAN 5 SC**

---

HSE 7274

### **Marketing Company**

PELGAR INTERNATIONAL LTD

### **AMENDMENT**

#### **THE APPLICATION RATE HAS BEEN AMENDED.**

FROM: DILUTE 60 ML OF PRODUCT IN 5 LITRES OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 20 SQUARE METRES OF SURFACE.

TO: FOR LIGHT INFESTATIONS:

DILUTE 25 ML OF PRODUCT IN 5 LITRES OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 20 SQUARE METRES OF SURFACE.

FOR HEAVY INFESTATIONS:

DILUTE 50 ML OF PRODUCT IN 5 LITRES OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 20 SQUARE METRES OF SURFACE.

FOR HEAVY RED POULTRY MITE INFESTATIONS:

DILUTE 60 ML OF PRODUCT IN 5 LITRES OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 20 SQUARE METRES OF SURFACE.

All other conditions remain unchanged.

Date amended: 10<sup>th</sup> November 2005

[Back to contents](#)

AMENDMENT

---

## **DEOSAN RAT AND MOUSE KILLER**

---

HSE 7669

### **Marketing Company**

JOHNSON DIVERSEY UK LTD

### **AMENDMENT**

**THE MARKETING COMPANY HAS BEEN CHANGED**

**FROM: JOHNSON DIVERSEY UK LTD**

**TO: PELGAR INTERNATIONAL LTD**

All other conditions remain unchanged.

Date amended: 30/11/05

[Back to contents](#)

AMENDMENT

---

## **MMC CONCENTRATE**

---

HSE 7825

### **Marketing Company**

BRINTON PRODUCTS LTD

### **AMENDMENT**

**THE PACK SIZE HAS BEEN AMENDED:**

**FROM: 1 LITRE AND 5 LITRES**

**TO: 1, 2.5 AND 5 LITRES**

All other conditions remain unchanged.

Date amended 23/11/05.

[Back to contents](#)  
**AMENDMENT**

---

## **EXIT 100**

---

**HSE 8081**

### **Marketing Company**

KILLGERM CHEMICALS LTD

### **AMENDMENT**

THE PRODUCT NAME HAS BEEN CHANGED.

**FROM:** 'CYPERSECT 100EW'

**TO:** 'EXIT 100'

THE MARKETING COMPANY HAS BEEN CHANGED

**FROM:** CHIMAC-AGRIPHAR S.A.

**TO:** KILLGERM CHEMICALS LTD

THE FOLLOWING PACK SIZE HAS BEEN ADDED: 500ML

THE APPLICATION RATE HAS CHANGED

**FROM:** 'APPLY AT A RATE OF 5 LITRES OF DILUTED PRODUCT PER 100-150 METRES.'

**TO:** 'APPLY AT A RATE OF 5 LITRES OF DILUTED PRODUCT PER 100-150 SQUARE METRES.'

THE FOLLOWING SAFETY PHRASE HAS BEEN ADDED:

**1:** DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.

**2:** COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE APPLICATION.

ALL OTHER CONDITIONS REMAIN UNCHANGED.

Date amended 2/11/05.

[Back to contents](#)