

December – 2006

Products Approved

Via

HSE Biocides & Pesticides Unit

Contents

New Approvals

HSE No	Product	Use
7748	BIO-SECT WSS	INSECTICIDE
8385	DOFF ANT ATTACK	INSECTICIDE
8386	RAID ANT KILLER BAIT	INSECTICIDE
8387	DOFF ANT ATTACK GEL	INSECTICIDE
8389	FADEXRAT PASTA BAIT	RODENTICIDE
8390	BRODITOP PELLETT	RODENTICIDE
8391	GARDEN TOP WHOLE GRAIN	RODENTICIDE
8392	BATIFACE	SURFACE BIOCIDES
8393	SAKARAT BROMABAITS PASTABAITS	RODENTICIDE
8395	SX DELTA FORCE	INSECTICIDE
8396	SINESTO AS	WOOD PRESERVATIVE
8397	MOSQUITO PLUG REFILL PELLETT	INSECTICIDE
8399	PREVENT NATURAL INSECT KILLER	INSECTICIDE
8400	CANNOVEL HOME BLITZ! ORGANIC	INSECTICIDE
8401	JOHNSONS NATURAL HOUSE & FLEA INSECT KILLER	INSECTICIDE
8402	HEMPEL'S ANTI FOULING GLOBIC NCT 8190M	ANTI FOULING PRODUCT
8403	HEMPEL'S ANTI FOULING GLOBIC NCT 8195M	ANTI FOULING PRODUCT
8408	NEW BETTERWARE ADJUSTABLE INSECT REPELLENT	INSECT REPELLENT
8409	KLEENEZE ADJUSTABLE INSECT REPELLENT	INSECT REPELLENT
8410	LAKELAND LTD ADJUSTABLE INSECT REPELLENT	INSECT REPELLENT
8411	FLAG CRUISING ANTI FOULING	ANTI FOULING PRODUCT
8412	FLAG PERFORMANCE ANTI FOULING	ANTI FOULING PRODUCT
8413	RAMBO ANT KILLER	INSECTICIDE

Amendments

HSE No	Product	Amended
3127	KILLGERM WOOD PROTECTOR	22/12/2006
6890	PRIMAGUARD 406	08/12/2006
6892	PRIMAGUARD 150	08/12/2006
7547	AQUA-PACK WOODWORM KILLER	22/12/2006
7572	AQUA-PACK DRY ROT KILLER	22/12/2006
8189	CYPRESS	22/12/2006
8197	RAT RADAR	12/12/2006
8212	EXIT 10	08/12/2006

INSECTICIDE

BIO-SECT WSS

HSE 7748

THE APPROVAL

Marketing Company

BIOKIL CROWN LTD

Active Ingredient

DELTAMETHRIN - 2.40% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

SURFACE SPRAY

Container

40 x 12 GRAMMES AND 40 x 30 GRAMMES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

PROFESSIONAL

Application Rate

DILUTE 30 - 60 GRAMMES OF PRODUCT WITH 5 LITRES OF WATER. THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 20 SQUARE METRES OF SURFACE.

DILUTE 12 GRAMMES OF PRODUCT WITH 1 TO 2 LITRES OF WATER. THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 20 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY.

EN This material and its container must be disposed of in a safe way.

EN Do not empty into drains

OP Avoid contact with eyes.

OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

EN COVER ALL WATER STORAGE TANKS before application.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DO NOT APPLY DIRECTLY TO ANIMALS.

EN HAZARDOUS TO BEES.

EN DO NOT APPLY TO CLOTHING.

[Return to Contents](#)

INSECTICIDE

DOFF ANT ATTACK

HSE 8385

THE APPROVAL

Marketing Company

DOFF PORTLAND LTD

Active Ingredient

CYPERMETHRIN - 2.00% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

TRIGGER SPRAY AND WATERING CAN

Container

2 x 25 GRAMMES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

TRIGGER SPRAY: ADD ONE 25 MILLILITRE SACHET TO 500 MILLILITRES OF WATER. APPLY 20 MILLILITRES OF DILUTED PRODUCT PER SQUARE METRE OF SURFACE.

WATERING CAN: ADD ONE 25 MILLILITRE SACHET TO 2.5 LITRES OF WATER THEN APPLY 100 MILLILITRES OF DILUTED PRODUCT PER SQUARE METRE OF SURFACE.

PRECAUTIONARY PHRASES

OP Wear suitable protective clothing and suitable gloves.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.

EN Do not empty into drains

EN COVER ALL WATER STORAGE TANKS before application.

RE FOR OUTDOOR USE ONLY.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

INSECTICIDE

RAID ANT KILLER BAIT

HSE 8386

THE APPROVAL

Marketing Company

SC JOHNSON LTD

Active Ingredient

d-PHENOTHRIN - 0.093% w/w

Formulation

BAIT

THE CONDITIONS

Application Method

BAIT

Container

2 x 5 GRAMME BAIT STATIONS

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

PLACE 1 - 2 BAIT STATIONS PER ROOM DEPENDING UPON SIZE, LAYOUT AND SEVERITY OF THE INFESTATION. PLACE EACH BAIT STATION ON AN ANT RUN WHERE WORKER ANTS FORAGE SO THAT BAIT CAN BE TAKEN BACK TO THE NEST.

PRECAUTIONARY PHRASES

EN DO NOT USE where food, feed or water could become contaminated.
RE PREVENT ACCESS TO BAITS by children and animals.
EN REMOVE ALL REMAINS OF BAIT and bait containers.
EN This material and its container must be disposed of in a safe way.
RE FOR INDOOR USE ONLY.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN COVER ALL WATER STORAGE TANKS before application.

[Return to Contents](#)

INSECTICIDE

DOFF ANT ATTACK GEL

HSE 8387

THE APPROVAL

Marketing Company

DOFF PORTLAND LTD

Active Ingredient

CYPERMETHRIN - .0.092% w/w

Formulation

MICROEMULSION READY-FOR-USE

THE CONDITIONS

Application Method

TUBE

Container

50 AND 300 MILLILTRES

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

APPLY 20ML OF PRODUCT PER SQUARE METER OF SURFACE

PRECAUTIONARY PHRASES

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN This material and its container must be disposed of in a safe way.

OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.

EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

RODENTICIDE

FADEXRAT PASTA BAIT

HSE 8389

THE APPROVAL

Marketing Company

ZAPI INDUSTRIE CHIMICHE S.P.A

Active Ingredient

DIFENACOUM - 0.005% w/w

Formulation

BAIT

THE CONDITIONS

Application Method

BAIT

Container

10g, 200g, 400g, 500g, 1 kg AND 10 kg

USE

Field of Use

FOR USE ONLY AS AN AMATEUR RAT AND MOUSE KILLER

User

AMATEUR

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry.

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. (* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

[Return to Contents](#)

RODENTICIDE

BRODITOP PELLETT

HSE 8390

THE APPROVAL

Marketing Company

ZAPI INDUSTRIE CHIMICHE S.P.A

Active Ingredient

BRODIFACOUM - 0.005% w/w

Formulation

PELLET BAIT

THE CONDITIONS

Application Method

BAIT

Container

50g, 100g, 200g, 250g, 500g, 1 kg, 5 kg, AND 10 kg

USE

Field of Use

FOR USE ONLY AS AN AMATEUR RAT AND MOUSE KILLER

User

AMATEUR

Application Rate

APPLY AS NECESSARY

PRECAUTIONARY PHRASES

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs, poultry.

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. (* Intervals will vary depending on product used; see manufacturer's guidelines).

RE FOR INDOOR USE ONLY.

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

[Return to Contents](#)

RODENTICIDE

GARDENTOP WHOLE GRAIN

HSE 8391

THE APPROVAL

Marketing Company

ZAPI INDUSTRIE CHIMICHE S.P.A

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

BAIT

THE CONDITIONS

Application Method

BAIT

Container

25g, 100g, 200g, 500g, 1 kg, 3 kg, 5kg AND 10 kg

USE

Field of Use

FOR USE ONLY AS AN AMATEUR RAT AND MOUSE KILLER

User

AMATEUR

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs and poultry.
EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. All waste should be double-bagged using bin liners or similar before disposal in a bin with a secure lid to prevent accidental poisoning of dogs, cats, birds, foxes and other wildlife or by contacting either a specialist contractor or the Local Authority where waste bins are not provided. Do not dispose of in any other way. (* Intervals will vary depending on product used; see manufacturer's guidelines).

EN HARMFUL TO WILDLIFE.

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

[Return to Contents](#)

SURFACE BIOCIDES

BATIFACE

HSE 8392

THE APPROVAL

Marketing Company

SPCB (UK) LTD

Active Ingredient

SODIUM HYPOCHLORITE - 6.9% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

BRUSH AND SPRAY

Container

AMATEUR 1 LITRE
PROFESSIONAL 1, 5, 10 AND 25 LITRES

USE

Field of Use

FOR USE ONLY AS A SURFACE BIOCIDES

User

AMATEUR
PROFESSIONAL

Application Rate

FOR NORMAL CONDITIONS DILUTE 1 LITRE OF PRODUCT WITH 1 LITRE OF WATER, THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 4 - 6 METRES OF SURFACE.
FOR HEAVILY SOILED SURFACES APPLY 1 LITRE OF PRODUCT PER 4-6 METRES OF SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing, suitable gloves and eye/face protection.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
OP Avoid contact with eyes.
OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN COVER ALL WATER STORAGE TANKS before application.

EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing, suitable gloves and eye/face protection.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.
OP Avoid contact with eyes.
OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.
EN COVER ALL WATER STORAGE TANKS before application.
EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EN This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

[Return to Contents](#)

RODENTICIDE

SAKARAT BROMABAIT PASTABAIT

HSE 8393

THE APPROVAL

Marketing Company

KILLGERM CHEMICALS LTD

Active Ingredient

BROMADIOLONE - 0.005% w/w

Formulation

PASTE BAIT

THE CONDITIONS

Application Method

BAIT

Container

5.0 – 25.0 kg (SUPPLIED IN 10 OR 15 GRAMME SACHETS)

USE

Field of Use

FOR USE ONLY IN RODENT CONTROL BY PROFESSIONAL OPERATORS

User

PROFESSIONAL

Application Rate

APPLY AS NECESSARY.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP AVOID ALL CONTACT BY MOUTH.

EN PREVENT ACCESS TO BAIT by children, birds and non-target animals [particularly dogs, cats, pigs, poultry]

EN DO NOT PLACE BAIT where food, feed or water could become contaminated.

EN HARMFUL TO WILDLIFE.

EN Search for and remove rodent bodies at frequent* intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment.

EN You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office.

(* Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

[Return to Contents](#)

INSECTICIDE

SX DELTA FORCE

HSE 8395

THE APPROVAL

Marketing Company

ESSEX ENVIRONMENTAL SUPPLIES LTD

Active Ingredient

DELTAMETHRIN - 2.45% w/w

Formulation

MICROEMULSION CONCENTRATE

THE CONDITIONS

Application Method

SURFACE SPRAY

Container

12 GRAMMES OR 30 GRAMMES SACHETS. 25 SACHETS PER PACK.

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

PROFESSIONAL

Application Rate

DILUTE 30 - 60 GRAMMES OF PRODUCT WITH 5 LITRES OF WATER. THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 20 SQUARE METRES OF SURFACE.

DILUTE 12 GRAMMES OF PRODUCT WITH 1 TO 2 LITRES OF WATER. THEN APPLY 1 LITRE OF DILUTED PRODUCT WHERE THERE ARE SMALLER AREAS TO BE TREATED AND LOWER VOLUMES OF THE PRODUCT IS REQUIRED.

PRECAUTIONARY PHRASES

US FOR USE ONLY BY PROFESSIONAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing and suitable gloves.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

RE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY.

EN This material and its container must be disposed of in a safe way.

EN Do not empty into drains

OP Avoid contact with eyes.

OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

EN COVER ALL WATER STORAGE TANKS before application.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DO NOT APPLY DIRECTLY TO ANIMALS.

EN HAZARDOUS TO BEES.

EN DO NOT APPLY TO CLOTHING.

[Return to Contents](#)

WOOD PRESERVATIVE

SINESTO AS

HSE 8396

THE APPROVAL

Marketing Company

DR WOLMAN GmbH

Active Ingredient

BENZALKONIUM CHLORIDE - 40% w/w
DISODIUM TETRABORATE PENTAHYDRATE – 3.96% w/w

Formulation

WATER BASED CONCENTRATE

THE CONDITIONS

Application Method

DIP AND SPRAY

Container

25, 60, 200, 1000 LITRES AND BULK

USE

Field of Use

FOR USE ONLY AS A WOOD PRESERVATIVE

User

INDUSTRIAL

Application Rate

DILUTE 0.6 - 0.8 LITRES OF PRODUCT WITH 10 LITRES OF WATER THEN DIP OR SPRAY 9 GRAMS PER SQUARE METRE

PRECAUTIONARY PHRASES

US FOR USE ONLY BY INDUSTRIAL OPERATORS.

OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

OP Wear suitable protective clothing, suitable gauntlets and eye/face protection.

OP WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOTWEAR AND AN IMPERVIOUS APRON when handling freshly treated timber.

OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

OP DO NOT BREATHE AEROSOL.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN DISPOSE OF SURPLUS CHEMICAL, CONTAMINATED MATERIALS (INCLUDING SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

EN TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

OP Avoid contact with skin.

OP Avoid contact with eyes.

RE When using do not eat drink or smoke.

OP Take off immediately all contaminated clothing.

[Return to Contents](#)

INSECTICIDE

MOSQUITO PLUG REFILL TABLET

HSE 8397

THE APPROVAL

Marketing Company

MAYBROOK (UK) LTD

Active Ingredient

PRALLETHRIN - 1.02% w/w

Formulation

VAPOURISING MATS

THE CONDITIONS

Application Method

VAPOURISATION OF ACTIVE INGREDIENT IN ELECTRICAL HEATING UNIT.

Container

16.8 GRAMS [20 TABLETS]

8.4 GRAMS [10 TABLETS]

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

ONE UNIT WILL TREAT AN AVERAGE SIZED ROOM [30 CUBIC METRES] FOR A MAXIMUM OF 8 HOURS EACH DAY.

PRECAUTIONARY PHRASES

RE FOR USE ONLY IN THE HEATING APPLIANCE SPECIFIED.

RE FOR INDOOR USE ONLY.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

EN DO NOT STORE part-used mats.

EN This material and its container must be disposed of in a safe way.

EN Do not empty into drains

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

[Return to Contents](#)

INSECTICIDE

PREVENT NATURAL INSECT KILLER

HSE 8399

THE APPROVAL

Marketing Company

AGROPHARM LTD

Active Ingredient

PYRETHRINS 0.25% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

SPACE AND SURFACE SPRAY

Container

300 ML, 350 ML, 500 ML, 750 ML AND 1000 ML

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR
PROFESSIONAL

Application Rate

SPACE SPRAY: SPRAY INTO AIR FOR 2 -3 SECONDS TO TREAT AN AVERAGE SIZED ROOM (30 CUBIC METRES)
SURFACE SPRAY: SPRAY FROM A DISTANCE OF 30 cm FOR 4 - 6 SECONDS PER 12 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
OP Do not breathe spray.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN Do not empty into drains
EN COVER ALL WATER STORAGE TANKS before application.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN DO NOT APPLY DIRECTLY TO ANIMALS.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing, suitable gloves and eye/face protection.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe spray.
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
EN Do not empty into drains
EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.
RE EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.
EN Protect milk machinery and milk containers from contamination.

[Return to Contents](#)

INSECTICIDE

CANNOVEL HOME BLITZ! ORGANIC

HSE 8400

THE APPROVAL

Marketing Company

HATCHWELLS COMPANY LTD

Active Ingredient

PYRETHRINS 0.25% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

SPACE AND SURFACE SPRAY

Container

300 ML, 350 ML, 500 ML, 750 ML AND 1000 ML

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR
PROFESSIONAL

Application Rate

SPACE SPRAY: SPRAY INTO AIR FOR 2 -3 SECONDS TO TREAT AN AVERAGE SIZED ROOM (30 CUBIC METRES)
SURFACE SPRAY: SPRAY FROM A DISTANCE OF 30 cm FOR 4 - 6 SECONDS PER 12 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
OP Do not breathe spray.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN Do not empty into drains
EN COVER ALL WATER STORAGE TANKS before application.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN DO NOT APPLY DIRECTLY TO ANIMALS.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing, suitable gloves and eye/face protection.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe spray.
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
EN Do not empty into drains
EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.
RE EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.
EN Protect milk machinery and milk containers from contamination.

[Return to Contents](#)

INSECTICIDE

JOHNSONS NATURAL HOUSE & FLEA INSECT KILLER

HSE 8401

THE APPROVAL

Marketing Company

JOHNSON'S VETERINARY PRODUCTS LTD

Active Ingredient

PYRETHRINS - 0.25% w/w

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

SPACE AND SURFACE SPRAY

Container

300 ML, 350 ML, 500 ML, 750 ML AND 1000 ML.

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR
PROFESSIONAL

Application Rate

SPACE SPRAY: SPRAY INTO AIR FOR 2 -3 SECONDS TO TREAT AN AVERAGE SIZED ROOM (30 CUBIC METRES)
SURFACE SPRAY: SPRAY FROM A DISTANCE OF 30 cm FOR 4 - 6 SECONDS PER 12 SQUARE METRES OF SURFACE.

PRECAUTIONARY PHRASES

AMATEUR LABEL

OP Wear suitable protective clothing and suitable gloves.
OP Do not breathe spray.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN Do not empty into drains

EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
EN DO NOT APPLY DIRECTLY TO ANIMALS.

PROFESSIONAL LABEL

US FOR USE ONLY BY PROFESSIONAL OPERATORS.
OP The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.
OP Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
OP Wear suitable protective clothing, suitable gloves and eye/face protection.
OP AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.
OP Do not breathe spray.
OP However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
EN Do not empty into drains
EN COVER ALL WATER STORAGE TANKS before application.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.
EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
OP KEEP AWAY FROM TREATED SURFACES UNTIL DRY.
EN DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.
RE EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.
EN Protect milk machinery and milk containers from contamination.

[Return to Contents](#)

ANTIFOULING PRODUCT

HEMPEL'S ANTIFOULING GLOBIC NCT 8190M

HSE 8402

THE APPROVAL

Marketing Company

HEMPEL UK LTD

Active Ingredient

COPPER PYRITHIONE
COPPER OXIDE

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, ROLLER AND SPRAY (AIRLESS)

Container

20 LITRE

USE

Field of Use

FOR USE ONLY AS AN ANTIFOULING PRODUCT

User

PROFESSIONAL

Application Rate

APPLY 1 LITRE OF PRODUCT PER 5.2 SQUARE METRES

PRECAUTIONARY PHRASES

OP WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS OF A CONTRASTING COLOUR TO THE PRODUCT BEING APPLIED, UNDERNEATH A DISPOSABLE COVERALL WITH HOOD), SUITABLE GLOVES AND IMPERVIOUS FOOTWEAR THAT PROTECTS THE LOWER LEG.

OP DISPOSE OF PROTECTIVE GLOVES after use.

OP DO NOT BREATHE SPRAY MIST.

OP UNPROTECTED PERSONS SHOULD BE KEPT OUT OF TREATMENT AREAS.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT (such as air-fed respiratory protective equipment with combined protective helmet and visor) when spraying.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT such as FFP3 (or an equivalent standard) when working in the vicinity of the spray plume.

[Return to Contents](#)

ANTIFOULING PRODUCT

HEMPEL'S ANTIFOULING GLOBIC NCT 8195M

HSE 8403

THE APPROVAL

Marketing Company

HEMPEL UK LTD

Active Ingredient

COPPER OXIDE
COPPER PYRITHIONE

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, ROLLER AND SPRAY (AIRLESS)

Container

20 LITRES

USE

Field of Use

FOR USE ONLY AS AN ANTIFOULING PRODUCT

User

PROFESSIONAL

Application Rate

APPLY 1 LITRE OF PRODUCT PER 5.2 SQUARE METRES.

PRECAUTIONARY PHRASES

OP WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS OF A CONTRASTING COLOUR TO THE PRODUCT BEING APPLIED, UNDERNEATH A DISPOSABLE COVERALL WITH HOOD), SUITABLE GLOVES AND IMPERVIOUS FOOTWEAR THAT PROTECTS THE LOWER LEG.

OP DISPOSE OF PROTECTIVE GLOVES after use.

OP DO NOT BREATHE SPRAY MIST.

OP UNPROTECTED PERSONS SHOULD BE KEPT OUT OF TREATMENT AREAS.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT (such as air-fed respiratory protective equipment with combined protective helmet and visor) when spraying.

OP WEAR SUITABLE RESPIRATORY EQUIPMENT such as FFP3 (or an equivalent standard) when working in the vicinity of the spray plume.

[Return to Contents](#)

INSECT REPELLENT

NEW BETTERWARE ADJUSTABLE INSECT REPELLENT

HSE 8408

THE APPROVAL

Marketing Company

BETTERWARE UK LTD

Active Ingredient

PERMETHRIN - 0.46% w/w

Formulation

VAPOURISING MATS

THE CONDITIONS

Application Method

CONTROLLABLE CASSETTE

Container

80 GRAMMES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

ONE UNIT COMPLETELY OPEN WILL TREAT A ROOM OF 40 CUBIC METRES FOR APPROXIMATELY 8 WEEKS.

PRECAUTIONARY PHRASES

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

RE DO NOT exceed the use of one unit per 20-40 cubic metres.

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with eyes.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

[Return to Contents](#)

INSECT REPELLENT

KLEENEZE ADJUSTABLE INSECT REPELLENT

HSE 8409

THE APPROVAL

Marketing Company

KLEENEZE LTD

Active Ingredient

PERMETHRIN - .0.046% w/w

Formulation

VAPOURISING MATS

THE CONDITIONS

Application Method

CONTROLLABLE CASSETTE

Container

80 GRAMMES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

ONE UNIT COMPLETELY OPEN WILL TREAT A ROOM OF 40 CUBIC METRES FOR APPROXIMATELY 8 WEEKS.

PRECAUTIONARY PHRASES

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

RE DO NOT exceed the use of one unit per. 20-40 cubic metre(s).

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with eyes.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

[Return to Contents](#)

INSECT REPELLENT

LAKELAND LTD ADJUSTABLE INSECT REPELLENT

HSE 8410

THE APPROVAL

Marketing Company

LAKELAND

Active Ingredient

PERMETHRIN - 0.046% w/w

Formulation

VAPOURISING MATS

THE CONDITIONS

Application Method

CONTOLLABLE CASSETTE

Container

80 GRAMMES

USE

Field of Use

FOR USE ONLY AS AN INSECT REPELLENT

User

AMATEUR

Application Rate

ONE UNIT COMPLETELY OPEN WILL TREAT A ROOM OF 40 CUBIC METRES FOR APPROXIMATELY 8 WEEKS.

PRECAUTIONARY PHRASES

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

RE DO NOT exceed the use of one unit per. 20-40. cubic metre(s).

EN This material and its container must be disposed of in a safe way.

OP Avoid contact with eyes.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

[Return to Contents](#)

ANTIFOULING PRODUCT

FLAG CRUISING ANTIFOULING

HSE 8411

THE APPROVAL

Marketing Company

FLAG PAINTS LIMITED

Active Ingredient

CUPROUS OXIDE

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, ROLLER AND SPRAY

Container

750MLS, 2.5 LITRES AND 3 LITRES

USE

Field of Use

FOR USE ONLY AS AN ANTIFOULING PRODUCT

User

AMATEUR

Application Rate

APPLY 1 LITRE OF PRODUCT PER 10 SQUARE METRES OF SURFACE

PRECAUTIONARY PHRASES

OP WEAR SUITABLE PROTECTIVE GLOVES when applying.

[Return to Contents](#)

ANTIFOULING PRODUCT

FLAG PERFORMANCE ANTIFOULING

HSE 8412

THE APPROVAL

Marketing Company

FLAG PAINTS LIMITED

Active Ingredient

CUPROUS OXIDE

Formulation

SOLVENT BASED READY-FOR-USE

THE CONDITIONS

Application Method

BRUSH, ROLLER AND SPRAY

Container

750 ML AND 2.5 L

USE

Field of Use

FOR USE ONLY AS AN ANTIFOULING PRODUCT

User

AMATEUR
PROFESSIONAL

Application Rate

APPLY 1 LITRE OF PRODUCT PER 6 - 7 SQUARE METRES OF SURFACE

PRECAUTIONARY PHRASES

OP WEAR SUITABLE PROTECTIVE GLOVES when applying.

[Return to Contents](#)

INSECTICIDE

RAMBO ANT KILLER

HSE 8413

THE APPROVAL

Marketing Company

AMBECHEM LTD

Active Ingredient

CYPERMETHRIN – 0.037% W/W (0.37 G/L)

Formulation

WATER BASED READY-FOR-USE

THE CONDITIONS

Application Method

TRIGGER SPRAY

Container

50ML, 500ML AND 1000ML

USE

Field of Use

FOR USE ONLY AS AN INSECTICIDE

User

AMATEUR

Application Rate

APPLY 50ML OF PRODUCT PER SQUARE METRE.

PRECAUTIONARY PHRASES

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN COVER ALL WATER STORAGE TANKS before application.
EN This material and its container must be disposed of in a safe way.
OP Avoid contact with skin.

[Return to Contents](#)

AMENDMENT

KILLGERM WOOD PROTECTOR

HSE 3127

Marketing Company

KILLGERM CHEMICALS LTD

AMENDMENT

Active Ingredient

THE ACTIVE INGREDIENTS HAVE CHANGED **FROM** CYPERMETHRIN 0.35% w/w, TRI (HEXYLENE GLYCOL) 17.5% w/w
TO CYPERMETHRIN 0.46%w/w. PROPICONAZOLE 5.58% w.w.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

PRIMAGUARD 400

HSE 6890

Marketing Company

NORBROOK LABORATORIES (GB) LTD

AMENDMENT

Product Name

THE PRODUCT NAME HAS BEEN CHANGED FROM 'NORSHIELD 400' TO 'PRIMAGUARD 400'

Active Ingredient

THE ACTIVE INGREDIENT METHOPRENE 0.16% w/w HAS BEEN REPLACED BY S-METHOPRENE 0.1% w/w.

Precautionary Phrases

THE **AMATEUR LABEL** HAS CHANGED

FROM

DO NOT BREATHE SPRAY MIST
THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way
REMOVE OR COVER FISH TANKS AND BOWLS before application
DO NOT APPLY TO CLOTHING OR HUMAN BEDDING

TO

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer)
This material and its container must be disposed of in a safe way
REMOVE OR COVER ALL FISH TANKS AND BOWLS before application
DO NOT APPLY TO CLOTHING AND BEDDING

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN ADDED

Avoid contact with skin
Do not empty into drains

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN DELETED

WHEN USING DO NOT EAT, DRINK OR SMOKE
EXTREMELY DANGEROUS TO FISH AND OTHER AQUATIC LIFE

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

PRIMAGUARD 150

HSE 6892

Marketing Company

NORBROOK LABORATORIES (GB) LTD

AMENDMENT

Product Name

THE PRODUCT NAME HAS CHANGED **FROM** 'NORSHIELD 150' **TO** 'PRIMAGUARD 150'

Active Ingredient

THE ACTIVE INGREDIENT METHOPRENE 0.16% w/w HAS BEEN REPLACED BY s-METHOPRENE 0.1% w/w.

Precautionary Phrases

THE **AMATEUR LABEL** HAS CHANGED

FROM

DO NOT BREATHE SPRAY MIST
THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way
REMOVE OR COVER FISH TANKS AND BOWLS before application
DO NOT APPLY TO CLOTHING OR HUMAN BEDDING

TO

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer)
This material and its container must be disposed of in a safe way
REMOVE OR COVER ALL FISH TANKS AND BOWLS before application
DO NOT APPLY TO CLOTHING AND BEDDING

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN ADDED

Avoid contact with skin
Do not empty into drains

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN DELETED

WHEN USING DO NOT EAT, DRINK OR SMOKE
EXTREMELY DANGEROUS TO FISH AND OTHER AQUATIC LIFE

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

AQUA-PACK WOODWORM KILLER

HSE 7547

Marketing Company

ENVIROQUEST UK LTD

AMENDMENT

Product Name

THE PRODUCT NAME HAS CHANGED **FROM** 'AQUATECH WOOD WORM' **TO** 'AQUA-PACK WOODWORM KILLER'.

THE CONDITIONS

Applications

AMATEUR USE HAS BEEN ADDED.

USE

Application Rate

THE APPLICATION RATE HAS CHANGED

FROM:

BRUSH AND COARSE SPRAY: ADD ONE SACHET TO 24.875 LITRES OF WATER THEN APPLY 1 LITRE OF SOLUTION PER 3 TO 4 SQUARE METRES.

DIP: ADD ONE SACHET TO 24.875 LITRES OF WATER THEN DIP WOOD IN SOLUTION FOR A MINIMUM OF 3 MINUTES.

TO:

AMATEUR:

BRUSH AND COARSE SPRAY: ADD ONE SACHET (5 ML OR 12.5 ML) TO 1 LITRE OR 2.5 LITRES OF WATER RESPECTIVELY AND THEN APPLY 1 LITRE OF SOLUTION PER 3 TO 4 SQUARE METRES.

DIP: ADD ONE SACHET (5 ML OR 12.5 ML) TO 1 LITRE OR 2.5 LITRES OF WATER RESPECTIVELY THEN DIP WOOD IN SOLUTION FOR A MINIMUM OF 3 MINUTES.

PROFESSIONAL:

ADD ONE SACHET (125 ML) AND MAKE UP TO 25 LITRES OF WATER THEN APPLY 1 LITRE OF SOLUTION PER 3 TO 4 SQUARE METRES.

DIP: ADD ONE SACHET (125 ML) AND MAKE UP TO 25 LITRES OF WATER THEN DIP WOOD IN SOLUTION FOR A MINIMUM OF 3 MINUTES.

Container

THE PACK SIZE HAS CHANGED

FROM 125 MILLILITRES **TO** 5 OR 12.5 MILLILITRES (AMATEUR), 125 MILLILITRES (PROFESSIONAL)

Precautionary Phrases

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN ADDED

AMATEUR LABEL

OP Wear suitable protective clothing, suitable gloves and eye/face protection.

EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES other than outdoor tables.

EN This material and its container must be disposed of in a safe way.

OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

EN Do not empty into drains

OP Avoid contact with skin.

OP Avoid contact with eyes.

OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

RE EXCLUDE ALL UNPROTECTED PERSONS AND ANIMALS DURING TREATMENT AND FOR AT LEAST 1 HOUR AFTER TREATMENT IS COMPLETED.

RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE VISIBLY DRY.

EN COVER ALL WATER STORAGE TANKS before application.

EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

EN ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

EN DO NOT USE ON BEEHIVES OR BEEKEEPING EQUIPMENT.

PROFESSIONAL LABEL

THE FOLLOWING PRECAUTIONARY PHRASES HAVE CHANGED

FROM:

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SYNTHETIC RUBBER/PVC GLOVES AND EYE PROTECTION when using.

DO NOT BREATHE SPRAY MIST. Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53:

"Respiratory Protective Equipment – a practical guide for users").

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

DO NOT CONTAMINATE watercourses or ground.

TO:

Wear suitable protective clothing, suitable gloves and eye/face protection.

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN REMOVED

WHEN USING DO NOT EAT, DRINK OR SMOKE.

EXTREMELY DANGEROUS TO FISH AND OTHER AQUATIC LIFE.

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN ADDED

EN Do not empty into drains

OP Avoid contact with skin.

OP Avoid contact with eyes.

OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

AQUA-PACK DRY ROT FLUID

HSE 7572

Marketing Company

ENVIROQUEST UK LTD

AMENDMENT

Product Name

THE PRODUCT NAME HAS CHANGED **FROM** 'AQUATECH MASONRY'**TO** 'AQUA-PACK DRY ROT FLUID'

THE CONDITIONS

Applications

AMATEUR USE HAS BEEN ADDED

USE

Application Method

THE APPLICATION METHOD HAS CHANGED

FROM

BRUSH, INJECTION AND SPRAY

TO

AMATEUR: BRUSH AND SPRAY

PROFESSIONAL: BRUSH, INJECTION AND SPRAY

Application Rate

THE APPLICATION RATE HAS CHANGED

FROM

BRUSH AND SPRAY: ADD ONE SACHET TO 24.833 LITRES OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 2 TO 5 SQUARE METRES OF SURFACE.

INJECTION: ADD ONE SACHET TO 24.833 LITRES OF WATER THEN APPLY DILUTED PRODUCT AS NECESSARY.

TO

AMATEUR:

BRUSH AND SPRAY: ADD 1 SACHET TO 4.965 LITRES OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 2-5 SQUARE METRES OF SURFACE.

PROFESSIONAL:

BRUSH AND SPRAY: ADD 1 SACHET TO 24.833 LITRES OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 2-5 SQUARE METRES OF SURFACE.

INJECTION: ADD 1 SACHET TO 24.833 LITRES OF WATER THEN APPLY DILUTED PRODUCT AS NECESSARY.

Container

THE PACK SIZE HAS CHANGED **FROM** 167 ml **TO** 35 ml (AMATEUR) 167 ml (PROFESSIONAL)

Precautionary Phrases

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN ADDED

AMATEUR LABEL

OP Wear suitable protective clothing, suitable gloves and eye/face protection.
EN DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
EN This material and its container must be disposed of in a safe way.
OP Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
OP Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
OP Avoid contact with eyes.
OP In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
RE ENSURE THERE IS A PHYSICAL BARRIER TO PREVENT CONTACT BY UNPROTECTED PERSONS AND ANIMALS UNTIL TREATED SURFACES ARE DRY.
EN COVER ALL WATER STORAGE TANKS before application.
EN DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.
EN REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
EP Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

PROFESSIONAL LABEL

THE FOLLOWING PRECAUTIONARY PHRASES HAVE CHANGED

FROM:

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SYNTHETIC RUBBER/PVC GLOVES when using plus EYE PROTECTION when diluting.
DO NOT BREATHE SPRAY MIST. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "Respiratory Protective Equipment – a practical guide for users"
However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.
REMOVE OR COVER FISH TANKS AND BOWLS before application.
DO NOT CONTAMINATE watercourses or ground

TO:

Wear suitable protective clothing, suitable gloves and eye/face protection.
Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
Otherwise wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide").
However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
DO NOT USE NEAR DRAINS, PREVENT ANY SURFACE RUN-OFF FROM ENTERING DRAINS.
REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

THE FOLLOWING PRECAUTIONARY PHRASE HAS BEEN REMOVED

WHEN USING DO NOT EAT, DRINK OR SMOKE

THE FOLLOWING PRECAUTIONARY PHRASES HAVE BEEN ADDED

Avoid contact with eyes.
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
COVER ALL WATER STORAGE TANKS before application.

All other conditions remain unchanged,

[Return to Contents](#)

AMENDMENT

CYPRESS

HSE 8189

Marketing Company

AGRIPHAR S.A.

AMENDMENT

Application Rate

'SPRAY ON TO STRANDS DURING THE MANUFACTURE OF OSB' HAS BEEN ADDED.

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

RAT RADAR

HSE 8197

Marketing Company

RENTOKIL INITIAL UK LTD

AMENDMENT

Product Name

THE PRODUCT NAME HAS CHANGED **FROM** 'R@RADAR' **TO** 'RAT RADAR'

All other conditions remain unchanged.

[Return to Contents](#)

AMENDMENT

EXIT 10

HSE 8212

Marketing Company

AGRIPHAR S.A.

AMENDMENT

USE

Application Rate

AMATEUR USE WOOD PRESERVATIVE HAS BEEN CHANGED

FROM: ADD 1 SACHET (25ML) TO 500 ML WATER AND THEN APPLY 500 ML DILUTED PRODUCT PER 10-15 SQUARE METRES
TO: ADD 2 SACHETS (50ML) TO 500 ML WATER AND THEN APPLY 500 ML DILUTED PRODUCT PER 1.5-2 SQUARE METRES

All other conditions remain unchanged.

[Return to Contents](#)